

References

1. **Banks, D. J., S. B. Beres, and J. M. Musser.** 2002. The fundamental contribution of phages to GAS evolution, genome diversification and strain emergence. *Trends Microbiol.* **10:** 515-521.
2. **Barondes, J. J., and J. Beckwith.** 1995 *bor* gene of phage λ involved in serum resistance, encodes a widely conserved outer membrane protein. *J. Bacteriol.* **177:** 1247-1253.
3. **Beres, S., G. L. Silva, K. D. Barbian, B. Lei, J. S. Hoff et al.** 2002. Genome sequence of a serotype M3 strain of group A Streptococcus: phage-encoded toxins, the high-virulence phenotype, and clone emergence. *Proc. Natl. Acad. Sci. USA* **99:** 10078-10083.
4. **Boyce, J. D., B. E. Davidson, and A. J. Hillier.** 1995. Identification of prophage genes expressed in lysogens of the *Lactococcus lactis* bacteriophage BK5-T. *Appl. Environ. Microbiol.* **61:** 4099-4104.
5. **Boyd, E. F., and H. Brüssow.** 2002. Common themes among bacteriophage-encoded virulence factors and diversity among the bacteriophages involved. *Trends Microbiol.* **10:** 521-529.
6. **Broudy, T. B., V. Pancholi, and V. A. Fischetti.** 2001. Induction of lysogenic bacteriophage and phage-associated toxin from group A streptococci during coculture with human pharyngeal cells. *Infect. Immun.* **69:** 1440-1443.
7. **Brüssow, H.** 2001. Phages of dairy bacteria. *Ann. Rev. Microbiol.* **55:** 283-303.

8. Brüssow, H., and F. Desiere. 2001. Comparative phage genomics and the evolution of Siphoviridae: insights from dairy phages. *Mol Microbiol* **39**: 213-222.

9. Brüssow, H., and R. W. Hendrix R.W. Phage genomics: small is beautiful. *Cell* **108**: 113-116.

10. Bruttin, A., F. Desiere, S. Lucchini, S. Foley, and H. Brüssow. 1997. Characterization of the lysogeny module from the temperate *Streptococcus thermophilus* bacteriophage Sfi21, *Virology* **233**: 136-148.

11. Campbell, A. M. 1996 Cryptic prophages, p. 2041-2046. In: Neidhardt, F.C., editor, *Escherichia coli and Salmonella*. Cellular and molecular biology, 2nd ed., ASM Press, Washington, DC.

12. Canchaya, C., F. Desiere, W. M. McShan, J. J. Ferretti, J. Parkhill, and H. Brüssow. 2002. Genome analysis of an inducible prophage and prophage remnants integrated in the *Streptococcus pyogenes* strain SF370. *Virology* **302**: 245-258.

13. Canchaya, C., C. Proux, G. Fournous, A. Bruttin, and H. Brüssow. 2003. Prophage genomics. *Microbiol. Mol. Biol. Rev.* **67**: 238-276.

14. Casjens, S. 2003. Prophages and bacterial genomics: what have we learned so far? *Mol. Microbiol.* **49**: 277-300.

15. Chopin, A., A. Bolotin, A. Sorokin, S. D. Ehrlich, and M.-C. Chopin. 2001. Analysis of six prophages in *Lactococcus lactis* IL1403: different genetic structure of temperate and virulent phage epopulations, *Nucleic Acids Res.* **29**: 644-651.

16. **Desiere, F., S. Lucchini, and H. Brüssow.** 1999. Comparative sequence analysis of the DNA packaging, head, and tail morphogenesis modules in the temperate cos-site *Streptococcus thermophilus* bacteriophage Sfi21. *Virology* **260**: 244-253.
17. **Desiere, F., C. Mahanivong, A. J. Hillier, P. S. Chandry, B. E. Davidson, and H. Brüssow.** 2001. Comparative genomics of lactococcal phages: insight from the complete genome sequence of *Lactococcus lactis* phage BK5-T. *Virology* **283**: 240-252.
18. **Desiere, F., W. M. McShan, D. Van Sinderen, J. J. Ferretti, and H. Brüssow.** 2001. Comparative genomics reveals close genetic relationships between phages from dairy bacteria and pathogenic streptococci: evolutionary implications for prophage-host interactions. *Virology* **288**: 325-341.
19. **Desiere, F., R. D. Pridmore, and H. Brüssow.** 2000. Comparative genomics of the late gene cluster from *Lactobacillus* phages. *Virology* **275**: 294-305.
20. **Dozois, C. M., F. Daigle, and R. Curtiss.** 2003. Identification of pathogen-specific and conserved genes expressed *in vivo* by an avian pathogenic *Escherichia coli* strain. *Proc. Natl. Acad. Sci. USA* **100**: 247-252.
21. **Edlin, G., L. Lin, and R. Kudrna.** 1975. Lambda lysogens of *Escherichia coli* reproduce more rapidly than non-lysogens. *Nature* **255**: 735-737.
22. **Ferretti, J. J., W. M. McShan, D. Ajdic, D. J. Savic, K. Lyon et al.** 2001. Complete genome sequence of an M1 strain of *Streptococcus pyogenes*. *Proc. Natl. Acad. Sci. USA* **98**: 4658-4663.

23. **Figueroa-Bossi, N., and L. Bossi.** 1999. Inducible prophages contribute to *Salmonella* virulence in mice. *Mol. Microbiol.* **33**: 167-176.
24. **Figueroa-Bossi, N., S. Uzzau, D. Maloriol, and L. Bossi.** 2001. Variable assortment of prophages provides a transferable repertoire of pathogenic determinants in *Salmonella*, *Mol. Microbiol.* **39**: 260-271.
25. **Fournous, G.** 2003. Automatisation de la recherché et de l'analyse de prophages dans les genomes bacteriens. DESS Universite Henri Poincare Nancy / France
26. **Hayashi, T., K. Makino, M. Onishi, K. Kurokawa et al.** 2001. Complete genome sequence of enterohemorrhagic *Escherichia coli* O157:H7 and genomic comparison with a laboratory strain K-12. *DNA Res.* **8**: 11-22.
27. **Ikebe, T., A. Wada, Y. Inagaki, K. Sugama, R. Suzuki, et al.** 2002. Dissemination of the phage-associated novel superantigen gen *speL* in recent invasive and noninvasive M3/T3 *Streptococcus pyogenes* isolates in Japan. *Infect. Immun.* **70**: 3227-3233.
28. **Inagaki, Y., F. Myouga, H. Kawabata, S. Yamai, and H. Watanabe.** 2000. Genomic differences in streptococcus pyogenes serotype M3 between recent isolates associated with toxic shock-like syndrome and past clinical isolates. *J. Infect. Dis.* **181**: 975-983.
29. **Jin, Q., J. Yuan, Y. Xu, Y. Wang, Y. Shen, et al.** 2002. Genome sequence of *Shigella flexneri* 2a: insights into pathogenicity through comparison with genomes of *Escherichia coli* K12 and O157. *Nucleic Acids Res.* **30**: 4432-4441.

30. **Krinos, C. M., M. J. Coyne, K. G. Weinacht, A. O. Tzianabos, D. L. Kasper, and L. E. Comstock.** 2001. Extensive surface diversity of a commensal microorganism by multiple DNA inversions. *Nature* **414**: 555-558.

31. **Lawrence, J. G., R. W. Hendrix, and S. Casjens.** 2001. Where are the pseudogenes in bacterial genomes? *Trends Microbiol.* **9**: 535-540.

32. **Macpherson, A., D. Gatto, E. Sainsbury, G. R. Harriman, H. Hengartner, R. M. Zinkernagel.** 2000. A primitive T cell-independent mechanism of intestinal mucosal IgA responses to commensal bacteria. *Science* **288**: 2222-2226.

33. **Makino, K., K. Yokoyama, Y. Kubota, C. H. Yutsudo, et al.** 1999. Complete nucleotide sequence of the prophage VT2-Sakai carrying the verotoxin 2 genes of the enterohemorrhagic *Escherichia coli* O157:H7 derived from the Sakai outbreak. *Genes Genet. Syst.* **74**: 227-239.

34. **McClelland, M., K. E. Sanderson, J. Spleth, S. W. Clifton.** 2001. Complete genome sequence of *Salmonella enterica* serovar Typhimurium LT2. *Nature* **413**: 852-856.

35. **Morgan, G. J., G. F. Hatfull, S. Casjens, and R. W. Hendrix.** 2002. Bacteriophage Mu genome sequence: analysis and comparison with Mu-like prophages in *Haemophilus*, *Neisseria* and *Deinococcus*. *J. Mol. Biol.* **317**: 337-359.

36. **Nakagawa, I., K. Kurokawa, A. Yamashita, M. Nakata, Y. Tomiyasu, et al.** 2003. Genomic sequence of an M3 strain of *Streptococcus pyogenes* reveals a large-scale genomic rearrangement in invasive strains and new insights into phage evolution. *Genome Res.* **13**: 1042-1055.

37. **Ohnishi, M., K. Kurokawa, and T. Hayashi.** 2001. Diversification of *Escherichia coli* genomes: are bacteriophages the major contributors? *Trends Microbiol.* **9:** 481-485.

38. **Parkhill, J., G. Dougan, K. D. James, N. R. Thomson.** 2001. Complete genome sequence of a multiple drug resistant *Salmonella enterica* serovar Typhi CT18. *Nature* **413:** 848-852.

39. **Perna, N. T., G. Plunkett, V. Burland, B. Mau.** 2001. Genome sequence of enterohaemorrhagic *Escherichia coli* O157:H7. *Nature* **409:** 529-533.

40. **Plunkett, G., D. J. Rose, T. J. Durfee, and F. R. Blattner.** 1999. Sequence of shiga toxin 2 phage 933W from *Escherichia coli* O157:H7: Shiga toxin as a phage late-gene product. *J. Bacteriol.* **181:** 1767-1778.

41. **Smoot, J. C., K. D. Barbian, J. J. van Gompel, L. M. Smoot, M. S. Chaussee et al.** 2002. Genome sequence and comparative microarray analysis of serotype M18 group A *Streptococcus* strains associated with acute rheumatic fever outbreaks. *Proc. Natl. Acad. Sci. USA* **99:** 4668-4673.

42. **Smoot, L. M., J. C. Smoot, M. R. Graham, G. A. Somerville, D. E. Sturdevant, C. A. Migliacco, G. L. Sylva, and J. M. Musser.** 2001. Global differential gene expression in response to growth temperature alteration in group A *Streptococcus*. *Proc. Natl. Acad. Sci. USA* **98:** 10416-10421.

43. **Tettelin H., V. Masignani, M. J. Cieslewicz, J. A. Eisen, S. A. Peterson et al.** 2002. Complete genome sequence and comparative genomic analysis of an emerging human pathogen, serotype V *Streptococcus agalactiae*. *Proc. Natl. Acad. Sci. USA* **99:** 12391-12396.

44. Van Slyc, M. A., M. C. de Oliveira, C. B. Monteiro-Vitorello, C.Y. Miyaki, L. R. Furlan.

2003. Comparative analyses of the complete genome sequences of Pierce's disease and citrus variegated chlorosis strains of *Xylella fastidiosa*. *J. Bacteriol.* **185**: 1018-1026.

45. Ventura, M., A. Bruttin, C. Canchaya, and H. Brüssow. 2002. Transcription analysis of *Streptococcus thermophilus* phages in the lysogenic state. *Virology* **302**: 21-32.

46. Ventura, M., C. Canchaya, D. Pridmore, B. Berger, and H. Brüssow, H. 2003. Integration and distribution of *Lactobacillus johnsonii* prophages. *J. Bacteriol.* **185**: 4603-4608.

47. Ventura, M., C. Canchaya, M. Kleerebezem, W. M. de Vos, R. J. Siezen, and H. Brüssow. 2003. The prophage sequences of *Lactobacillus plantarum* strain WCFS1. *Virology* **316**:245-255.

48. Ventura, M., S. Foley, A. Bruttin, S. Chibani-Chennoufi, C. Canchaya, and H. Brüssow. 2002. Transcription mapping as a tool in phage genomics: the case of the temperate *Streptococcus thermophilus* phage Sfi21. *Virology* **296**: 62-76.

49. Wagner, P. L., and M. K. Waldor. 2002. Bacteriophage control of bacterial virulence. *Infect. Immun.* **70**: 3985-3993.

50. Whiteley, M., M. G. Bangera, R. E. Bumgarner, M. R. Parsek, G. M. Teitzel, S. Lory, and E. P. Greenberg. 2001. Gene expression in *Pseudomonas aeruginosa* biofilms. *Nature* **413**: 860-864.

51. **Yokoyama, K., K. Makino, Y. Kubota, M. Watanabe, et al.** 2000. Complete nucleotide sequence of the prophage VT1-Sakai carrying the shiga toxin 1 genes of the enterohemorrhagic *Escherichia coli* O157:H7 derived from the Sakai outbreak. *Gene* **258**: 127-139.