

brought to you by www.thebacteriophages.org and www.phage.org

References

1. **Bamford, D., and L. Mindich.** 1982. Structure of the lipid-containing bacteriophage PRD1: disruption of wild-type and nonsense mutant phage particles with guanidine hydrochloride. *J. Virol.* **44**:1031-1038.
2. **Bamford, D. H., and H.-W. Ackermann.** 2000. Family *Tectiviridae*, p. 111-116. *In* M. H. V. van Regenmortel and C. M. Fauquet and D. H. L. Bishop and E. B. Carstens and M. K. Estes and S. M. Lemon and J. Maniloff and M. A. Mayo and D. J. McGeoch and C. R. Pringle and R. B. Wickner (ed.), *Virus Taxonomy. Classification and Nomenclature of Viruses*. Academic Press, San Diego.
3. **Bamford, D. H., J. K. Bamford, S. A. Towse, and G. J. Thomas, Jr.** 1990. Structural study of the lipid-containing bacteriophage PRD1 and its capsid and DNA components by laser Raman spectroscopy. *Biochemistry.* **29**:5982-5987.
4. **Bamford, D. H., R. M. Burnett, and D. I. Stuart.** 2002. Evolution of viral structure. *Theor. Pop. Biol.* **61**:461-470.
5. **Bamford, D. H., J. Caldentey, and J. K. H. Bamford.** 1995. Bacteriophage PRD1: a broad host range dsDNA tectivirus with an internal membrane. *Adv. Virus Res.* **45**:281-319.
6. **Bamford, D. H., and L. Mindich.** 1984. Characterization of the DNA-protein complex at the termini of the bacteriophage PRD1 genome. *J. Virol.* **50**:309-315.
7. **Bamford, J. K., J. J. Cockburn, J. Diprose, J. M. Grimes, G. Sutton, D. I. Stuart, and D. H. Bamford.** 2002. Diffraction quality crystals of PRD1, a 66-MDa dsDNA virus with an internal membrane. *J Struct Biol.* **139**:103-112.
8. **Bamford, J. K. H., and D. H. Bamford.** 1990. Capsomer proteins of bacteriophage PRD1, a bacterial virus with a membrane. *Virology.* **177**:445-451.

9. **Bamford, J. K. H., and D. H. Bamford.** 2000. A new mutant class, made by targeted mutagenesis, of phage PRD1 reveals that protein P5 connects the receptor binding protein to vertex. *J. Virol.* **74**:7781-7786.
10. **Bamford, J. K. H., A.-L. Hänninen, T. M. Pakula, P. M. Ojala, N. Kalkkinen, M. Frilander, and D. H. Bamford.** 1991. Genome organization of membrane-containing bacteriophage PRD1. *Virology.* **183**:658-676.
11. **Benson, S. D., J. K. H. Bamford, D. H. Bamford, and R. M. Burnett.** 1999. Viral evolution revealed by bacteriophage PRD1 and human adenovirus coat protein structures. *Cell.* **98**:825-833.
12. **Benson, S. D., J. K. H. Bamford, D. H. Bamford, and R. M. Burnett.** 2002. The X-ray crystal structure of P3, the major coat protein of the lipid-containing bacteriophage PRD1, at 1.65 Å resolution. *Acta Cryst.* **D58**:39-59.
13. **Butcher, S. J., D. H. Bamford, and S. D. Fuller.** 1995. DNA packaging orders the membrane of bacteriophage PRD1. *EMBO J.* **14**: 6078-6086.
14. **Caldentey, J., J. K. Bamford, and D. H. Bamford.** 1990. Structure and assembly of bacteriophage PRD1, and *Escherichia coli* virus with a membrane. *J. Struct. Biol.* **104**:44-51.
15. **Caldentey, J., L. Blanco, D. H. Bamford, and M. Salas.** 1993. *In vitro* replication of bacteriophage PRD1 DNA. Characterization of the protein-primed initiation site. *Nucleic Acids Res.* **21**: 3725-3730.
16. **Caldentey, J., L. Blanco, H. Savilahti, D. H. Bamford, and M. Salas.** 1992. *In vitro* replication of bacteriophage PRD1 DNA. Metal activation of protein-primed initiation and DNA elongation. *Nucleic Acids Res.* **20**:3971-3976.
17. **Caldentey, J., A. L. Hänninen, J. M. Holopainen, J. K. Bamford, P. K. Kinnunen, and D. H. Bamford.** 1999. Purification and characterization of the

- assembly factor P17 of the lipid-containing bacteriophage PRD1. *Eur. J. Biochem.* **260**:549-558.
18. **Caldentey, J., A.-L. Hänninen, and D. H. Bamford.** 1994. Gene XV of bacteriophage PRD1 encodes a lytic enzyme with muramidase activity. *Eur. J. Biochem.* **225**:341-346.
 19. **Caldentey, J., R. Tuma, and D. H. Bamford.** 2000. Assembly of bacteriophage PRD1 spike complex: the role of the multidomain protein P5. *Biochemistry.* **39**:10566-10573.
 20. **Cockburn, J. J., J. K. Bamford, J. M. Grimes, D. H. Bamford, and D. I. Stuart.** 2003. Crystallization of the membrane-containing bacteriophage PRD1 in quartz capillaries by vapour diffusion. *Acta Crystallogr D Biol Crystallogr.* **59**:538-540.
 21. **Daugelavicius, R., J. K. Bamford, A. M. Grahn, E. Lanka, and D. H. Bamford.** 1997. The IncP plasmid-encoded cell envelope-associated DNA transfer complex increases cell permeability. *J. Bacteriol.* **179**:5195-5202.
 22. **Daugelavicius, R., J. K. H. Bamford, and D. H. Bamford.** 1997. Changes in host cell energetics in response to bacteriophage PRD1 DNA entry. *J. Bacteriol.* **179**:5203-5210.
 23. **Davis, T. N., E. D. Muller, and J. E. Cronan, Jr.** 1982. The virion of the lipid-containing bacteriophage PR4. *Virology.* **120**:287-306.
 24. **Eisenbrandt, R., M. Kalkum, E.-M. Lai, R. Lurz, C. I. Kado, and E. Lanka.** 1999. Conjugative Pili of IncP plasmids, and the Ti plasmid T pilus are composed of cyclic subunits. *J. Biol. Chem.* **274**:22548-22555.
 25. **Frank, J., B. Shimkin, and H. Dowse.** 1981. SPIDER - a modular software system for electron image processing. *Ultramicroscopy.* **6**:343-358.

26. **Gowen, B., J. K. H. Bamford, D. H. Bamford, and S. D. Fuller.** 2003. The tailless, icosahedral membrane virus PRD1 localizes the proteins involved in genome packaging and injection at a unique vertex. *J. Virol.* **77**:7863-7871.
27. **Grahn, A. M., J. Caldentey, J. K. H. Bamford, and D. H. Bamford.** 1999. Stable packaging of phage PRD1 DNA requires adsorption protein P2, which binds to the IncP plasmid-encoded conjugative transfer complex. *J. Bacteriol.* **181**:6689-6696.
28. **Grahn, A. M., R. Daugelavicius, and D. H. Bamford.** 2002. Sequential model of phage PRD1 DNA delivery: active involvement of the viral membrane. *Mol Microbiol.* **46**:1199-1209.
29. **Grahn, A. M., R. Daugelavicius, and D. H. Bamford.** 2002. A small viral membrane-associated protein P32 is involved in bacteriophage PRD1 DNA entry. *J. Virol.* **76**:4866-4872.
30. **Grahn, A. M., J. Haase, D. H. Bamford, and E. Lanka.** 2000. Components of the RP4 conjugative transfer apparatus form an envelope structure bridging inner and outer membranes of donor cells: implications for related macromolecule transfer systems. *J. Bacteriol.* **182**:1564-1574.
31. **Grahn, A. M., J. Haase, E. Lanka, and D. H. Bamford.** 1997. Assembly of a functional phage PRD1 receptor depends on 11 genes of the IncP plasmid mating pair formation complex. *J. Bacteriol.* **179**:4733-4740.
32. **Haase, J., R. Lurz, A. M. Grahn, D. H. Bamford, and E. Lanka.** 1995. Bacterial conjugation mediated by plasmid RP4: RSF1010 mobilization, donor-specific phage propagation, and pilus production require the same Tra2 core components of a proposed DNA transport complex. *J. Bacteriol.* **177**:4779-4791.
33. **Helin, J., J. Caldentey, N. Kalkkinen, and D. H. Bamford.** 1999. Analysis of the multimeric state of proteins by matrix assisted laser desorption/ionization mass

- spectrometry after cross-linking with glutaraldehyde. *Rapid Commun. Mass Spectrom.* **13**:185-190.
34. **Huiskonen, J. T., L. Laakkonen, M. Toropainen, M. Sarvas, D. H. Bamford, and J. K. H. Bamford.** 2003. Probing the ability of the coat and vertex protein of the membrane-containing bacteriophage PRD1 to display a meningococcal epitope. *Virology.* **310**:267-279.
 35. **Hänninen, A.-L., D. H. Bamford, and J. K. H. Bamford.** 1997. Assembly of membrane-containing bacteriophage PRD1 is dependent on GroEL and GroES. *Virology.* **227**:207-210.
 36. **Jones, T. A., J. Y. Zou, S. W. Cowan, and Kjeldgaard.** 1991. Improved methods for binding protein models in electron density maps and the location of errors in these models. *Acta Cryst. A.* **47**:110-119.
 37. **Kotilainen, M. M., A. M. Grahn, J. K. H. Bamford, and D. H. Bamford.** 1993. Binding of an *Escherichia coli* double-stranded DNA virus PRD1 to a receptor coded by an IncP-type plasmid. *J. Bacteriol.* **175**:3089-3095.
 38. **Kraulis, P. J.** 1991. MolScript: a program to produce both detailed and schematic plots of protein structures. *J. Appl. Cryst.* **24**:946-950.
 39. **Lessl, M., D. Balzer, K. Weyrauch, and E. Lanka.** 1993. The mating pair formation system of plasmid RP4 defined by RSF1010 mobilization and donor-specific phage propagation. *J. Bacteriol.* **175**:6415-6425.
 40. **Lessl, M., and E. Lanka.** 1994. Common mechanisms in bacterial conjugation and Ti-mediated T-DNA transfer to plant cells. *Cell.* **77**:321-324.
 41. **Letellier, L., L. Plancon, M. Bonhivers, and P. Boulanger.** 1999. Phage DNA transport across membranes. *Res. Microbiol.* **150**:499-505.
 42. **Lundström, K. H., D. H. Bamford, E. T. Palva, and K. Lounatmaa.** 1979. Lipid-containing bacteriophage PR4: structure and life cycle. *J. Gen. Virol.* **43**:583-592.

43. **Lyra, C., H. Savilahti, and D. H. Bamford.** 1991. High-frequency transfer of linear DNA containing 5'-covalently linked terminal proteins: electroporation of bacteriophage PRD1 genome into *Escherichia coli*. *Mol. Gen. Genet.* **228**:65-69.
44. **Merritt, E. A., and D. J. Bacon.** 1997. Raster3D photorealistic molecular graphics. *Meth. Enzymol.* **277**:505-524.
45. **Mindich, L., D. Bamford, C. Goldthwaite, M. Laverty, and G. Mackenzie.** 1982. Isolation of nonsense mutants of lipid-containing bacteriophage PRD1. *J. Virol.* **44**:1013-1020.
46. **Mindich, L., D. Bamford, T. McGraw, and G. Mackenzie.** 1982. Assembly of bacteriophage PRD1: particle formation with wild-type and mutant viruses. *J. Virol.* **44**:1021-1030.
47. **Mindich, L., and D. H. Bamford.** 1988. Lipid-containing bacteriophages, p. 475-520. *In* R. Calendar (ed.), *The bacteriophages*, vol. 2. Plenum Publishing Corporation, New York.
48. **Pakula, T. M., J. Caldentey, C. Gutiérrez, O. V. M., M. Salas, and D. H. Bamford.** 1993. Overproduction, purification, and characterization of DNA-binding protein P19 of bacteriophage PRD1. *Gene.* **126**:99-104.
49. **Pakula, T. M., J. Caldentey, M. Serrano, C. Gutierrez, J. M. Hermoso, M. Salas, and D. H. Bamford.** 1990. Characterization of a DNA binding protein of bacteriophage PRD1 involved in DNA replication. *Nucleic Acids Res.* **18**:6553-6557.
50. **Pansegrau, W., E. Lanka, P. T. Barth, D. H. Figurski, D. G. Guiney, D. Haas, D. R. Helinski, H. Schwab, V. A. Stanisich, and C. M. Thomas.** 1994. Complete nucleotide sequence of Birmingham IncP α plasmids. Compilation and comparative analysis. *J. Mol. Biol.* **239**:623-663.

51. **Rydman, P. S., and D. H. Bamford.** 2000. Bacteriophage PRD1 DNA entry uses a viral membrane-associated transglycosylase activity. *Mol. Microbiol.* **37**:356-363.
52. **Rydman, P. S., and D. H. Bamford.** 2003. Identification and mutational analysis of bacteriophage PRD1 holin protein P35. *J. Bacteriol.* **185**:3795-3803.
53. **Rydman, P. S., and D. H. Bamford.** 2002. The lytic enzyme of bacteriophage PRD1 is associated with the viral membrane. *J. Bacteriol.* **184**:104-110.
54. **Rydman, P. S., J. K. H. Bamford, and D. H. Bamford.** 2001. A minor capsid protein P30 is essential for bacteriophage PRD1 assembly. *J. Mol. Biol.* **313**:785-795.
55. **Rydman, P. S., J. Caldentey, S. J. Butcher, S. D. Fuller, T. Rutten, and D. H. Bamford.** 1999. Bacteriophage PRD1 contains a labile receptor-binding structure at each vertex. *J. Mol. Biol.* **291**:575-587.
56. **Salas, M.** 1991. Protein-priming of DNA replication. *Annu. Rev. Biochem.* **60**:39-71.
57. **San Martín, C., R. M. Burnett, F. de Haas, R. Heinkel, T. Rutten, S. D. Fuller, S. J. Butcher, and D. H. Bamford.** 2001. Combined EM/X-ray imaging yields a quasi-atomic model of the adenovirus-related bacteriophage PRD1 and shows key capsid and membrane interactions. *Structure.* **9**:917-930.
58. **San Martín, C., J. T. Huiskonen, J. K. Bamford, S. J. Butcher, S. D. Fuller, D. H. Bamford, and R. M. Burnett.** 2002. Minor proteins, mobile arms and membrane-capsid interactions in bacteriophage PRD1 capsid. *Nat Struct Biol.* **9**:756-763.
59. **Savilahti, H., and D. H. Bamford.** 1986. Linear DNA replication: inverted terminal repeats of the five closely related *Escherichia coli* bacteriophages. *Gene.* **49**:199-205.

60. **Savilahti, H., J. Caldentey, and D. H. Bamford.** 1989. Bacteriophage PRD1 terminal protein: expression of gene *VIII* in *Escherichia coli* and purification of the functional P8 product. *Gene*. **85**:45-51.
61. **Savilahti, H., J. Caldentey, K. Lundström, J. E. Syväoja, and D. H. Bamford.** 1991. Overexpression, purification and characterization of *Escherichia coli* bacteriophage PRD1 DNA polymerase. *In vitro* synthesis of full-length PRD1 DNA with purified proteins. *J. Biol. Chem.* **266**:18737-18744.
62. **Sayle, R. A., and E. J. Milner-White.** 1995. RASMOL: biomolecular graphics for all. *Trends Biochem. Sci.* **20**:374.
63. **Sokolova, A., M. Malfois, J. Caldentey, D. I. Svergun, M. H. Koch, D. H. Bamford, and R. Tuma.** 2001. Solution structure of bacteriophage PRD1 vertex complex. *J. Biol. Chem.* **276**:46187-46195.
64. **Strömsten, N., D. H. Bamford, and J. K. H. Bamford.** 2003. The unique vertex of bacterial virus PRD1 is connected to the viral internal membrane. *J. Virol.* **77**:6314-6321.
65. **Tuma, R., J. K. H. Bamford, D. H. Bamford, M. P. Russell, and G. J. J. Thomas.** 1996. Structure, interactions and dynamics of PRD1 virus I. Coupling of subunit folding and capsid assembly. *J. Mol. Biol.* **257**:87-101.
66. **Tuma, R., J. K. H. Bamford, D. H. Bamford, and G. J. J. Thomas.** 1996. Structure, interactions and dynamics of PRD1 virus II. Organization of the viral membrane and DNA. *J. Mol. Biol.* **257**:102-115.
67. **Wang, I. N., D. L. Smith, and R. Young.** 2000. Holins: the protein clocks of bacteriophage infections. *Annu. Rev. Microbiol.* **54**:799-825.
68. **Waters, V. L., B. Strack, W. Pansegrau, E. Lanka, and D. G. Guiney.** 1992. Mutational analysis of essential IncP α plasmid transfer genes *traF* and *traG* and involvement of *traF* in phage sensitivity. *J. Bacteriol.* **174**:6666-6673.

69. **Xu, L., S. D. Benson, S. J. Butcher, D. H. Bamford, and R. M. Burnett.** 2003. The receptor binding protein P2 of PRD1, a virus targeting antibiotic-resistant bacteria, has a novel fold suggesting multiple functions. *Structure (Camb)*. **11**:309-322.
70. **Xu, L., S. J. Butcher, S. D. Benson, D. H. Bamford, and R. M. Burnett.** 2000. Crystallization and preliminary X-ray analysis of receptor-binding protein P2 of bacteriophage PRD1. *J. Struct. Biol.* **131**:159-163.
71. **Yoo, S. K., and J. Ito.** 1991. Sequence requirements for protein-primed DNA replication of bacteriophage PRD1. *J. Mol. Biol.* **218**:779-789.