

References

1. **Adhin, M. R., and J. van Duin.** 1990. Scanning model for translational reinitiation in eubacteria. *J. Mol. Biol.* **213**: 811-818.
2. **Adhin, M. R., J. Alblas, and J. van Duin.** 1990. Secondary structure at the 3' terminal region of RNA coliphages: comparison with tRNA. *Biochim. Biophys. Acta* **1050**: 110-118.
3. **Arora, R., C. Priano, A. B. Jacobson, and D. R. Mills.** 1996. *Cis*-acting elements within an RNA coliphage genome: fold as you please, but fold you must!! *J. Mol. Biol.* **258**: 433-436.
4. **Avota, E., V. Berzins, E. Grens, Y. Vishnevsky, R. Luce, and C. K. Biebricher.** 1998. The natural 6S RNA (RQ RNA) found in Q_B-infected cells is derived from host and phage RNA. *J. Mol. Biol.* **276**: 7-17.
5. **Axelrod, V. D., E. Brown, C. Priano, and D. R. Mills.** 1991. Coliphage Q_B replication; RNA catalytic for single-stranded release. *Virology* **184**: 595-608.
6. **Beekwilder, J.** 1996. Secondary structure of the Q_B RNA, Ph.D. Thesis, Leiden University. (Available on request.)
7. **Beekwilder, J., R. Nieuwenhuizen, R. A. Poot, and J. van Duin.** 1996. Secondary structure model for the first three domains of Q_B RNA. Control of A-protein synthesis. *J. Mol. Biol.* **256**: 8-19.
8. **Beekwilder, J., and J. van Duin.** unpublished results.
- 8a. **Berkhout, B., M. H. de Smit, R. A. Spanjaard, T. Blom, and J. van Duin.** 1985. The amino terminal half of the MS-2 coded lysis protein is dispensable for function: implications for our understanding of coding region overlaps. *EMBO J.* **4**: 3315-3320.
9. **Berkhout, B., and J. van Duin.** 1985. Mechanism of translational coupling between coat and replicase genes in phage MS2. *Nucleic Acids Res.* **13**: 6955-6967.
10. **Berkhout, B., B. F. Schmidt, A. van Strien, J. van Westrenen, and J. van Duin, J.** 1987. Lysis gene of MS2 is activated by translation termination at the overlapping coat gene. *J. Mol. Biol.*, **195**: 517-524.
11. **Bernhardt, T. G., W. D. Roof, and R. Young.** 2000. Genetic evidence that the

- bacteriophage Φ X174 lysis protein inhibits cell wall synthesis. Proc. Natl. Acad. Sci. USA, **97**: 4297-4302.
- 12. **Biebricher, C. K., M. Eigen, and W. C. Gardiner.** 1984. Kinetics of RNA replication: Plus-minus assymetry and double strand formation. *Biochemistry* **23**: 3186-3194.
 - 13. **Biebricher, C. K., and R. Luce.** 1993, Sequence analysis of RNA species synthesized by Q_B replicase without template. *Biochemistry* **32**: 4848-4854.
 - 14. **Biebricher, C. K.** 1999. Mutation, competition and selection as measured with small RNA molecules, in: *Origin and Evolution of Viruses*, Domingo, E. (ed.), Academic Press, London, p. 65.
 - 15. **Blumenthal, T., and G. G. Carmichael.** 1979. RNA replication: function and structure of Q_B replicase. *Annu. Rev. Biochem.* **48**: 525-548.
 - 16. **Bollback, J. P., and J. P. Huelsenbeck.** 2001. Phylogeny, genome evolution and host specificity of ssRNA bacteriophage (Family Leviviridae). *J. Mol. Evol.* **52**: 117-128.
 - 17. **Boni, I. V., D. M. Isaeva, and E. L. Budowski.** 1986. Ribosomal protein S1 binds to an internal region of the replicase gene within the complex of a 30S ribosomal subunit and MS2 RNA. *Bioorg. Khim.* **12**: 293 (in Russian).
 - 17a. **Boni, I. V., D. M. Isaeva, and M. L. Musychenko.** 1991. Ribosome-messenger recognition: mRNA target sites for ribosomal protein S1. *Nucleic Acids Res.* **19**: 155-162.
 - 18. **Brown, D., and L. Gold.** 1995. Template recognition by an RNA-dependent RNA polymerase: identification and characterization of two RNA-binding sites on Q_B replicase, *Biochemistry* **34**: 14765-14774.
 - 19. **Brown, D., and L. Gold, L.** 1995. Selection and characterization of RNAs replicated by Q_B replicase. *Biochemistry* **34**: 14775-14782.
 - 20. **Brown, D., and L. Gold, L.** 1996. RNA replication by Q_B replicase: A working model. Proc. Natl. Acad. Sci. USA **93**: 11558-11562.
 - 21. **Brown, L., and T. Elliott, T.** 1997. Mutations that increase expression of the rpoS gene and decrease its dependence on *hfq* function in *Salmonella typhimurium*. *J. Bacteriol.* **17**: 656-662.
 - 22. **Chetverin, A. B., and A. S. Spirin.** 1995. Replicable RNA vectors: prospects for cell-free

- gene amplification, expression and cloning. *Progr. Nucleic Acids Res. Mol. Biol.* **51**: 225-270.
- 23. **Court, D.** 1993. RNA processing and degradation by RNase III, in: Control of RNA stability, Belasco, J.G., and Brouwerman, G. (eds.), Acad. Press, New York, p. 71.
 - 24. **de Smit, M. H., and J. van Duin.** 1990. Secondary structure of the ribosome binding site determines translational efficiency; a quantitative analysis. *Proc. Natl. Acad. Sci. USA* **87**: 7668-7672.
 - 25. **de Smit, M. H.** 1998. Translational control by mRNA structure in eubacteria: molecular biology and physical chemistry, in: RNA structure and function, Grunberg-Manago, M., and Simons, R. (eds.), Cold Spring Harbor Laboratory Press, N.Y.
 - 25a. **de Smit, M. H., and van Duin, J.** 2003. Ribosomes on standby: A prelude to translational (re) initiation. In: Translation mechanisms, J. Lapointe and L. Brakier-Gingras, in press.
 - 26. **Furuse, K.** 1987. Distribution of coliphages in the environment: general considerations, in: Phage Ecology, Goyal, S.M. (ed.), p. 87, Wiley, New York.
 - 27. **Goessens, W. H. F., A. J. M. Driessen, J. Wilschut, and J. van Duin.** 1988. A synthetic peptide corresponding to the C-terminal 25 residues of phage MS2 lysis protein dissipates the proton motive force in *E. coli* membrane vesicles by generating hydrophilic pores. *EMBO J.* **7**: 867-873.
 - 28. **Golmohammadi, R., K. Fridborg, M. Bundule, K. Valegård, and J. Liljas.** 1996. The crystal structure of phage Q_B at 3.5 Å resolution. *Structure* **4**: 543-554.
 - 29. **Grahn, E., N. J. Stonehouse, J. B. Murray, S. van den Worm, K. Valegård, K. Fridborg, P. G. Stockley, and L. Liljas.** 1999. Crystallographic studies of RNA hairpins in complexes with recombinant MS2 capsids: implications for binding requirements. *RNA* **5**: 131-138.
 - 30. **Groeneveld, H., K. Thimon, and J. van Duin.** 1995. Translational control of maturation protein synthesis in phage MS2: A role for the kinetics of RNA folding. *RNA* **1**: 79-88.
 - 31. **Jacobson, A. B., and M. Zuker.** 1993. Structural analysis by energy dot plot of a large mRNA. *J. Mol. Biol.* **233**: 261-269.
 - 32. **Inokuchi, Y., R. Takahashi, T. Hirose, S. Inayama, A. B. Jacobson, and A. Hirashima.** 1986. The complete nucleotide sequence of group II phage GA. *J. Biochem.* **99**: 1169-1180.

33. **Inokuchi, Y., A. B. Jacobson, T. Hirose, S. Inayama, and Hirashima, A.** 1988. Analysis of the complete nucleotide sequence of group IV coliphage SP. Nucleic Acids Res. **16**: 6205-6221.
34. **Inokuchi, Y., and M. Kajitani.** 1997. Deletion analysis of Q_B replicase. J. Biol. Chem. **272**: 15339-15345.
35. **Jacobson, A. B., R. Arora, M. Zuker, C. Priano, C. H. Liu, and D. R. Mills.** 1998. Structural plasticity in RNA and its role in the regulation of translation in Q_B, J. Mol. Biol. **275**: 589-600.
36. **Kajitani, M., A. Kato, A. Wada, Y. Inokuchi, and A. Ashihama.** 1994. Regulation of the *E. coli* *hfq* gene encoding the host factor for phage Q_B. J. Bacteriol. **176**: 531-534.
37. **Karnik, S., and M. Billeter.** 1983. The lysis function of RNA bacteriophage Q_B is mediated by the maturation protein. EMBO J. **2**: 1521-1526.
38. **Kawashima, T., G. Berthet-Colominas, H. Wulff, S. Cusack, and R. Leberman.** 1996. The structure of the *E. coli* EF-Tu•EF-Ts complex at 2.5 Å resolution. Nature **379**: 511-518.
39. **Klovins, J., J. van Duin, and R. C. L. Olsthoorn.** 1997. Rescue of the RNA phage genome from RNase III cleavage. Nucleic Acids Res. **25**: 4201-4208.
40. **Klovins, J., N. V. Tsareva, M. H. de Smit, V. Berzins, and J. van Duin.** 1997. Rapid evolution of translational control mechanisms in RNA genomes. J. Mol. Biol. **265**: 372-384.
41. **Klovins, J., V. Berzins, and J. van Duin.** 1998. A long-range interaction that bridges the thousand nucleotides between the S-site and the 3' end is required for replication. RNA **4**: 948-957.
42. **Klovins, J., and J. van Duin.** 1999. A long-range pseudoknot in Q_B RNA is essential for replication. J. Mol. Biol. **294**: 875-884.
43. **Klovins, J., G. P. Overbeek, S. van den Worm, H.-W. Ackermann, and J. van Duin.** 2002. Nucleotide sequence of a ssRNA phage from *Acinetobacter*: kinship to coliphages. J. Gen. Virol. **83**: 1523-1533.
44. **Knolle, P., and T. Hohn.** 1975. Morphogenesis of RNA phages, in: RNA phages, Zinder, N. (ed.), Cold Spring Harbor Laboratory Press, N.Y., p. 147.
45. **Kolakofsky, D., M. A. Billeter, K. Weber, and C. Weissmann.** 1973. Resynchronization of

- RNA synthesis by Q_B replicase at the internal site of the template. *J. Mol. Biol.* **76**: 271-284.
- 45a. **Kondo, M.** 1975. Structure and function of Q_B replicase. *Arch. Internat. Physiol. Biochem.* **83**: 909-948.
46. **Licis, N., Balklava, Z., and J. van Duin.** 2000. Forced retroevolution of an RNA bacteriophage. *Virology* **271**: 298-306.
47. **Lindner, A. J., S. J. Glaser, C. K. Biebricher, and G. R. Hartman.** 1991. Self-catalyzed affinity labeling of Q_B replicase. *Eur. J. Biochem.* **202**: 249-254.
48. **Mathu, S. G. J., C. R. Knudsen, J. van Duin, and B. Kraal.** Isolation of Q_B polymerase complexes containing mutant species of EF-Tu. *J. Chromatography*, in press.
49. **Mathu, S. G. J., H. Karring, C. R. Knudsen, J. van Duin, and B. Kraal,** manuscript in preparation.
50. **Majdolani, N., C. Cunning, D. Sledjeski, T. Elliott, and S. Gottesman.** 1998. DsRA RNA regulates translation of rpoS message by an anti-antisense mechanism, independent of its action as an antisilencer of transcription. *Proc. Natl. Acad. Sci. USA* **95**: 12462-12467.
51. **Meyer, F., H. Weber, and C. Weissmann.** 1981. Interactions of Q_B replicase with Q_B RNA. *J. Mol. Biol.* **153**: 631-660.
52. **Miranda, G., D. Schuppli, L. Barrera, C. Hausherr, J. M. Sogo, and H. Weber.** 1997. Recognition of Q_B (+) strand as a template by Q_B replicase: role of interactions mediated by S1 and HF. *J. Mol. Biol.* **267**: 1089-1103.
53. **Moody, M., J. L. Burg, R. DiFrancesc, D. Lovorn, W. Stanick, J. Lin-Goerke, K. Mahdavi, Y. Wu, and M. P. Farrell.** 1994. Evolution of host cell RNA into efficient template RNA by Q_B replicase: The origin of RNA in untemplated reactions. *Biochemistry* **33**: 13836-13847.
54. **Munishkin, A. V., L. A. Voronin, and A.B. Chetverin, A. B.** 1988. An *in vivo* recombinant RNA capable of autocatalytic synthesis by Q_B replicase. *Nature* **333**: 473-475.
55. **Munishkin, A. V., L. A. Voronin, V. L. Ugarov, L. A. Bandareva, H. V. Chetverina, and A. B. Chetverin.** 1991. Efficient templates for Q_B replicase are formed by recombination from heterologous sequences. *J. Mol. Biol.* **221**: 463-472.
56. **Murphy, F. A., C. M. Fouquet, D. H. L. Bishop, S. A. Ghabrial, A. W. Jarvis, M. A.**

- Mayo, and M. D. Summers.** 1995. Virus Taxonomy: The classification and nomenclature of viruses, Springer Verlag, Vienna.
57. **Nissen, P., S. Thirup, M. Kjeldgaard, and J. Nyborg.** 1999. The crystal structure of Cys-tRNA^{cys}-EF-Tu-GDPNP reveals general and specific features in the ternary complex and in tRNA. *Structure Fold Des.* **7:** 143-156.
58. **Olsthoorn, R. C. L., N. Licis, and J. van Duin.** 1994. Leeway and constraints in the forced evolution of a regulatory RNA helix. *EMBO J.* **13:** 2660-2668.
59. **Olsthoorn, R. C. L., G. Garde, T. Dayhuff, J. F. Atkins, and J. van Duin.** 1995. Nucleotide sequence of a ssRNA phage from *Pseudomonas aeruginosa*: kinship to coliphages and conservation of regulatory structures. *Virology* **206:** 611-625.
60. **Olsthoorn, R. C. L., and J. van Duin.** 1996. Random removal of inserts from an RNA genome: Selection against single-stranded RNA. *J. Virol.* **70:** 729-736.
61. **Olsthoorn, R. C. L., and J. van Duin.** 1996. Evolutionary reconstruction of a hairpin deleted from the genome of an RNA virus. *Proc. Natl. Acad. Sci. USA* **93:** 12256-12261.
62. **Palasingam, K., and P. N. Shaklee.** 1992. Reversion of Q_B RNA phage mutants by homologous RNA recombination. *J. Virol.* **66:** 2435-42.
63. **Paranchych, W.** 1975. Attachment, ejection and penetration stages of the RNA phage infection process, in: *RNA phages*, N. Zinder (ed.), Cold Spring Harbor Laboratory Press, p. 85.
64. **Paranchych, W., and L. S. Frost.** 1988. The physiology and biochemistry of pili. *Adv. Microbial Physiol.* **29:** 53-114.
65. **Pavlov, M. Y., D. V. Freistroffer, J. McDougal, R. H. Buckingham, and M. Ehrenberg.** 1997. Fast recycling of *E. coli* ribosomes requires both RRF and release factor RF3. *EMBO J.* **16:** 4134-4141.
66. **Peabody, D.S.** 1997. Role of the coat protein-RNA interaction in the life cycle of bacteriophage MS2. *Mol. Gen. Genet.* **254:** 358-364.
67. **Poot, R. A., N. V. Tsareva, I. V. Boni, and J. van Duin.** 1997. RNA folding kinetics regulates translation of phage MS2 maturation gene. *Proc. Natl. Acad. Sci. USA* **94:** 10110-10115.

68. **Preuss, R., J. Dapprich, and N. G. Walter.** 1997. Probing RNA-protein interactions using pyrene-labeled oligodeoxynucleotides: Q_B replicase efficiently binds small RNAs by recognizing pyrimidine residues. *J. Mol. Biol.* **273**: 600-613.
69. **Schmidt, B. F., B. Berkhout, G. Overbeek, A. van Strien, and J. van Duin.** 1987. Determination of the RNA structure that regulates lysis gene expression in MS2. *J. Mol. Biol.* **195**: 505-516.
70. **Schuppli, D., L. Barrera, and H. Weber.** 1994. Identification of recognition elements on bacteriophage Q_B minus strand RNA that are essential for template activity with Q_B replicase. *J. Mol. Biol.* **243**: 811-815.
71. **Schuppli, D., G. Miranda, H.-C. T. Tsui, M. E. Winkler, J. H. Sogo, and H. Weber.** 1997. Altered 3' terminal structure in phage Q_B adapted to host factor-less *E. coli*. *Proc. Natl. Acad. Sci. USA* **94**: 10239-10242.
72. **Schuppli, D., G. Miranda, S. Qiu, and H. Weber.** 1998. A branched stem-loop structure in the M-site of Q_B RNA is important for template recognition by Q_B replicase holoenzyme. *J. Mol. Biol.* **283**: 585-593.
73. **Schuppli, D., J. Georgijevic, and H. Weber.** 2000. Synergism of mutations in phage Q_B RNA affecting host factor dependence of Q_B replicase. *J. Mol. Biol.* **295**: 149-154.
74. **Senear, A. W., and J. A. Steitz.** 1976. Site specific interaction of Q_B host factor and ribosomal protein S1 with Q_B and R17 bacteriophage RNA. *J. Biol. Chem.* **251**: 1902-1912.
75. **Shaklee, P. N., J. J. Miglietta, A. C. Palmenbrg, and P. Kaesberg.** 1988. Infectious positive and negative-strand transcript RNAs from Q_B cDNA clones. *Virology* **163**: 209-213.
76. **Shaklee, P. N.** 1990. Negative-strand RNA replication by Q_B and MS2 positive-strand RNA phage replicases. *Virology* **178**: 340-343.
77. **Shapiro, L., and L. Bendis.** 1975. RNA phages of bacteria other than *E. coli*, in: RNA phages, Zinder, N. (ed.), Cold Spring Harbor Laboratory Press, N.Y., p. 397.
78. **Shiba, T., and Y. Suzuki.** 1981. Localization of A protein in the RNA-A protein complex of RNA phage MS2. *Biochim. Biophys. Acta* **654**: 249-255.
79. **Skripkin, E. A., and A. B. Jacobson.** 1993. A 2D model at the nucleotide level for the central hairpin in Q_B RNA. *J. Mol. Biol.* **233**: 245-260.

80. **Sledjeski, D., C. Whitman, and A. Zhang.** 2001. Hfq is necessary for regulation by the untranslated RNA DsrA. *J. Bacteriol.* **183**: 1997-2005.
81. **Sørensen, M. A., J. Fricke, and S. Pedersen, S.** 1998. Ribosomal protein S1 is required for translation of most, if not all, natural mRNAs in *E. coli*. *J. Mol. Biol.* **280**: 561-569.
82. **Steege, D. A.** 2000. Emerging features of mRNA decay in bacteria. *RNA* **6**: 1079-1090.
83. **Taniguchi, T., M. Palmieri, and C. Weissmann.** 1978. Q_B DNA-containing plasmids giving rise to Q_B phage formation in the bacterial host. *Nature (London)* **274**: 223-228.
84. **Tars, K., M. Bundule, K. Fridborg, and L. Liljas.** 1997. The crystal structure of phage GA and a comparison of bacteriophages belonging to the major groups of *E. coli* leviviruses. *J. Mol. Biol.* **271**: 759-773.
85. Tars, K., Fridborg, K., Bundule, M., and Liljas, L. 2000. The three-dimensional structure of phage PP7 from *Pseudomonas aeruginosa* at 3.7 Å resolution. *Virology* **272**: 331-337.
86. **Tretheway, D. M., S. Joshinari, and T. W. Dreher.** 2001. Autonomous role of 3' terminal CCCA in directing transcription of RNAs by Q_B replicase. *J. Virol.* **75**: 11373.
87. **Tsareva, N.V., and J. van Duin,** unpublished results.
88. **Valegård, K., L. Liljas, K. Fridborg, and T. Unge.** 1990. The three-dimensional structure of the bacterial virus MS2. *Nature* **345**: 36-41.
89. **Valegård, K., J. B. Murray, P. G. Stockley, N. J. Stonehouse, and L. Liljas.** 1994. Crystal structure of an RNA phage coat protein-operator complex. *Nature* **371**: 623-626.
90. **Valegård, K., J. B. Murray, N. J. Stonehouse, S. van den Worm, P. G. Stockley, and L. Liljas.** 1997. The 3D structures of two complexes between recombinant MS2 capsids and RNA operator fragments. *J. Mol. Biol.* **270**: 724-738.
91. **van Dieijen, G., P. Zipori, W. van Prooijen, and J. van Duin.** 1978. Involvement of ribosomal protein S1 in the assembly of the initiation complex. *Eur. J. Biochem.* **90**: 571-580.
92. **van Duin, J.** 1988. The single-stranded RNA bacteriophages, in: *The bacteriophages*, Calendar, R. (ed.), Plenum Press, p. 117.
93. **van Himbergen, J., B. van Geffen, and J. van Duin.** 1993. Translational control by a long-range RNA-RNA interaction; a basepair substitution analysis. *Nucleic Acids Res.* **21**: 1713-1717.

94. **van Meerten, D., M. Zelwer, P. Régnier, and J. van Duin.** 1999. *In vivo* oligo(A) insertions in phage MS2: role of *E. coli* poly(A) polymerase. *Nucleic Acids Res.* **27**: 3891-3898.
95. **van Meerten, D., G. Girard, and J. van Duin.** 2001. Translational control by delayed RNA folding; identification of the kinetic trap. *RNA* **7**: 483-494.
96. **van Meerten, D., and J. van Duin.** 2002. Levivirus, in: Springer Index of Viruses, Springer Verlag, Heidelberg
97. **Walderich, G., A. Ursinus-Wossner, J. van Duin, and J.-V. Höltje.** 1988. Induction of the autolytic system of *E. coli* by specific insertion of phage MS2 lysis protein into the bacterial cell envelope. *J. Bacteriol.* **170**: 5027-5033.
98. **Weber, H., M. A. Billeter, S. Kahane, C. Weissmann, J. Hindley, and A. Porter.** 1972. Molecular basis for repressor activity of Q_B replicase. *Nature (Lond.)* **237**: 166-170.
99. **Weber, H.** 1999. Q_B replicase, in: The encyclopedia of molecular biology, T.E. Creighton (ed.), Wiley, p. 2085.
100. **White, A.K., and J. T. Morris.** 1995. RNA determinants of junction site selection in RNA virus recombinants and defective interfering RNAs. *RNA* **1**: 1029-1040.
101. **Winter, R. B., and L. Gold.** 1983. Overproduction of Q_B maturation protein leads to cell lysis. *Cell* **33**: 877-885.
102. **Witherell, G. W., H. Wu, and O. C. Uhlenbeck.** 1990. Cooperative binding of R17 coat protein to RNA. *Biochemistry* **29**: 11051-11057.
103. **Witherell, G. W., J. M. Gott, and O. C. Uhlenbeck.** 1991. Specific interactions between RNA phage coat protein and RNA. *Prog. Nucleic Acids Res. Mol. Biol.* **40**: 185-220.
104. **Yonesaki, T., K. Furuse, L. Haruna, and I. Watanabe.** 1982. Relationships among four groups of RNA coliphages based on template specificity of GA replicase. *Virology* **116**: 379-381.
105. **Young, R., I.-N. Wang, and W. D. Roof.** 2002. Phages will out: strategies of host cell lysis, *Trends Microbiol.* **8**: 120-128.
106. **Zamora, H., R. Luce, and C. K. Biebricher.** 1995. Design of artificial short-chained RNA species that are replicated by Q_B replicase. *Biochemistry* **34**: 1261-1266.

Chapter 15, *The Bacteriophages* 2nd edition, Calendar & Abedon, Oxford University Press, thebacteriophages.org

107. **Zinder, N. D.** 1975. RNA phages, Cold Spring Harbor Laboratory Press, New York, preface.