

brought to you by www.thebacteriophages.org and www.phage.org

REFERENCES

1. **Abedon, S. T.** 1994. Lysis and the interaction between free phages and infected cells., p. 397-405. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
2. **Ackermann, H. W., and H. M. Krisch.** 1997. A catalogue of T4-type bacteriophages. *Arch. Virol.* **142**:2329-2345.
3. **Adari, H. Y., K. Rose, K. R. Williams, W. H. Konigsberg, T. C. Lin, and E. K. Spicer.** 1985. Cloning, nucleotide sequence, and overexpression of the bacteriophage T4 regA gene. *Proc. Natl. Acad. Sci., U.S.A.* **82**:1901-1905.
4. **Adari, H. Y., and E. K. Spicer.** 1986. Translational repression in vitro by the bacteriophage T4 regA protein. *Proteins* **1**:116-124.
5. **Adelman, K., E. N. Brody, and M. Buckle.** 1998. Stimulation of bacteriophage T4 middle transcription by the T4 proteins MotA and AsiA occurs at two distinct steps in the transcription cycle. *Proc. Natl. Acad. Sci., U.S.A.* **95**:15247-15252.
6. **Adelman, K., G. Orsini, A. Kolb, L. Graziani, and E. N. Brody.** 1997. The interaction between the AsiA protein of bacteriophage T4 and the sigma70 subunit of *Escherichia coli* RNA polymerase. *J. Biol. Chem.* **272**:27435-27443.
7. **Alberts, B.** 1998. The cell as a collection of protein machines: preparing the next generation of molecular biologists. *Cell* **92**:291-294.

8. **Alberts, B., and R. Miake-Lye.** 1992. Unscrambling the puzzle of biological machines: the importance of the details. *Cell* **68**:415-420.
9. **Alberts, B. M.** 1984. The DNA enzymology of protein machines. *Cold Spring Harb. Symp. Quant. Biol.* **49**:1-12.
10. **Alberts, B. M., and L. Frey.** 1970. T4 bacteriophage gene 32: a structural protein in the replication and recombination of DNA. *Nature* **227**:1313-1318.
11. **Amos, L. A., and A. Klug.** 1975. Three-dimensional image reconstructions of the contractile tail of T4 bacteriophage. *J. Mol. Biol.* **99**:51-64.
12. **Andrake, M. D., and J. D. Karam.** 1991. Mutational analysis of the mRNA operator for T4 DNA polymerase. *Genetics* **128**:203-213.
13. **Ang, D., A. Richardson, M. P. Mayer, F. Keppel, H. Krisch, and C. Georgopoulos.** 2001. Pseudo-T-even bacteriophage RB49 encodes CocO, a cochaperonin for GroEL, which can substitute for *Escherichia coli*'s GroES and Bacteriophage T4's Gp31. *J. Biol. Chem.* **276**:8720-8726.
14. **Appasani, K., D. S. Thaler, and E. B. Goldberg.** 1999. Bacteriophage T4 gp2 interferes with cell viability and with bacteriophage lambda Red recombination. *J. Bacteriol.* **181**:1352-1355.
15. **Armstrong, J., R. S. Brown, and A. Tsugita.** 1983. Primary structure and genetic organization of phage T4 DNA ligase. *Nucleic Acids Res.* **11**:7145-7156.
16. **Baker, T. S., N. H. Olson, and S. D. Fuller.** 1999. Adding the third dimension to virus life cycles: three-dimensional reconstruction of icosahedral viruses from cryo-electron micrographs. *Microbiol. Mol. Biol. Rev.* **63**:862-922.

17. **Barcus, V. A., A. J. Titheradge, and N. E. Murray.** 1995. The diversity of alleles at the hsd locus in natural populations of *Escherichia coli*. *Genetics* **140**:1187-1197.
18. **Barth, K. A., D. Powell, M. Trupin, and G. Mosig.** 1988. Regulation of two nested proteins from gene 49 (recombination endonuclease VII) and of a lambda RexA-like protein of bacteriophage T4. *Genetics* **120**:329-343.
19. **Bautz, F. A., and E. K. Bautz.** 1967. Transformation in phage T4: minimal recognition length between donor and recipient DNA. *Genetics* **57**:887-895.
20. **Bebeneck, A., G. T. Carver, H. K. Dressman, F. A. Kadyrov, J. K. Haseman, V. Petrov, W. H. Konigsberg, J. D. Karam, and J. W. Drake.** 2002. Dissecting the fidelity of bacteriophage RB69 DNA polymerase: site-specific modulation of fidelity by polymerase accessory proteins. *Genetics* **162**:1003-1018.
21. **Beckendorf, S. K.** 1973. Structure of the distal half of the bacteriophage T4 tail fiber. *J. Mol. Biol.* **73**:37-53.
22. **Beernink, H. T., and S. W. Morrical.** 1999. RMPs: recombination/replication mediator proteins. *Trends Biochem. Sci.* **24**:385-389.
23. **Beernink, H. T., and S. W. Morrical.** 1998. The uvsY recombination protein of bacteriophage T4 forms hexamers in the presence and absence of single-stranded DNA. *Biochemistry* **37**:5673-5681.
24. **Belfort, M., V. Derbyshire, M. Parker, B. Cousineau, and A. M. Lambowitz.** 2002. Mobile introns: pathways and proteins, p. 761-783. In N. L. Craig, R. Craigie, M. Gellert, and A. M. Lambowitz (ed.), *Mobile DNA II*. ASM Press, Washington, D.C.

25. **Belfort, M., J. Pedersen-Lane, K. Ehrenman, F. K. Chu, G. F. Maley, F. Maley, D. S. McPheevers, and L. Gold.** 1986. RNA splicing and in vivo expression of the intron-containing td gene of bacteriophage T4. *Gene* **41**:93-102.
26. **Belfort, M., and P. S. Perlman.** 1995. Mechanisms of intron mobility. *J. Biol. Chem.* **270**:30237-30240.
27. **Belfort, M., and R. J. Roberts.** 1997. Homing endonucleases: keeping the house in order. *Nucleic Acids Res.* **25**:3379-3388.
28. **Belle, A., M. Landthaler, and D. A. Shub.** 2002. Intronless homing: site-specific endonuclease SegF of bacteriophage T4 mediates localized marker exclusion analogous to homing endonucleases of group I introns. *Genes Dev.* **16**:351-362.
29. **Benkovic, S. J., A. M. Valentine, and F. Salinas.** 2001. Replisome-mediated DNA replication. *Annu. Rev. Biochem.* **70**:181-208.
30. **Benzer, S.** 1957. The elementary units of heredity., p. 70-93. *In* W. D. McElroy and B. Glass (ed.), *The Chemical Basis of Heredity*. The Johns Hopkins Press, Baltimore.
31. **Benzer, S., and S. P. Champe.** 1962. A change from nonsense to sense in the genetic code. *Proc. Natl. Acad. Sci., U.S.A.* **48**:1114-1121.
32. **Berger, B., G. W. Hoest, J. R. Paulson, and P. W. Shor.** 1999. On the structure of the scaffolding core of bacteriophage T4. *J Comput. Biol.* **6**:1-12.
33. **Berger, B., and P. W. Shor.** 1998. On the Structure of the Scaffolding Core of Bacteriophage T4 and Its Role in Head Length Determination. *J. Struct. Biol.* **121**:285-294.

34. **Berger, H., and A. W. Kozinski.** 1969. Suppression of T4D ligase mutations by rIIa and rIIb mutations. Proc. Natl. Acad. Sci., U.S.A. **64**:897-904.
35. **Berger, H., A. J. Warren, and K. E. Fry.** 1969. Variations in genetic recombination due to amber mutations in T4D bacteriophage. J. Virol. **3**:171-175.
36. **Berget, P. B., and J. King.** 1978. Isolation and characterization of precursors in T4 baseplate assembly. The complex of gene 10 and gene 11 products. J. Mol. Biol. **124**:469-486.
37. **Bernstein, C., and S. S. Wallace.** 1983. DNA repair., p. 138-151. In C. K. Mathews, E. Kutter, G. Mosig, and P. B. Berget (ed.), *Bacteriophage T4*. American Society for Microbiology, Washington, D.C.
38. **Bernstein, H.** 1968. Repair and recombination in phage T4. I. Genes affecting recombination. Cold Spring Harb. Symp. Quant. Biol. **33**:325-331.
39. **Bernstein, H., and C. Bernstein.** 1989. Bacteriophage T4 genetic homologies with bacteria and eucaryotes. J. Bacteriol. **171**:2265-2270.
40. **Bhagwat, M., and N. G. Nossal.** 2001. Bacteriophage T4 RNase H removes both RNA primers and adjacent DNA from the 5' end of lagging strand fragments. J. Biol. Chem. **276**:28516-28524.
41. **Bhattacharyya, S. P., and V. B. Rao.** 1993. A novel terminase activity associated with the DNA packaging protein gp17 of bacteriophage T4. Virology **196**:34-44.
42. **Bhattacharyya, S. P., and V. B. Rao.** 1994. Structural analysis of DNA cleaved in vivo by bacteriophage T4 terminase. Gene **146**:67-72.

43. **Birkenbihl, R. P., and B. Kemper.** 1998. Endonuclease VII has two DNA-binding sites each composed from one N- and one C-terminus provided by different subunits of the protein dimer. *EMBO J.* **17**:4527-4534.
44. **Birkenbihl, R. P., and B. Kemper.** 1998. Localization and characterization of the dimerization domain of holliday structure resolving endonuclease VII of phage T4. *J. Mol. Biol.* **280**:73-83.
45. **Birkenkamp, K., and B. Kemper.** 1996. Bacteriophage T4 strand transfer protein UvsX tolerates symmetric and asymmetric heterologies in short double-stranded oligonucleotides. *J. Mol. Biol.* **259**:622-631.
46. **Birkenkamp, K., and B. Kemper.** 1995. In vitro processing of heteroduplex loops and mismatches by endonuclease VII. *DNA Res.* **2**:9-14.
47. **Birkenkamp-Demtroder, K., S. Golz, and B. Kemper.** 1997. Inhibition of Holliday structure resolving endonuclease VII of bacteriophage T4 by recombination enzymes UvsX and UvsY. *J. Mol. Biol.* **267**:150-162.
48. **Black, L. W.** 1995. DNA packaging and cutting by phage terminases: control in phage T4 by a synaptic mechanism. *Bioessays* **17**:1025-1030.
49. **Black, L. W., and M. K. Showe.** 1983. Morphogenesis of the T4 head, p. 219-245. *In* C. K. Mathews, E. Kutter, G. Mosig, and P. B. Berget (ed.), *Bacteriophage T4*. American Society for Microbiology, Washington, D.C.
50. **Black, L. W., M. K. Showe, and A. C. Steven.** 1994. Morphogenesis of the T4 head, p. 218-258. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S.

Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.

51. **Bleuit, J. S., H. Xu, Y. Ma, T. Wang, J. Liu, and S. W. Morrical.** 2001. Mediator proteins orchestrate enzyme-ssDNA assembly during T4 recombination-dependent DNA replication and repair. Proc. Natl. Acad. Sci., U.S.A. **98**:8298-8305.
52. **Boudko, S. P., Y. Y. Londer, A. V. Letarov, N. V. Sernova, J. Engel, and V. V. Mesyazhinov.** 2002. Domain organization, folding and stability of bacteriophage T4 fibritin, a segmented coiled-coil protein. Eur. J. Biochem. **269**:833-841.
53. **Bradley, D. E.** 1967. Ultrastructure of bacteriophage and bacteriocins. Bacteriol. Rev. **31**:230-314.
54. **Branton, D., and A. Klug.** 1975. Capsid geometry of bacteriophage T2: a freeze-etching study. J. Mol. Biol. **92**:559-565.
55. **Brenner, S., F. Jacob, and M. Meselson.** 1961. Unstable intermediate carrying information from genes to ribosomes for protein synthesis. Nature **190**:41-46.
56. **Broida, J., and J. Abelson.** 1985. Sequence organization and control of transcription in the bacteriophage T4 tRNA region. J. Mol. Biol. **185**:545-563.
57. **Broker, T. R.** 1973. An electron microscopic analysis of pathways for bacteriophage T4 DNA recombination. J. Mol. Biol. **81**:1-16.
58. **Broker, T. R., and A. H. Doermann.** 1975. Molecular and genetic recombination of bacteriophage T4. Annu. Rev. Genet. **9**:213-244.

59. **Broker, T. R., and I. R. Lehman.** 1971. Branched DNA molecules: intermediates in T4 recombination. *J. Mol. Biol.* **60**:131-149.
60. **Burda, M. R., I. Hindennach, and S. Miller.** 2000. Stability of bacteriophage T4 short tail fiber. *Biol. Chem.* **381**:255-258.
61. **Burda, M. R., and S. Miller.** 1999. Folding of coliphage T4 short tail fiber in vitro. Analysing the role of a bacteriophage-encoded chaperone. *Eur. J. Biochem.* **265**:771-778.
62. **Busby, S., and R. H. Ebright.** 1999. Transcription activation by catabolite activator protein (CAP). *J. Mol. Biol.* **293**:199-213.
63. **Calendar, R., S. Yu, H. Myung, V. Barreiro, R. Odegrip, K. Carlson, L. Davenport, G. Mosig, G. E. Christie, and E. Haggård-Ljundquist.** 1998. The lysogenic conversion genes of coliphage P2 have unusually high AT content., p. 241-252. *In* M. Syvanen (ed.), Horizontal Gene Transfer. Chapman and Hall.
64. **Campbell, A., and D. Botstein.** 1983. Evolution of the lambdoid phages., p. 365-380. *In* R. Hendrix, J. Roberts, F. Stahl, and R. Weisberg (ed.), Lambda II. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
65. **Carles-Kinch, K., J. W. George, and K. N. Kreuzer.** 1997. Bacteriophage T4 UvsW protein is a helicase involved in recombination, repair and the regulation of DNA replication origins. *EMBO J.* **16**:4142-4151.
66. **Carlson, K., and L. D. Kosturko.** 1998. Endonuclease II of coliphage T4: a recombinase disguised as a restriction endonuclease? *Mol. Microbiol.* **27**:671-676.

67. **Carlson, K., L. D. Kosturko, and A. C. Nystrom.** 1996. Short-range and long-range context effects on coliphage T4 endonuclease II-dependent restriction. *J. Bacteriol.* **178**:6419-6426.
68. **Carlson, K., E. A. Raleigh, and S. Hattman.** 1994. Restriction and modification., p. 369-381. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
69. **Carpousis, A. J., and H. M. Krisch.** 1994. mRNA processing and degradation., p. 176-181. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
70. **Caspar, D. L.** 1980. Movement and self-control in protein assemblies. Quasi-equivalence revisited. *Biophys. J.* **32**:103-138.
71. **Cerritelli, M. E., J. S. Wall, M. N. Simon, J. F. Conway, and A. C. Steven.** 1996. Stoichiometry and domainal organization of the long tail-fiber of bacteriophage T4: a hinged viral adhesin. *J. Mol. Biol.* **260**:767-780.
72. **Chace, K. V., and D. H. Hall.** 1975. Characterization of new regulatory mutants of bacteriophage T4. II. New class of mutants. *J. Virol.* **15**:929-945.
73. **Chan, V. L., and K. Ebisuzaki.** 1973. Intergenic suppression of amber polynucleotide ligase mutation in bacteriophage T4. II. *Virology* **53**:60-74.

74. **Chastain, P. D., 2nd, A. M. Makhov, N. G. Nossal, and J. D. Griffith.** 2000. Analysis of the Okazaki fragment distributions along single long DNAs replicated by the bacteriophage T4 proteins. *Mol. Cell* **6**:803-814.
75. **Chauhan, A. K., and D. Apirion.** 1991. The rne gene is the structural gene for the processing endoribonuclease RNase E of *Escherichia coli*. *Mol. Gen. Genet.* **228**:49-54.
76. **Clyman, J., S. Quirk, and M. Belfort.** 1994. Mobile introns in the T-even phages., p. 83-88. In J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
77. **Colland, F., G. Orsini, E. N. Brody, H. Buc, and A. Kolb.** 1998. The bacteriophage T4 AsiA protein: a molecular switch for sigma 70-dependent promoters. *Mol. Microbiol.* **27**:819-829.
78. **Conley, M. P., and W. B. Wood.** 1975. Bacteriophage T4 whiskers: a rudimentary environment-sensing device. *Proc. Natl. Acad. Sci., U.S.A.* **72**:3701-3705.
79. **Connelly, J. C., L. A. Kirkham, and D. R. Leach.** 1998. The SbcCD nuclease of *Escherichia coli* is a structural maintenance of chromosomes (SMC) family protein that cleaves hairpin DNA. *Proc. Natl. Acad. Sci., U.S.A.* **95**:7969-7974.
80. **Connelly, J. C., and D. R. Leach.** 2002. Tethering on the brink: the evolutionarily conserved Mre11-Rad50 complex. *Trends Biochem. Sci.* **27**:410-418.

81. **Coombs, D. H., and F. Arisaka.** 1994. T4 tail structure and function, p. 259-281.
In J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
82. **Cox, M. M., M. F. Goodman, K. N. Kreuzer, D. J. Sherratt, S. J. Sandler, and K. J. Marians.** 2000. The importance of repairing stalled replication forks. *Nature* **404**:37-41.
83. **Crick, F. H., L. Barnett, S. Brenner, and R. J. Watts-Tobin.** 1961. General nature of the genetic code for proteins. *Nature* **192**:1227-1232.
84. **Crowther, R. A., E. V. Lenk, Y. Kikuchi, and J. King.** 1977. Molecular reorganization in the hexagon to star transition of the baseplate of bacteriophage T4. *J. Mol. Biol.* **116**:489-523.
85. **Dannenberg, R., and G. Mosig.** 1983. Early intermediates in bacteriophage T4 DNA replication and recombination. *J. Virol.* **45**:813-831.
86. **Dannenberg, R., and G. Mosig.** 1981. Semiconservative DNA replication is initiated at a single site in recombination-deficient gene 32 mutants of bacteriophage T4. *J. Virol.* **40**:890-900.
87. **Desplats, C., C. Dez, F. Tetart, H. Eleaume, and H. M. Krisch.** 2002. Snapshot of the genome of the pseudo-T-even bacteriophage RB49. *J. Bacteriol.* **184**:2789-2804.
88. **Deutscher, M. P.** 1993. Promiscuous exoribonucleases of *Escherichia coli*. *J. Bacteriol.* **175**:4577-4583.

89. **Dewey, M. J., and F. R. Frankel.** 1975. Two suppressor loci for gene 49 mutations of bacteriophage T4. I. Genetic properties and DNA synthesis. *Virology* **68**:387-401.
90. **Dodson, M. L., and R. S. Lloyds.** 1994. Structure-function analysis of T4 endonuclease V, p. 318-321. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
91. **Doermann, A. H., and L. Boehner.** 1963. An Experimental Analysis of Bacteriophage T4 Heterozygotes. I. Mottled Plaques from Crosses Involving Six Rii Loci. *Virology* **21**:551-567.
92. **Doherty, D. H.** 1982. Genetic studies on capsid-length determination in bacteriophage T4. I. Isolation and partial characterization of second-site revertants of a gene 23 mutation affecting capsid length. *J. Virol.* **43**:641-654.
93. **Doherty, D. H.** 1982. Genetic studies on capsid-length determination in bacteriophage T4. II. Genetic evidence that specific protein-protein interactions are involved. *J. Virol.* **43**:655-663.
94. **Drake, J. W.** 1967. The length of the homologous pairing region for genetic recombination in bacteriophage T4. *Proc. Natl. Acad. Sci., U.S.A.* **58**:962-966.
95. **Drake, J. W., B. Charlesworth, D. Charlesworth, and J. F. Crow.** 1998. Rates of spontaneous mutation. *Genetics* **148**:1667-1686.
96. **Drake, J. W., and K. N. Kreuzer.** 1994. DNA transactions in T4-infected *Escherichia coli*, p. 11-13. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig,

- D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
97. **Drake, J. W., and L. S. Ripley.** 1994. Mutagenesis, p. 98-124. In J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
98. **Drivdahl, R. H., and E. M. Kutter.** 1990. Inhibition of transcription of cytosine-containing DNA in vitro by the alc gene product of bacteriophage T4. *J. Bacteriol.* **172**:2716-27.
99. **Du, Z., D. P. Giedroc, and D. W. Hoffman.** 1996. Structure of the autoregulatory pseudoknot within the gene 32 messenger RNA of bacteriophages T2 and T6: a model for a possible family of structurally related RNA pseudoknots. *Biochemistry* **35**:4187-4198.
100. **Duckworth, D. H.** 1970. Biological activity of bacteriophage ghosts and "take-over" of host functions by bacteriophage. *Bacteriol. Rev.* **34**:344-363.
101. **Duda, R. L., M. Gingery, and F. A. Eiserling.** 1986. Potential length determiner and DNA injection protein is extruded from bacteriophage T4 tail tubes in vitro. *Virology* **151**:296-314.
102. **Dudas, K. C., and K. N. Kreuzer.** 2001. UvsW protein regulates bacteriophage T4 origin-dependent replication by unwinding R-loops. *Mol. Cell Biol* **21**:2706-2715.

103. **Dulbecco, R.** 1949. Reactivation of ultraviolet-inactivated bacteriophage by visible light. *Nature*. **163**:949.
104. **Earnshaw, W. C., J. King, S. C. Harrison, and F. A. Eiserling.** 1978. The structural organization of DNA packaged within the heads of T4 wild-type, isometric and giant bacteriophages. *Cell* **14**:559-568.
105. **Edgar, R. S., and W. B. Wood.** 1966. Morphogenesis of bacteriophage T4 in extracts of mutant-infected cells. *Proc. Natl. Acad. Sci., U.S.A.* **55**:498-505.
106. **Egelman, E. H.** 2001. Does a stretched DNA structure dictate the helical geometry of RecA-like filaments? *J. Mol. Biol.* **309**:539-542.
107. **Eiserling, F. A., and L. W. Black.** 1994. Pathways in T4 Morphogenesis, p. 209-217. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
108. **Eiserling, F. A., J. Corso, S. Feng, and R. H. Epstein.** 1984. Intracellular morphogenesis of bacteriophage T4. II. Head morphogenesis. *Virology* **137**:95-101.
109. **Ellis, E. L., and M. Delbrück.** 1939. The growth of bacteriophage. *J. Gen. Physiol.* **22**:365-384.
110. **Epstein, R. H., A. Bolle, C. Steinberg, E. Kellenberger, E. Boy de la Tour, R. Chevalley, R. Edgar, M. Susman, C. Denhardt, and I. Lielais.** 1964. Physiological studies of conditional lethal mutants of bacteriophage T4D. *Cold Spring Harbor Symp. Quant. Biol.* **28**:375-392.

111. **Finnin, M. S., M. P. Cicero, C. Davies, S. J. Porter, S. W. White, and K. N. Kreuzer.** 1997. The activation domain of the MotA transcription factor from bacteriophage T4. *EMBO J.* **16**:1992-2003.
112. **Flemming, M., B. Deumling, and B. Kemper.** 1993. Function of gene 49 of bacteriophage T4 III. Isolation of Holliday structures from very fast-sedimenting DNA. *Virology* **196**:910-913.
113. **Fokine, A., P. R. Chipman, P. G. Leiman, V. V. Mesyanzhinov, V. B. Rao, and M. G. Rossmann.** 2004. Molecular architecture of the prolate head of bacteriophage T4. *Proc. Natl. Acad. Sci., U.S.A.* **101**:6003-6008.
114. **Formosa, T., and B. M. Alberts.** 1986. DNA synthesis dependent on genetic recombination: characterization of a reaction catalyzed by purified bacteriophage T4 proteins. *Cell* **47**:793-806.
115. **Formosa, T., R. L. Burke, and B. M. Alberts.** 1983. Affinity purification of bacteriophage T4 proteins essential for DNA replication and genetic recombination. *Proc. Natl. Acad. Sci., U.S.A.* **80**:2442-2446.
116. **Forterre, P.** 2002. The origin of DNA genomes and DNA replication proteins. *Curr. Opin. Microbiol.* **5**:525-532.
117. **Frankel, F. R.** 1966. Studies on the nature of replicating DNA in T4-infected *Escherichia coli*. *J. Mol. Biol.* **18**:127-143.
118. **Franklin, J. L., D. Haseltine, L. Davenport, and G. Mosig.** 1998. The largest (70 kDa) product of the bacteriophage T4 DNA terminase gene 17 binds to single-stranded DNA segments and digests them towards junctions with double-stranded DNA. *J. Mol. Biol.* **277**:541-557.

119. **Franklin, J. L., and G. Mosig.** 1996. Expression of the bacteriophage T4 DNA terminase genes 16 and 17 yields multiple proteins. *Gene* **177**:179-189.
120. **Franklin, M. C., J. Wang, and T. A. Steitz.** 2001. Structure of the replicating complex of a pol alpha family DNA polymerase. *Cell* **105**:657-667.
121. **Frazier, M. W.** 1989. Ph. D. Vanderbilt University.
122. **Frazier, M. W., and G. Mosig.** 1990. The bacteriophage T4 gene mrh whose product inhibits late T4 gene expression in an *Escherichia coli* rpoH (sigma 32) mutant. *Gene* **88**:7-14.
123. **Fu, T. J., B. Kemper, and N. C. Seeman.** 1994. Cleavage of double-crossover molecules by T4 endonuclease VII. *Biochemistry* **33**:3896-3905.
124. **Furukawa, H., T. Kuroiwa, and S. Mizushima.** 1983. DNA injection during bacteriophage T4 infection of *Escherichia coli*. *J. Bacteriol.* **154**:938-945.
125. **Furukawa, H., H. Yamada, and S. Mizushima.** 1979. Interaction of bacteriophage T4 with reconstituted cell envelopes of *Escherichia coli* K-12. *J. Bacteriol.* **140**:1071-1080.
126. **Gaal, T., W. Ross, E. E. Blatter, H. Tang, X. Jia, V. V. Krishnan, N. Assa-Munt, R. H. Ebright, and R. L. Gourse.** 1996. DNA-binding determinants of the alpha subunit of RNA polymerase: novel DNA-binding domain architecture. *Genes Dev.* **10**:16-26.
127. **Garvey, K. J., M. S. Saedi, and J. Ito.** 1986. Nucleotide sequence of *Bacillus* phage phi 29 genes 14 and 15: homology of gene 15 with other phage lysozymes. *Nucleic Acids Res.* **14**:10001-10008.

128. **Gary, T. P., N. E. Colowick, and G. Mosig.** 1998. A species barrier between bacteriophages T2 and T4: exclusion, join-copy and join-cut-copy recombination and mutagenesis in the dCTPase genes. *Genetics* **148**:1461-1473.
129. **Geiduschek, E. P.** 1995. Connecting a viral DNA replication apparatus with Gene Expression. *Seminars in Virology*. **6**:25-33.
130. **George, D. G., L. S. Yeh, and W. C. Barker.** 1983. Unexpected relationships between bacteriophage lambda hypothetical proteins and bacteriophage T4 tail-fiber proteins. *Biochem. Biophys. Res. Commun.* **115**:1061-1068.
131. **George, J. W., B. A. Stohr, D. J. Tomso, and K. N. Kreuzer.** 2001. The tight linkage between DNA replication and double-strand break repair in bacteriophage T4. *Proc. Natl. Acad. Sci., U.S.A.* **98**:8290-8297.
132. **Georgiou, T., Y. N. Yu, S. Ekunwe, M. J. Buttner, A. Zuurmond, B. Kraal, C. Kleanthous, and L. Snyder.** 1998. Specific peptide-activated proteolytic cleavage of *Escherichia coli* elongation factor Tu. *Proc. Natl. Acad. Sci., U.S.A.* **95**:2891-2895.
133. **Gerald, W. L., and J. D. Karam.** 1984. Expression of a DNA replication gene cluster in bacteriophage T4: genetic linkage and the control of gene product interactions. *Genetics* **107**:537-549.
134. **Gesteland, R. F., and J. F. Atkins.** 1996. Recoding: dynamic reprogramming of translation. *Annu. Rev. Biochem.* **65**:741-768.
135. **Goldberg, E., L. Grinius, and L. Letellier.** 1994. Recognition, attachment, and injection., p. 347-356. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S.

Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.

136. **Goldberg, E. B.** 1966. The amount of DNA between genetic markers in phage T4. Proc. Natl. Acad. Sci., U.S.A. **56**:1457-1463.
137. **Golz, S., A. Christoph, K. Birkenkamp-Demtroder, and B. Kemper.** 1997. Identification of amino acids of endonuclease VII essential for binding and cleavage of cruciform DNA. Eur. J. Biochem. **245**:573-580.
138. **Golz, S., and B. Kemper.** 1999. Association of holliday-structure resolving endonuclease VII with gp20 from the packaging machine of phage T4. J. Mol. Biol. **285**:1131-1144.
139. **Gordon, J., T. K. Sengupta, C. A. Phillips, S. M. O'Malley, K. R. Williams, and E. K. Spicer.** 1999. Identification of the RNA binding domain of T4 RegA protein by structure-based mutagenesis. J. Biol. Chem. **274**:32265-32273.
140. **Gram, H., and W. Ruger.** 1985. Genes 55, alpha gt, 47 and 46 of bacteriophage T4: the genomic organization as deduced by sequence analysis. EMBO J. **4**:257-264.
141. **Grebenshchikova, S. M., L. A. Plugina, and V. P. Shcherbakov.** 1994. The role of T4-bacteriophage endonuclease VII in correction of mismatched regions. Genetika **30**:622-626.
142. **Gribskov, M., and R. R. Burgess.** 1986. Sigma factors from *E. coli*, *B. subtilis*, phage SP01, and phage T4 are homologous proteins. Nucleic Acids Res. **14**:6745-6763.

143. **Gruidl, M. E., T. C. Chen, S. Gargano, A. Storlazzi, A. Cascino, and G. Mosig.** 1991. Two bacteriophage T4 base plate genes (25 and 26) and the DNA repair gene uvsY belong to spatially and temporally overlapping transcription units. *Virology* **184**:359-369.
144. **Gurevitz, M., and D. Apirion.** 1985. The ribonuclease-III-processing site near the 5' end of an RNA precursor of bacteriophage T4 and its effect on termination. *Eur. J. Biochem.* **147**:581-586.
145. **Haggard-Ljungquist, E., C. Halling, and R. Calendar.** 1992. DNA sequences of the tail fiber genes of bacteriophage P2: evidence for horizontal transfer of tail fiber genes among unrelated bacteriophages. *J. Bacteriol.* **174**:1462-1477.
146. **Hahn, S., U. Kruse, and W. Ruger.** 1986. The region of phage T4 genes 34, 33 and 59: primary structures and organization on the genome. *Nucleic Acids Res.* **14**:9311-9327.
147. **Halpern, M. E., T. Mattson, and A. W. Kozinski.** 1979. Origins of phage T4 DNA replication as revealed by hybridization to cloned genes. *Proc. Natl. Acad. Sci., U.S.A.* **76**:6137-6141.
148. **Hambly, E., F. Tetart, C. Desplats, W. H. Wilson, H. M. Krisch, and N. H. Mann.** 2001. A conserved genetic module that encodes the major virion components in both the coliphage T4 and the marine cyanophage S-PM2. *Proc. Natl. Acad. Sci., U.S.A.* **98**:11411-11416.
149. **Harm, W.** 1963. Mutants of phage T4 with increased sensitivity to ultraviolet. *Virology* **19**:66-71.

150. **Harvey, A., R. Vaiskunaite, and G. Mosig.** 2002. Binding of an initiator protein RepEB to iterons upstream of an origin E primer promoter allows priming by a transcript of bacteriophage T4 DNA replication. Manuscript in preparation.
151. **Hattman, S., J. Wilkinson, D. Swinton, S. Schlagman, P. M. Macdonald, and G. Mosig.** 1985. Common evolutionary origin of the phage T4 dam and host *Escherichia coli* dam DNA-adenine methyltransferase genes. *J. Bacteriol.* **164**:932-937.
152. **Haynes, J. A., and F. A. Eiserling.** 1996. Modulation of bacteriophage T4 capsid size. *Virology* **221**:67-77.
153. **Hendrix, R. W.** 1999. Evolution: the long evolutionary reach of viruses. *Curr. Biol.* **9**:R914-7.
154. **Hendrix, R. W., and R. L. Duda.** 1992. Bacteriophage lambda PaPa: not the mother of all lambda phages. *Science* **258**:1145-1148.
155. **Hendrix, R. W., M. C. Smith, R. N. Burns, M. E. Ford, and G. F. Hatfull.** 1999. Evolutionary relationships among diverse bacteriophages and prophages: all the world's a phage. *Proc. Natl. Acad. Sci., U.S.A.* **96**:2192-2197.
156. **Henning, U., and S. Hashemol-Hosseini.** 1994. Receptor recognition by T-even-type coliphages., p. 291-298. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.

157. **Hercules, K., and J. S. Wiberg.** 1971. Specific suppression of mutations in genes 46 and 47 by das, a new class of mutations in bacteriophage T4D. *J. Virol.* **8**:603-612.
158. **Herendeen, D. R., G. A. Kassavetis, J. Barry, B. M. Alberts, and E. P. Geiduschek.** 1989. Enhancement of bacteriophage T4 late transcription by components of the T4 DNA replication apparatus. *Science* **245**:952-958.
159. **Herendeen, D. R., G. A. Kassavetis, and E. P. Geiduschek.** 1992. A transcriptional enhancer whose function imposes a requirement that proteins track along DNA. *Science* **256**:1298-1303.
160. **Herendeen, D. R., K. P. Williams, G. A. Kassavetis, and E. P. Geiduschek.** 1990. An RNA polymerase-binding protein that is required for communication between an enhancer and a promoter. *Science* **248**:573-578.
161. **Herman, R. E., N. Haas, and D. P. Snustad.** 1984. Identification of the bacteriophage T4 unf (= alc) gene product, a protein involved in the shutoff of host transcription. *Genetics* **108**:305-317.
162. **Herrmann, R.** 1982. Nucleotide sequence of the bacteriophage T4 gene 57 and a deduced amino acid sequence. *Nucleic Acids Res.* **10**:1105-1112.
163. **Hershey, A. D., and M. Chase.** 1952. Independent functions of viral protein and nucleic acid in growth of bacteriophage. *J. Gen. Physiol.* **36**:39-56.
164. **Hershey, A. D., and R. Rotman.** 1949. Genetic recombination between host range and plaque-type mutants of bacteria in single bacterial cells. *Genetics* **34**:44-71.

165. **Hershey, A. D., and R. Rotman.** 1948. Linkage among genes controlling inhibition of lysis in a bacterial virus. *Proc. Natl. Acad. Sci., U.S.A.* **34**:89-96.
166. **Hinton, D. M., R. March-Amegadzie, J. S. Gerber, and M. Sharma.** 1996. Bacteriophage T4 middle transcription system: T4-modified RNA polymerase; AsiA, a sigma 70 binding protein; and transcriptional activator MotA. *Methods Enzymol.* **274**:43-57.
167. **Hinton, D. M., R. March-Amegadzie, J. S. Gerber, and M. Sharma.** 1996. Characterization of pre-transcription complexes made at a bacteriophage T4 middle promoter: involvement of the T4 MotA activator and the T4 AsiA protein, a sigma 70 binding protein, in the formation of the open complex. *J. Mol. Biol.* **256**:235-248.
168. **Hinton, D. M., and S. Vuthoori.** 2000. Efficient inhibition of *Escherichia coli* RNA polymerase by the bacteriophage T4 AsiA protein requires that AsiA binds first to free sigma70. *J. Mol. Biol.* **304**:731-739.
169. **Hobbs, L. J., and N. G. Nossal.** 1996. Either bacteriophage T4 RNase H or *Escherichia coli* DNA polymerase I is essential for phage replication. *J. Bacteriol.* **178**:6772-6777.
170. **Hsieh, P., C. S. Camerini-Otero, and R. D. Camerini-Otero.** 1992. The synapsis event in the homologous pairing of DNAs: RecA recognizes and pairs less than one helical repeat of DNA. *Proc. Natl. Acad. Sci., U.S.A.* **89**:6492-6496.
171. **Huang, W. M., S. Z. Ao, S. Casjens, R. Orlandi, R. Zeikus, R. Weiss, D. Winge, and M. Fang.** 1988. A persistent untranslated sequence within bacteriophage T4 DNA topoisomerase gene 60. *Science* **239**:1005-1012.

172. **Hubermann, J. A.** 1969. Visualization of replicating mammalian and T4 bacteriophage DNA. *Cold Spring Harbor Symp. Quant. Biol.* **33**:509-524.
173. **Huff, A. C., J. K. Leatherwood, and K. N. Kreuzer.** 1989. Bacteriophage T4 DNA topoisomerase is the target of antitumor agent 4'-(9-acridinylamino)methanesulfon-m-anisidine (m-AMSA) in T4-infected *Escherichia coli*. *Proc. Natl. Acad. Sci., U.S.A.* **86**:1307-1311.
174. **Ishihama, A.** 1992. Role of the RNA polymerase alpha subunit in transcription activation. *Mol. Microbiol.* **6**:3283-3288.
175. **Ishii, T., and M. Yanagida.** 1977. The two dispensable structural proteins (soc and hoc) of the T4 phage capsid; their purification and properties, isolation and characterization of the defective mutants, and their binding with the defective heads in vitro. *J. Mol. Biol.* **109**:487-514.
176. **Iwasaki, K., B. L. Trus, P. T. Wingfield, N. Cheng, G. Campusano, V. B. Rao, and A. C. Steven.** 2000. Molecular architecture of bacteriophage T4 capsid: vertex structure and bimodal binding of the stabilizing accessory protein, *Soc. Virol.* **271**:321-33.
177. **Jardine, P. J., and D. H. Coombs.** 1998. Capsid expansion follows the initiation of DNA packaging in bacteriophage T4. *J. Mol. Biol.* **284**:661-672.
178. **Jardine, P. J., M. C. McCormick, C. Lutze-Wallace, and D. H. Coombs.** 1998. The bacteriophage T4 DNA packaging apparatus targets the unexpanded prohead. *J. Mol. Biol.* **284**:647-659.
179. **Jones, C. E., T. C. Mueser, K. C. Dudas, K. N. Kreuzer, and N. G. Nossal.** 2001. Bacteriophage T4 gene 41 helicase and gene 59 helicase-loading protein:

- a versatile couple with roles in replication and recombination. Proc. Natl. Acad. Sci., U.S.A. **98**:8312-8318.
180. **Jones, C. E., T. C. Mueser, and N. G. Nossal.** 2000. Interaction of the bacteriophage T4 gene 59 helicase loading protein and gene 41 helicase with each other and with fork, flap, and cruciform DNA. J. Biol. Chem. **275**:27145-27154.
181. **Kadyrov, F. A., and J. W. Drake.** 2001. Conditional coupling of leading-strand and lagging-strand DNA synthesis at bacteriophage T4 replication forks. J. Biol. Chem. **276**:29559-29566.
182. **Kadyrov, F. A., and V. M. Kriukov.** 1996. [Phage T4 segE gene "mobility": high frequency of segE gene transfer from the plasmid into the phage genome depends on the intactness of this gene]. Dokl. Akad. Nauk. **346**:700-704.
183. **Kadyrov, F. A., M. G. Shlyapnikov, and V. M. Kryukov.** 1997. A phage T4 site-specific endonuclease, SegE, is responsible for a non-reciprocal genetic exchange between T-even-related phages. FEBS Lett. **415**:75-80.
184. **Kai, T., H. E. Selick, and T. Yonesaki.** 1996. Destabilization of bacteriophage T4 mRNAs by a mutation of gene 61.5. Genetics **144**:7-14.
185. **Kai, T., H. Ueno, and T. Yonesaki.** 1998. Involvement of other bacteriophage T4 genes in the blockade of protein synthesis and mRNA destabilization by a mutation of gene 61. 5. Virology **248**:148-155.
186. **Kai, T., and T. Yonesaki.** 2002. Multiple mechanisms for degradation of bacteriophage T4 soc mRNA. Genetics **160**:5-12.

187. **Kanamaru, S., P. G. Leiman, V. A. Kostyuchenko, P. R. Chipman, V. V. Mesyanzhinov, F. Arisaka, and M. G. Rossmann.** 2002. Structure of the cell-puncturing device of bacteriophage T4. *Nature* **415**:553-557.
188. **Kang, C., R. Chan, I. Berger, C. Lockshin, L. Green, L. Gold, and A. Rich.** 1995. Crystal structure of the T4 regA translational regulator protein at 1.9 Å resolution. *Science* **268**:1170-1173.
189. **Kao, S. H., and W. H. McClain.** 1980. Baseplate protein of bacteriophage T4 with both structural and lytic functions. *J. Virol.* **34**:95-103.
190. **Kao, S. H., and W. H. McClain.** 1980. Roles of bacteriophage T4 gene 5 and gene s products in cell lysis. *J. Virol.* **34**:104-107.
191. **Karam, J. D., and B. Barker.** 1971. Properties of bacteriophage T4 mutants defective in gene 30 (deoxyribonucleic acid ligase) and the rII gene. *J. Virol.* **7**:260-266.
192. **Karam, J. D., J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller.** 1994. Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
193. **Karam, J. D., and W. H. Konigsberg.** 2000. DNA polymerase of the T4-related bacteriophages. *Prog. Nucleic Acid Res. Mol. Biol.* **64**:65-96.
194. **Kashlev, M., E. Nudler, A. Goldfarb, T. White, and E. Kutter.** 1993. Bacteriophage T4 Alc protein: a transcription termination factor sensing local modification of DNA. *Cell* **75**:147-154.

195. **Kellenberger, E.** 1980. Control mechanisms in the morphogeneses of bacteriophage heads. *Biosystems* **12**:201-223.
196. **Kellenberger, E., and E. Boy de la Tour.** 1964. On the Fine Structure of Normal and "Polymerized" Tail Sheath of Phage T4. *J. Ultrastruct. Res.* **11**:545-563.
197. **Kells, S. S., and R. Haselkorn.** 1974. Bacteriophage T4 short tail fibers are the product of gene 12. *J. Mol. Biol.* **83**:473-485.
198. **Kemper, B.** 1998. Branched DNA resolving enzymes (X-solvases), p. 179-204. In J. A. Nickoloff and M. Hoekstra (ed.), *DNA Damage and Repair*. Vol.1: DNA Repair in Prokaryotes and Lower Eukaryotes, vol. 1. Humana Press., Totowa, NJ.
199. **Kemper, B., and D. T. Brown.** 1976. Function of gene 49 of bacteriophage T4. II. Analysis of intracellular development and the structure of very fast-sedimenting DNA. *J. Virol.* **18**:1000-1015.
200. **Kemper, B., F. Jensch, M. von Depka-Prondzynski, H. J. Fritz, U. Borgmeyer, and K. Mizuuchi.** 1984. Resolution of Holliday structures by endonuclease VII as observed in interactions with cruciform DNA. *Cold Spring Harb. Symp. Quant. Biol.* **49**:815-825.
201. **Kim, J. S., and N. Davidson.** 1974. Electron microscope heteroduplex study of sequence relations of T2, T4, and T6 bacteriophage DNAs. *Virology* **57**:93-111.
202. **King, G. J., and W. M. Huang.** 1982. Identification of the origins of T4 DNA replication. *Proc. Natl. Acad. Sci., U.S.A.* **79**:7248-7252.
203. **Kirschner, M., and J. Gerhart.** 1998. Evolvability. *Proc. Natl. Acad. Sci., U.S.A.* **95**:8420-8427.

204. **Kleff, S., and B. Kemper.** 1988. Initiation of heteroduplex-loop repair by T4-encoded endonuclease VII in vitro. *EMBO J.* **7**:1527-1535.
205. **Klein, H. L., and K. N. Kreuzer.** 2002. Replication, recombination, and repair: going for the gold. *Mol. Cell* **9**:471-480.
206. **Koch, T., A. Raudonikiene, K. Wilkens, and W. Ruger.** 1995. Overexpression, purification, and characterization of the ADP-ribosyltransferase (gpAlt) of bacteriophage T4: ADP-ribosylation of *E. coli* RNA polymerase modulates T4 "early" transcription. *Gene Expr.* **4**:253-264.
207. **Kocsis, E., H. L. Greenstone, E. G. Locke, M. Kessel, and A. C. Steven.** 1997. Multiple conformational states of the bacteriophage T4 capsid surface lattice induced when expansion occurs without prior cleavage. *J. Struct. Biol.* **118**:73-82.
208. **Kogoma, T.** 1997. Stable DNA replication: interplay between DNA replication, homologous recombination, and transcription. *Microbiol. Mol. Biol. Rev.* **61**:212-238.
209. **Kolesky, S., M. Ouhammouch, E. N. Brody, and E. P. Geiduschek.** 1999. Sigma competition: the contest between bacteriophage T4 middle and late transcription. *J. Mol. Biol.* **291**:267-281.
210. **Kornberg, A., and T. A. Baker.** 1992. DNA replication, 2nd ed. W.H. Freeman, New York.
211. **Kozinski, A. W.** 1983. Origins of T4 DNA replication., p. 111-119. *In* C. K. Mathews, E. Kutter, G. Mosig, and P. B. Berget (ed.), *Bacteriophage T4*. American Society for Microbiology, Washington, D.C.

212. **Kreuzer, K. N.** 1994. A bacteriophage model system for studying topoisomerase inhibitors. *Adv. Pharmacol.* **29B**:171-186.
213. **Kreuzer, K. N.** 1998. Bacteriophage T4, a model system for understanding the mechanism of type II topoisomerase inhibitors. *Biochim. Biophys. Acta* **1400**:339-347.
214. **Kreuzer, K. N.** 2000. Recombination-dependent DNA replication in phage T4. *Trends Biochem. Sci.* **25**:165-173.
215. **Kreuzer, K. N., and B. M. Alberts.** 1986. Characterization of a defective phage system for the analysis of bacteriophage T4 DNA replication origins. *J. Mol. Biol.* **188**:185-198.
216. **Kreuzer, K. N., and B. M. Alberts.** 1985. A defective phage system reveals bacteriophage T4 replication origins that coincide with recombination hot spots. *Proc. Natl. Acad. Sci., U.S.A.* **82**:3345-3349.
217. **Kreuzer, K. N., and J. W. Drake.** 1994. Repair of lethal DNA damage., p. 89-97. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
218. **Kreuzer, K. N., and S. W. Morrical.** 1994. Initiation of DNA replication., p. 28-42. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.

219. **Kreuzer, K. N., M. Saunders, L. J. Weislo, and H. W. Kreuzer.** 1995. Recombination-dependent DNA replication stimulated by double-strand breaks in bacteriophage T4. *J. Bacteriol.* **177**:6844-6853.
220. **Krisch, H. M., and B. Allet.** 1982. Nucleotide sequences involved in bacteriophage T4 gene 32 translational self-regulation. *Proc. Natl. Acad. Sci., U.S.A.* **79**:4937-4941.
221. **Krisch, H. M., D. B. Shah, and H. Berger.** 1971. Replication and recombination in ligase-deficient rII bacteriophage T4D. *J. Virol.* **7**:491-498.
222. **Krisch, H. M., G. Van Houwe, D. Belin, W. Gibbs, and R. H. Epstein.** 1977. Regulation of the expression of bacteriophage T4 genes 32 and 43. *Virology* **78**:87-98.
223. **Kuebler, D., and V. B. Rao.** 1998. Functional analysis of the DNA-packaging/terminase protein gp17 from bacteriophage T4. *J. Mol. Biol.* **281**:803-814.
224. **Kunisawa, T., S. Kanaya, and E. Kutter.** 1998. Comparison of synonymous codon distribution patterns of bacteriophage and host genomes. *DNA Res.* **5**:319-326.
225. **Kutter, E.** 1996. Analysis of bacteriophage T4 based on the completed sequence data., p. 13-28. *In* J. Collado-Vides, B. Magasanik, and T. Smith (ed.), *Integrative Approaches to Molecular Biology*. MIT Press, Cambridge, MA.
226. **Kutter, E., K. Gachechiladze, A. Poglazov, E. Marusich, M. Shneider, P. Aronsson, A. Napuli, D. Porter, and V. Mesyanzhinov.** 1995. Evolution of T4-related phages. *Virus Genes* **11**:285-297.

227. **Kutter, E., B. Guttman, and K. Carlson.** 1994. The transition from host to phage metabolism after T4 infection., p. 343-346. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
228. **Kutter, E., T. White, M. Kashlev, M. Uzan, J. McKinney, and B. Guttman.** 1994. Effects on host genome structure and expression., p. 357-368. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
229. **Kutter, E. M., and J. S. Wiberg.** 1968. Degradation of cytosin-containing bacterial and bacteriophage DNA after infection of *Escherichia coli* B with bacteriophage T4D wild type and with mutants defective in genes 46, 47 and 56. *J. Mol. Biol.* **38**:395-411.
230. **Lambert, L. J., V. Schirf, B. Demeler, M. Cadene, and M. H. Werner.** 2001. Flipping a genetic switch by subunit exchange. *EMBO J.* **20**:7149-7159.
231. **Lane, T., and F. Eiserling.** 1990. Genetic control of capsid length in bacteriophage T4. VII. A model of length regulation based on DNA size. *J. Struct. Biol.* **104**:9-23.
232. **Lane, T., P. Serwer, S. J. Hayes, and F. Eiserling.** 1990. Quantized viral DNA packaging revealed by rotating gel electrophoresis. *Virology* **174**:472-478.

233. **Lawrence, J. G., G. F. Hatfull, and R. W. Hendrix.** 2002. Imbroglios of viral taxonomy: genetic exchange and failings of phenetic approaches. *J. Bacteriol.* **184**:4891-4905.
234. **Leffers, G., and V. B. Rao.** 2000. Biochemical characterization of an ATPase activity associated with the large packaging subunit gp17 from bacteriophage T4. *J. Biol. Chem.* **275**:37127-37136.
235. **Leibo, S. P., E. Kellenberger, C. Kellenberger-van der Kamp, T. G. Frey, and C. M. Steinberg.** 1979. Gene 24-controlled osmotic shock resistance in bacteriophage T4: probable multiple gene functions. *J. Virol.* **30**:327-338.
236. **Leiman, P. G., V. A. Kostyuchenko, M. M. Schneider, L. P. Kurochkina, V. V. Mesyanzhinov, and M. G. Rossmann.** 2000. Structure of bacteriophage T4 gene product 11, the interface between the baseplate and short tail fibers. *J. Mol. Biol.* **301**:975-985.
237. **Lepault, J., and K. Leonard.** 1985. Three-dimensional structure of unstained, frozen-hydrated extended tails of bacteriophage T4. *J. Mol. Biol.* **182**:431-441.
238. **Liang, Y. M., R. X. Wei, T. Hsu, C. Alford, M. Dawson, and J. Karam.** 1988. Autogenous regulation of the regA gene of bacteriophage T4: derepression of translation. *Genetics* **119**:743-749.
239. **Liebig, H. D., and W. Ruger.** 1989. Bacteriophage T4 early promoter regions. Consensus sequences of promoters and ribosome-binding sites. *J. Mol. Biol.* **208**:517-536.
240. **Lin, G. W.** 1988. Ph. D. Vanderbilt University.

241. **Lin, H., and L. W. Black.** 1998. DNA requirements in vivo for phage T4 packaging. *Virology* **242**:118-127.
242. **Lin, H., V. B. Rao, and L. W. Black.** 1999. Analysis of capsid portal protein and terminase functional domains: interaction sites required for DNA packaging in bacteriophage T4. *J. Mol. Biol.* **289**:249-260.
243. **Lin, H., M. N. Simon, and L. W. Black.** 1997. Purification and characterization of the small subunit of phage T4 terminase, gp16, required for DNA packaging. *J. Biol. Chem.* **272**:3495-3501.
244. **Lipinska, B., A. S. Rao, B. M. Bolten, R. Balakrishnan, and E. B. Goldberg.** 1989. Cloning and identification of bacteriophage T4 gene 2 product gp2 and action of gp2 on infecting DNA in vivo. *J. Bacteriol.* **171**:488-497.
245. **Lloyd, R. S.** 1999. The initiation of DNA base excision repair of dipyrimidine photoproducts. *Prog. Nucleic Acid Res. Mol. Biol.* **62**:155-175.
246. **Luder, A., and G. Mosig.** 1982. Two alternative mechanisms for initiation of DNA replication forks in bacteriophage T4: priming by RNA polymerase and by recombination. *Proc. Natl. Acad. Sci., U.S.A.* **79**:1101-1105.
247. **Luria, S. E., and M. L. Human.** 1952. A nonhereditary, host-induced variation of bacterial viruses. *J. Bacteriol.* **64**:557-569.
248. **Macdonald, P. M., R. M. Seaby, W. Brown, and G. Mosig (ed.).** 1983. Initiator DNA from a primary origin and induction of a secondary origin of bacteriophage T4 DNA replication. ASM, Washington, D. C.
249. **Makhov, A. M., B. L. Trus, J. F. Conway, M. N. Simon, T. G. Zurabishvili, V. V. Mesyazhinov, and A. C. Steven.** 1993. The short tail-fiber of bacteriophage

T4: molecular structure and a mechanism for its conformational transition.

Virology **194**:117-127.

250. **Manne, V., V. B. Rao, and L. W. Black.** 1982. A bacteriophage T4 DNA packaging related DNA-dependent ATPase-endonuclease. *J. Biol. Chem.* **257**:13223-13232.
251. **March-Amegadzie, R., and D. M. Hinton.** 1995. The bacteriophage T4 middle promoter P_{UVS}X: analysis of regions important for binding of the T4 transcriptional activator MotA and for activation of transcription. *Mol. Microbiol.* **15**:649-660.
252. **Marsh, R. C., A. M. Breschkin, and G. Mosig.** 1971. Origin and direction of bacteriophage T4 DNA replication. II. A gradient of marker frequencies in partially replicated T4 DNA as assayed by transformation. *J. Mol. Biol.* **60**:213-233.
253. **Mathews, C. K., E. Kutter, G. Mosig, and P. B. Berget (ed.).** 1983. Bacteriophage T4. American Society for Microbiology, Washington, D.C.
254. **Matthews, B. W., and S. J. Remington.** 1974. The three dimensional structure of the lysozyme from bacteriophage T4. *Proc. Natl. Acad. Sci., U.S.A.* **71**:4178-4182.
255. **Mattson, T., J. Richardson, and D. Goodin.** 1974. Mutant of bacteriophage T4D affecting expression of many early genes. *Nature* **250**:48-50.
256. **McNicol, L. A., and L. E. Simon.** 1977. A mutation which bypasses the requirement for p24 in bacteriophage T4 capsid morphogenesis. *J. Mol. Biol.* **116**:261-283.

257. **McPheeters, D. S., G. D. Stormo, and L. Gold.** 1988. Autogenous regulatory site on the bacteriophage T4 gene 32 messenger RNA. *J. Mol. Biol.* **201**:517-535.
258. **Meselson, M., and J. J. Weigle.** 1961. Chromosome breakage accompanying genetic recombination in bacteriophage. *Proc. Natl. Acad. Sci., U.S.A.* **47**:857-868.
259. **Michel, C. J., B. Jacq, D. G. Arques, and T. A. Bickle.** 1986. A remarkable amino acid sequence homology between a phage T4 tail fibre protein and ORF314 of phage lambda located in the tail operon. *Gene* **44**:147-150.
260. **Miller, E. S., J. F. Heidelberg, J. A. Eisen, W. C. Nelson, A. S. Durkin, A. Ciecko, T. V. Feldblyum, O. White, I. T. Paulsen, W. C. Nierman, J. Lee, B. Szczyplinski, and C. M. Fraser.** 2003. Complete genome sequence of the broad-host-range vibriophage KVP40: comparative genomics of a T4-related bacteriophage. *J. Bacteriol.* **185**:5220-5233.
261. **Miller, E. S., J. D. Karam, and E. Spicer.** 1994. Control of translational initiation: mRNA structure and protein repressors., p. 193-208. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
262. **Miller, E. S., E. Kutter, G. Mosig, F. Arisaka, T. Kunisawa, and W. Ruger.** 2003. Bacteriophage T4 genome. *Microbiol. Mol. Biol. Rev.* **67**:86-156.

263. **Miller, E. S., R. B. Winter, K. M. Campbell, S. D. Power, and L. Gold.** 1985. Bacteriophage T4 regA protein. Purification of a translational repressor. *J. Biol. Chem.* **260**:13053-13059.
264. **Minagawa, T., H. Fujisawa, T. Yonesaki, and Y. Ryo.** 1988. Function of cloned T4 recombination genes, uvsX and uvsY, in cells of *Escherichia coli*. *Mol. Gen. Genet.* **211**:350-356.
265. **Minakhin, L., J. A. Camarero, M. Holford, C. Parker, T. W. Muir, and K. Severinov.** 2001. Mapping the molecular interface between the sigma(70) subunit of *E. coli* RNA polymerase and T4 AsiA. *J. Mol. Biol.* **306**:631-642.
266. **Monod, C., F. Repoila, M. Kutateladze, F. Tetart, and H. M. Krisch.** 1997. The genome of the pseudo T-even bacteriophages, a diverse group that resembles T4. *J. Mol. Biol.* **267**:237-249.
267. **Moody, M. F.** 1999. Geometry of phage head construction. *J. Mol. Biol.* **293**:401-433.
268. **Moody, M. F., and L. Makowski.** 1981. X-ray diffraction study of tail-tubes from bacteriophage T2L. *J. Mol. Biol.* **150**:217-244.
269. **Morais, M. C., Y. Tao, N. H. Olson, S. Grimes, P. J. Jardine, D. L. Anderson, T. S. Baker, and M. G. Rossmann.** 2001. Cryoelectron-microscopy image reconstruction of symmetry mismatches in bacteriophage phi29. *J. Struct. Biol.* **135**:38-46.
270. **Morrical, S., K. Hempstead, M. Morrical, K. M. Chou, R. Ando, and O. Grigorieva.** 1994. Mechanisms of assembly of the enzyme-ssDNA complexes

required for recombination-dependent DNA synthesis and repair in bacteriophage T4. Ann N Y Acad Sci **726**:349-350.

271. **Mosig, G.** 1985. Bacteriophage T4 gene 32 participates in excision repair as well as recombinational repair of UV damages. Genetics **110**:159-171.
272. **Mosig, G.** 1963. Coordinate variation in density and recombination potential in T4 phage particles produced at different times after infection. Genetics **48**:1195-1200.
273. **Mosig, G.** 1966. Distances separating genetic markers in T4 DNA. Proc. Natl. Acad. Sci., U.S.A. **56**:1177-1183.
274. **Mosig, G.** 1987. The essential role of recombination in phage T4 growth. Annu. Rev. Genet. **21**:347-371.
275. **Mosig, G. (ed.)**. 1978. Evidence for a complex that coordinates different steps in general genetic recombination. Springer, Berlin.
276. **Mosig, G.** 1963. Genetic recombination in bacteriophage T4 during replication of DNA fragments. Cold Spring Harbor Symp. Quant. Biol. **28**:35-42.
277. **Mosig, G.** 1994. Homologous recombination., p. 54-82. In J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
278. **Mosig, G.** 1968. A map of distances along the DNA molecule of phage T4. Genetics **59**:137-151.
279. **Mosig, G.** 1998. Recombination and recombination-dependent DNA replication in bacteriophage T4. Annu. Rev. Genet. **32**:379-413.

280. **Mosig, G.** 1983. Relationship of T4 DNA replication and recombination., p. 120-130. *In* C. K. Mathews, E. Kutter, G. Mosig, and P. B. Berget (ed.), Bacteriophage T4. American Society for Microbiology, Washington, D.C.
281. **Mosig, G.** 1994. Synthesis and maturation of T4-encoded tRNAs., p. 182-185. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
282. **Mosig, G., S. Benedict, D. Ghosal, A. Luder, R. Dannenberg, and S. Bock.** 1980. Genetic Analysis of DNA Replication in Bacteriophage T4., Mechanistic Studies of DNA Replication and Genetic Recombination. Academic Press., Nashville, TN.
283. **Mosig, G., and S. Bock.** 1976. Gene 32 protein of bacteriophage T4 moderates the activities of the T4 gene 46/47-controlled nuclease and of the *Escherichia coli* RecBC nuclease in vivo. *J. Virol.* **17**:756-761.
284. **Mosig, G., and A. M. Breschkin.** 1975. Genetic evidence for an additional function of phage T4 gene 32 protein: interaction with ligase. *Proc. Natl. Acad. Sci., U.S.A.* **72**:1226-1230.
285. **Mosig, G., and R. Calendar.** 2001. Horizontal gene transfer in bacteriophages., p. Chapter 13. *In* M. Syvanen (ed.), Horizontal Gene Transfer. Academic Press., London.

286. **Mosig, G., and N. Colowick.** 1995. DNA replication of bacteriophage T4 in vivo., p. 587-604. *In* J. Campbell (ed.), Methods in Enzymology, vol. 262. Academic Press, San Diego.
287. **Mosig, G., N. Colowick, M. E. Gruidl, A. Chang, and A. J. Harvey.** 1995. Multiple initiation mechanisms adapt phage T4 DNA replication to physiological changes during T4's development. *FEMS Microbiol. Rev.* **17**:83-98.
288. **Mosig, G., N. E. Colowick, and B. C. Pietz.** 1998. Several new bacteriophage T4 genes, mapped by sequencing deletion endpoints between genes 56 (dCTPase) and dda (a DNA-dependent ATPase-helicase) modulate transcription. *Gene* **223**:143-55.
289. **Mosig, G., R. Ehring, W. Schliewen, and S. Bock.** 1971. The patterns of recombination and segregation in terminal regions of T4DNA molecules. *Mol. Gen. Genet.* **113**:51-91.
290. **Mosig, G., J. Gewin, A. Luder, N. Colowick, and D. Vo.** 2001. Two recombination-dependent DNA replication pathways of bacteriophage T4, and their roles in mutagenesis and horizontal gene transfer. *Proc. Natl. Acad. Sci., U.S.A.* **98**:8306-8311.
291. **Mosig, G., and D. H. Hall.** 1994. Gene Expression: a paradigm of integrated circuits., p. 127-131. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.

292. **Mosig, G., G. W. Lin, J. Franklin, and W. H. Fan.** 1989. Functional relationships and structural determinants of two bacteriophage T4 lysozymes: a soluble (gene e) and a baseplate-associated (gene 5) protein. *New Biol.* **1**:171-179.
293. **Mosig, G., A. Luder, A. Ernst, and N. Canan.** 1991. Bypass of a primase requirement for bacteriophage T4 DNA replication *in vivo* by a recombination enzyme, endonuclease VII. *New Biol.* **3**:1195-1205.
294. **Mosig, G., P. Macdonald, G. Lin, M. Levin, and R. Seaby.** 1983. Gene expression and initiation of DNA replication of bacteriophage T4 in phage and host topoisomerase mutants, p. 73-186. *In* N. R. Cozzarelli (ed.), *Mechanisms of DNA replication and recombination*. A. R. Liss, New York.
295. **Mosig, G., and D. Powell.** 1985. Heteroduplex loops are packaged in gene 49 (endonuclease VII) mutants of bacteriophage T4. *Abstr. Annu. Meet. Am. Soc. Microbiol.* **85**:209.
296. **Mosig, G., M. Shaw, and G. M. Garcia.** 1984. On the role of DNA replication, endonuclease VII, and rII proteins in processing of recombinational intermediates in phage T4. *Cold Spring Harb. Symp. Quant. Biol.* **49**:371-382.
297. **Mosig, G., S. Yu, H. Myung, E. Haggard-Ljungquist, L. Davenport, K. Carlson, and R. Calendar.** 1997. A novel mechanism of virus-virus interactions: bacteriophage P2 Tin protein inhibits phage T4 DNA synthesis by poisoning the T4 single-stranded DNA binding protein, gp32. *Virology* **230**:72-81.
298. **Mudd, E. A., H. M. Krisch, and C. F. Higgins.** 1990. RNase E, an endoribonuclease, has a general role in the chemical decay of *Escherichia coli*

mRNA: evidence that rne and ams are the same genetic locus. Mol. Microbiol.

4:2127-2135.

299. **Mueller, J. E., J. Clyman, Y. J. Huang, M. M. Parker, and M. Belfort.** 1996. Intron mobility in phage T4 occurs in the context of recombination-dependent DNA replication by way of multiple pathways. *Genes Dev.* **10:**351-364.
300. **Mueller, J. E., D. Smith, and M. Belfort.** 1996. Exon coconversion biases accompanying intron homing: battle of the nucleases. *Genes Dev.* **10:**2158-2166.
301. **Mueser, T. C., C. E. Jones, N. G. Nossal, and C. C. Hyde.** 2000. Bacteriophage T4 gene 59 helicase assembly protein binds replication fork DNA. The 1.45 Å resolution crystal structure reveals a novel alpha-helical two-domain fold. *J. Mol. Biol.* **296:**597-612.
302. **Mueser, T. C., N. G. Nossal, and C. C. Hyde.** 1996. Structure of bacteriophage T4 RNase H, a 5' to 3' RNA-DNA and DNA-DNA exonuclease with sequence similarity to the RAD2 family of eukaryotic proteins. *Cell* **85:**1101-1112.
303. **Muller-Salamin, L., L. Onorato, and M. K. Showe.** 1977. Localization of minor protein components of the head of bacteriophage T4. *J. Virol.* **24:**121-134.
304. **Nakagawa, H., F. Arisaka, and S. Ishii.** 1985. Isolation and characterization of the bacteriophage T4 tail-associated lysozyme. *J. Virol.* **54:**460-466.
305. **Nassif, N., J. Penney, S. Pal, W. R. Engels, and G. B. Gloor.** 1994. Efficient copying of nonhomologous sequences from ectopic sites via P-element-induced gap repair. *Mol. Cell Biol* **14:**1613-1625.

306. **Neece, S. H., K. Carles-Kinch, D. J. Tomso, and K. N. Kreuzer.** 1996. Role of recombinational repair in sensitivity to an antitumour agent that inhibits bacteriophage T4 type II DNA topoisomerase. *Mol. Microbiol.* **20**:1145-1154.
307. **Nossal, N. G.** 1994. The bacteriophage T4 replication fork., p. 43-53. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
308. **Nossal, N. G.** 1998. A new look at old mutants of T4 DNA polymerase. *Genetics* **148**:1535-1538.
309. **Nossal, N. G., K. C. Dudas, and K. N. Kreuzer.** 2001. Bacteriophage T4 proteins replicate plasmids with a preformed R loop at the T4 ori(uvsY) replication origin in vitro. *Mol. Cell* **7**:31-41.
310. **Nossal, N. G., D. M. Hinton, L. J. Hobbs, and P. Spacciapoli.** 1995. Purification of bacteriophage T4 DNA replication proteins. *Methods Enzymol.* **262**:560-584.
311. **Olson, N. H., M. Gingery, F. A. Eiserling, and T. S. Baker.** 2001. The structure of isometric capsids of bacteriophage T4. *Virology* **279**:385-391.
312. **O'Malley, S. M., A. K. Sattar, K. R. Williams, and E. K. Spicer.** 1995. Mutagenesis of the COOH-terminal region of bacteriophage T4 regA protein. *J. Biol. Chem.* **270**:5107-5114.
313. **Ouhammouch, M., K. Adelman, S. R. Harvey, G. Orsini, and E. N. Brody.** 1995. Bacteriophage T4 MotA and AsiA proteins suffice to direct *Escherichia coli*

- RNA polymerase to initiate transcription at T4 middle promoters. Proc. Natl. Acad. Sci., U.S.A. **92**:1451-1455.
314. **Ouhammouch, M., G. Orsini, and E. N. Brody.** 1994. The *asiA* gene product of bacteriophage T4 is required for middle mode RNA synthesis. J. Bacteriol. **176**:3956-3965.
315. **Paddison, P., S. T. Abedon, H. K. Dressman, K. Gailbreath, J. Tracy, E. Mosser, J. Neitzel, B. Guttman, and E. Kutter.** 1998. The roles of the bacteriophage T4 r genes in lysis inhibition and fine-structure genetics: a new perspective. Genetics **148**:1539-1550.
316. **Pahari, S., and D. Chatterji.** 1997. Interaction of bacteriophage T4 AsiA protein with *Escherichia coli* sigma70 and its variant. FEBS Lett. **411**:60-62.
317. **Panne, D., S. A. Muller, S. Wirtz, A. Engel, and T. A. Bickle.** 2001. The McrBC restriction endonuclease assembles into a ring structure in the presence of G nucleotides. EMBO J. **20**:3210-3217.
318. **Panne, D., E. A. Raleigh, and T. A. Bickle.** 1998. McrBs, a modulator peptide for McrBC activity. EMBO J. **17**:5477-5483.
319. **Paques, F., and J. E. Haber.** 1999. Multiple pathways of recombination induced by double-strand breaks in *Saccharomyces cerevisiae*. Microbiol. Mol. Biol. Rev. **63**:349-404.
320. **Parker, M. M., M. Belisle, and M. Belfort.** 1999. Intron homing with limited exon homology. Illegitimate double-strand-break repair in intron acquisition by phage t4. Genetics **153**:1513-1523.

321. **Parma, D. H., M. Snyder, S. Sobolevski, M. Nawroz, E. Brody, and L. Gold.** 1992. The Rex system of bacteriophage lambda: tolerance and altruistic cell death. *Genes Dev.* **6**:497-510.
322. **Paulson, J. R., and U. K. Laemmli.** 1977. Morphogenetic core of the bacteriophage T4 head. Structure of the core in polyheads. *J. Mol. Biol.* **111**:459-485.
323. **Pavlov, A. R., and J. D. Karam.** 1994. Binding specificity of T4 DNA polymerase to RNA. *J. Biol. Chem.* **269**:12968-12972.
324. **Pavlov, A. R., and J. D. Karam.** 2000. Nucleotide-sequence-specific and non-specific interactions of T4 DNA polymerase with its own mRNA. *Nucleic Acids Res.* **28**:4657-4664.
325. **Pene, C., and M. Uzan.** 2000. The bacteriophage T4 anti-sigma factor AsiA is not necessary for the inhibition of early promoters in vivo. *Mol. Microbiol.* **35**:1180-1191.
326. **Phillips, C. A., J. Gordon, and E. K. Spicer.** 1996. Bacteriophage T4 regA protein binds RNA as a monomer, overcoming dimer interactions. *Nucleic Acids Res.* **24**:4319-4326.
327. **Qiu, H., K. Kaluarachchi, Z. Du, D. W. Hoffman, and D. P. Giedroc.** 1996. Thermodynamics of folding of the RNA pseudoknot of the T4 gene 32 autoregulatory messenger RNA. *Biochemistry* **35**:4176-4186.
328. **Raaijmakers, H., O. Vix, I. Toro, S. Golz, B. Kemper, and D. Suck.** 1999. X-ray structure of T4 endonuclease VII: a DNA junction resolvase with a novel fold and unusual domain-swapped dimer architecture. *EMBO J.* **18**:1447-1458.

329. **Ramanculov, E., and R. Young.** 2001. An ancient player unmasked: T4 rI encodes a t-specific antiholin. *Mol. Microbiol.* **41**:575-583.
330. **Ramanculov, E., and R. Young.** 2001. Functional analysis of the phage T4 holin in a lambda context. *Mol. Genet. Genomics* **265**:345-353.
331. **Rao, V. B., and L. W. Black.** 1988. Cloning, overexpression and purification of the terminase proteins gp16 and gp17 of bacteriophage T4. Construction of a defined in-vitro DNA packaging system using purified terminase proteins. *J. Mol. Biol.* **200**:475-488.
332. **Rao, V. B., and M. S. Mitchell.** 2001. The N-terminal ATPase site in the large terminase protein gp17 is critically required for DNA packaging in bacteriophage T4. *J. Mol. Biol.* **314**:401-411.
333. **Rao, V. B., V. Thaker, and L. W. Black.** 1992. A phage T4 in vitro packaging system for cloning long DNA molecules. *Gene* **113**:25-33.
334. **Reha-Krantz, L. J.** 1994. Genetic dissection of T4 DNA polymerase structure-function relationships., p. 307-312. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
335. **Reha-Krantz, L. J.** 1995. Learning about DNA polymerase function by studying antimutator DNA polymerases. *Trends Biochem. Sci.* **20**:136-140.
336. **Reha-Krantz, L. J.** 1995. Use of genetic analyses to probe structure, function, and dynamics of bacteriophage T4 DNA polymerase. *Methods Enzymol.* **262**:323-331.

337. **Reha-Krantz, L. J., L. A. Marquez, E. Elisseeva, R. P. Baker, L. B. Bloom, H. B. Dunford, and M. F. Goodman.** 1998. The proofreading pathway of bacteriophage T4 DNA polymerase. *J. Biol. Chem.* **273**:22969-22976.
338. **Revel, H. R.** 1983. DNA modification: glucosylation., p. 156-165. *In* C. K. Mathews, E. Kutter, G. Mosig, and P. B. Berget (ed.), *Bacteriophage T4*. American Society for Microbiology, Washington, D.C.
339. **Riede, I., K. Drexler, M. L. Eschbach, and U. Henning.** 1986. DNA sequence of the tail fiber genes 37, encoding the receptor recognizing part of the fiber, of bacteriophages T2 and K3. *J. Mol. Biol.* **191**:255-266.
340. **Rodriguez-Prieto, A.** 1976. Ph. D. Vanderbilt University.
341. **Rosario, M. O., and J. W. Drake.** 1990. Frameshift and double-amber mutations in the bacteriophage T4 uvsX gene: analysis of mutant UvsX proteins from infected cells. *Mol. Gen. Genet.* **222**:112-119.
342. **Ross, P. D., L. W. Black, M. E. Bisher, and A. C. Steven.** 1985. Assembly-dependent conformational changes in a viral capsid protein. Calorimetric comparison of successive conformational states of the gp23 surface lattice of bacteriophage T4. *J. Mol. Biol.* **183**:353-364.
343. **Ross, W., K. K. Gosink, J. Salomon, K. Igashashi, C. Zou, A. Ishihama, K. Severinov, and R. L. Gourse.** 1993. A third recognition element in bacterial promoters: DNA binding by the alpha subunit of RNA polymerase. *Science* **262**:1407-1413.
344. **Rossmann, M. G.** 2000. Fitting atomic models into electron-microscopy maps. *Acta Crystallogr. D. Biol. Crystallogr.* **56 (Pt 10)**:1341-1349.

345. **Rossmann, M. G., V. V. Mesyazhinov, F. Arisaka, and P. G. Leiman.** 2004. The bacteriophage T4 DNA injection machine. *Curr. Opin. Struct. Biol.* **14**:171-180.
346. **Ruckman, J., D. Parma, C. Tuerk, D. H. Hall, and L. Gold.** 1989. Identification of a T4 gene required for bacteriophage mRNA processing. *New Biol.* **1**:54-65.
347. **Ruckman, J., S. Ringquist, E. Brody, and L. Gold.** 1994. The bacteriophage T4 regB ribonuclease. Stimulation of the purified enzyme by ribosomal protein S1. *J. Biol. Chem.* **269**:26655-26662.
348. **Salinas, F., and T. Kodadek.** 1995. Phage T4 homologous strand exchange: a DNA helicase, not the strand transferase, drives polar branch migration. *Cell* **82**:111-119.
349. **Sanders, G. M., G. A. Kassavetis, and E. P. Geiduschek.** 1997. Dual targets of a transcriptional activator that tracks on DNA. *EMBO J.* **16**:3124-3132.
350. **Sanders, G. M., G. A. Kassavetis, and E. P. Geiduschek.** 1995. Rules governing the efficiency and polarity of loading a tracking clamp protein onto DNA: determinants of enhancement in bacteriophage T4 late transcription. *EMBO J.* **14**:3966-3976.
351. **Sanson, B., and M. Uzan.** 1995. Post-transcriptional controls in bacteriophage T4: roles of the sequence-specific endoribonuclease RegB. *FEMS Microbiol. Rev.* **17**:141-150.
352. **Schmidt, F. J., and D. Arion.** 1983. T4 transfer RNAs: paradigmatic system for the study of RNA processing., p. 208-217. *In* C. K. Mathews, E. Kutter, G.

- Mosig, and P. B. Berget (ed.), Bacteriophage T4. American Society for Microbiology, Washington, D.C.
353. **Schoenberger, S.** 1992. Ph. D. University of California, Los Angeles CA.
354. **Sengupta, T. K., J. Gordon, and E. K. Spicer.** 2001. RegA proteins from phage T4 and RB69 have conserved helix-loop groove RNA binding motifs but different RNA binding specificities. *Nucleic Acids Res.* **29**:1175-1184.
355. **Severinova, E., K. Severinov, and S. A. Darst.** 1998. Inhibition of *Escherichia coli* RNA polymerase by bacteriophage T4 AsiA. *J. Mol. Biol.* **279**:9-18.
356. **Severinova, E., K. Severinov, D. Fenyo, M. Marr, E. N. Brody, J. W. Roberts, B. T. Chait, and S. A. Darst.** 1996. Domain organization of the *Escherichia coli* RNA polymerase sigma 70 subunit. *J. Mol. Biol.* **263**:637-647.
357. **Shamoo, Y., A. M. Friedman, M. R. Parsons, W. H. Konigsberg, and T. A. Steitz.** 1995. Crystal structure of a replication fork single-stranded DNA binding protein (T4 gp32) complexed to DNA. *Nature* **376**:362-366.
358. **Shamoo, Y., A. M. Friedman, M. R. Parsons, W. H. Konigsberg, and T. A. Steitz.** 1995. Crystal structure of a replication fork single-stranded DNA binding protein (T4 gp32) complexed to DNA (Erratum). *Nature* **376**:616.
359. **Shamoo, Y., and T. A. Steitz.** 1999. Building a replisome from interacting pieces: sliding clamp complexed to a peptide from DNA polymerase and a polymerase editing complex. *Cell* **99**:155-166.
360. **Shamoo, Y., A. Tam, W. H. Konigsberg, and K. R. Williams.** 1993. Translational repression by the bacteriophage T4 gene 32 protein involves specific recognition of an RNA pseudoknot structure. *J. Mol. Biol.* **232**:89-104.

361. **Shamoo, Y., K. R. Webster, K. R. Williams, and W. H. Konigsberg.** 1991. A retrovirus-like zinc domain is essential for translational repression of bacteriophage T4 gene 32. *J. Biol. Chem.* **266**:7967-7970.
362. **Shamoo, Y., K. R. Williams, and W. H. Konigsberg.** 1994. The function of zinc(II) in gene 32 protein (gp32). p. 305-306. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
363. **Sharma, M., R. L. Ellis, and D. M. Hinton.** 1992. Identification of a family of bacteriophage T4 genes encoding proteins similar to those present in group I introns of fungi and phage. *Proc. Natl. Acad. Sci., U.S.A.* **89**:6658-6662.
364. **Sharma, M., and D. M. Hinton.** 1994. Purification and characterization of the SegA protein of bacteriophage T4, an endonuclease related to proteins encoded by group I introns. *J. Bacteriol.* **176**:6439-6448.
365. **Shcherbakov, V., I. Granovsky, L. Plugina, T. Shcherbakova, S. Sizova, K. Pyatkov, M. Shlyapnikov, and O. Shubina.** 2002. Focused genetic recombination of bacteriophage t4 initiated by double-strand breaks. *Genetics* **162**:543-556.
366. **Shcherbakov, V. P., S. M. Grebenshchikova, and L. A. Plugina.** 1994. [Mechanism of correcting mismatched segments in recombination of bacteriophage T4]. *Dokl. Akad. Nauk.* **334**:541-542.

367. **Shcherbakov, V. P., L. A. Plugina, and E. A. Kudryashova.** 1995. Marker-dependent recombination in T4 bacteriophage. IV. Recombinational effects of antimutator T4 DNA polymerase. *Genetics* **140**:13-25.
368. **Showe, M. K., and L. Onorato.** 1978. Kinetic factors and form determination of the head of bacteriophage T4. *Proc. Natl. Acad. Sci., U.S.A.* **75**:4165-4169.
369. **Shub, D. A., T. Coetzee, D. W. Hall, and M. Belfort.** 1994. The self-splicing introns of bacteriophage T4., p. 186-192. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
370. **Silverstein, J. L., and E. B. Goldberg.** 1976. T4 DNA injection. II. Protection of entering DNA from host exonuclease V. *Virology* **72**:212-223.
371. **Singer, B. S., L. Gold, P. Gauss, and D. H. Doherty.** 1982. Determination of the amount of homology required for recombination in bacteriophage T4. *Cell* **31**:25-33.
372. **Sjoberg, B. M., S. Hahne, C. Z. Mathews, C. K. Mathews, K. N. Rand, and M. J. Gait.** 1986. The bacteriophage T4 gene for the small subunit of ribonucleotide reductase contains an intron. *EMBO J.* **5**:2031-2036.
373. **Smith, D. E., S. J. Tans, S. B. Smith, S. Grimes, D. L. Anderson, and C. Bustamante.** 2001. The bacteriophage straight phi29 portal motor can package DNA against a large internal force. *Nature* **413**:748-752.

374. **Smith, P. R., and U. Aebi.** 1976. Studies of the structure of the T4 bacteriophage tail sheath. I. The recovery of three-dimensional structural information from the extended sheath. *J. Mol. Biol.* **106**:243-271.
375. **Snustad, D. P., C. J. Bursch, K. A. Parson, and S. H. Hefeneider.** 1976. Mutants of bacteriophage T4 deficient in the ability to induce nuclear disruption: shutoff of host DNA and protein synthesis gene dosage experiments, identification of a restrictive host, and possible biological significance. *J. Virol.* **18**:268-288.
376. **Snyder, L., L. Gold, and E. Kutter.** 1976. A gene of bacteriophage T4 whose product prevents true late transcription on cytosine-containing T4 DNA. *Proc. Natl. Acad. Sci., U.S.A.* **73**:3098-3102.
377. **Snyder, L., and G. Kaufmann.** 1994. T4 phage exclusion mechanisms., p. 391-396. In J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
378. **Solaro, P. C., K. Birkenkamp, P. Pfeiffer, and B. Kemper.** 1993. Endonuclease VII of phage T4 triggers mismatch correction in vitro. *J. Mol. Biol.* **230**:868-877.
379. **Sozhamannan, S., and B. L. Stitt.** 1997. Effects on mRNA degradation by *Escherichia coli* transcription termination factor Rho and pBR322 copy number control protein Rop. *J. Mol. Biol.* **268**:689-703.
380. **Stahl, F. W., J. M. Crasemann, C. Yegian, M. M. Stahl, and A. Nakata.** 1970. Co-transcribed cistrons in bacteriophage T4. *Genetics* **64**:157-170.

381. **Stahl, M. M., L. Thomason, A. R. Poteete, T. Tarkowski, A. Kuzminov, and F. W. Stahl.** 1997. Annealing vs. invasion in phage lambda recombination. *Genetics* **147**:961-977.
382. **Stevens, A.** 1976. A salt-promoted inhibitor of RNA polymerase isolated from T4 phage-infected *E. coli*. In R. Losick and M. Chamberlin (ed.), *RNA polymerase*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
383. **Stitt, B., and D. Hinton.** 1994. Regulation of middle-mode transcription., p. 142-160. In J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), *Molecular Biology of Bacteriophage T4*. American Society for Microbiology, Washington, DC.
384. **Stitt, B. L., and E. S. Kempner.** 1996. Structure-function relationships in *Escherichia coli* transcription termination protein Rho revealed by radiation target analysis. *Arch. Biochem. Biophys.* **334**:268-276.
385. **Stitt, B. L., and G. Mosig.** 1989. Impaired expression of certain prereplicative bacteriophage T4 genes explains impaired T4 DNA synthesis in *Escherichia coli* rho (nusD) mutants. *J. Bacteriol.* **171**:3872-3880.
386. **Stohr, B. A., and K. N. Kreuzer.** 2002. Coordination of DNA ends during double-strand-break repair in bacteriophage T4. *Genetics* **162**:1019-1030.
387. **Stohr, B. A., and K. N. Kreuzer.** 2001. Repair of topoisomerase-mediated DNA damage in bacteriophage T4. *Genetics* **158**:19-28.

388. **Streisinger, G.** 1966. Terminal redundancy, or all's well that ends well., p. 335-340. In J. Cairns, G. S. Stent, and J. D. Watson (ed.), Phage and the Origins of Molecular Biology. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
389. **Streisinger, G., R. S. Edgar, and G. H. Denhardt.** 1964. Chromosome Structure in Phage T4. I. Circularity of the Linkage Map. Proc. Natl. Acad. Sci., U.S.A. **51**:775-779.
390. **Streisinger, G., Y. Okada, J. Emrich, J. Newton, A. Tsugita, E. Terzaghi, and M. Inouye.** 1966. Frameshift mutations and the genetic code. This paper is dedicated to Professor Theodosius Dobzhansky on the occasion of his 66th birthday. Cold Spring Harb. Symp. Quant. Biol. **31**:77-84.
391. **Symmons, M. F., M. G. Williams, B. F. Luisi, G. H. Jones, and A. J. Carpousis.** 2002. Running rings around RNA: a superfamily of phosphate-dependent RNases. Trends Biochem. Sci. **27**:11-18.
392. **Symonds, N., H. Heindl, and P. White.** 1973. Radiation sensitive mutants of phage T4. A comparative study. Mol. Gen. Genet. **120**:253-259.
393. **Szostak, J. W., T. L. Orr-Weaver, R. J. Rothstein, and F. W. Stahl.** 1983. The double-strand-break repair model for recombination. Cell **33**:25-35.
394. **Tao, Y., S. V. Strelkov, V. V. Mesyazhinov, and M. G. Rossmann.** 1997. Structure of bacteriophage T4 fibrin: a segmented coiled coil and the role of the C-terminal domain. Structure **5**:789-798.
395. **Tarahovsky, Y. S., A. A. Khusainov, A. A. Deev, and Y. V. Kim.** 1991. Membrane fusion during infection of *Escherichia coli* cells by phage T4. FEBS Lett. **289**:18-22.

396. **Tetart, F., C. Desplats, and H. M. Krisch.** 1998. Genome plasticity in the distal tail fiber locus of the T-even bacteriophage: recombination between conserved motifs swaps adhesin specificity. *J. Mol. Biol.* **282**:543-556.
397. **Tetart, F., C. Desplats, M. Kutateladze, C. Monod, H. W. Ackermann, and H. M. Krisch.** 2001. Phylogeny of the major head and tail genes of the wide-ranging T4-type bacteriophages. *J. Bacteriol.* **183**:358-366.
398. **Tetart, F., F. Repoila, C. Monod, and H. M. Krisch.** 1996. Bacteriophage T4 host range is expanded by duplications of a small domain of the tail fiber adhesin. *J. Mol. Biol.* **258**:726-731.
399. **Thomas, C. A., and L. A. MacHattie.** 1967. The Anatomy of Viral DNA Molecules. *Annual Review of Biochemistry* **36**:485-518.
400. **Thomas, E., F. Zucker, and E. Kutter.** 2003. A phylogenetic analysis of selected T4 proteins. Manuscript in preparation.
401. **Thompson, R. J., J. P. Davies, G. Lin, and G. Mosig (ed.).** 1990. Modulation of transcription by altered torsional stress, upstream silencers, and DNA-binding proteins. ASM, Washington, D. C.
402. **Tinker, R. L., G. M. Sanders, K. Severinov, G. A. Kassavetis, and E. P. Gieduschek.** 1995. The COOH-terminal domain of the RNA polymerase alpha subunit in transcriptional enhancement and deactivation at the bacteriophage T4 late promoter. *J. Biol. Chem.* **270**:15899-5907.
403. **Torgov, M. Y., D. M. Janzen, and M. K. Reddy.** 1998. Efficiency and frequency of translational coupling between the bacteriophage T4 clamp loader genes. *J. Bacteriol.* **180**:4339-43.

404. **Trojanowska, M., E. S. Miller, J. Karam, G. Stormo, and L. Gold.** 1984. The bacteriophage T4 regA gene: primary sequence of a translational repressor. Nucleic Acids Res. **12**:5979-5993.
405. **Unnithan, S., L. Green, L. Morrissey, J. Binkley, B. Singer, J. Karam, and L. Gold.** 1990. Binding of the bacteriophage T4 regA protein to mRNA targets: an initiator AUG is required. Nucleic Acids Res. **18**:7083-7092.
406. **Uzan, M., R. Favre, and E. Brody.** 1988. A nuclease that cuts specifically in the ribosome binding site of some T4 mRNAs. Proc. Natl. Acad. Sci., U.S.A. **85**:8895-8899.
407. **Vaiskunaite, R., A. Miller, L. Davenport, and G. Mosig.** 1999. Two new early bacteriophage T4 genes, repEA and repEB, that are important for DNA replication initiated from origin E. J. Bacteriol. **181**:7115-7125.
408. **van Raaij, M. J., G. Schoehn, M. R. Burda, and S. Miller.** 2001. Crystal structure of a heat and protease-stable part of the bacteriophage T4 short tail fibre. J. Mol. Biol. **314**:1137-1146.
409. **van Raaij, M. J., G. Schoehn, M. Jaquinod, K. Ashman, M. R. Burda, and S. Miller.** 2001. Identification and crystallisation of a heat- and protease-stable fragment of the bacteriophage T4 short tail fibre. Biol. Chem. **382**:1049-1055.
410. **Vanzo, N. F., Y. S. Li, B. Py, E. Blum, C. F. Higgins, L. C. Raynal, H. M. Krisch, and A. J. Carpousis.** 1998. Ribonuclease E organizes the protein interactions in the *Escherichia coli* RNA degradosome. Genes Dev. **12**:2770-2781.

411. **Villarreal, L. P., and V. R. DeFilippis.** 2000. A hypothesis for DNA viruses as the origin of eukaryotic replication proteins. *J. Virol.* **74**:7079-7084.
412. **Villemain, J. L., Y. Ma, D. P. Giedroc, and S. W. Morrical.** 2000. Mutations in the N-terminal cooperativity domain of gene 32 protein alter properties of the T4 DNA replication and recombination systems. *J. Biol. Chem.* **275**:31496-31504.
413. **Visconti, N., and M. Delbrück.** 1953. The mechanism of genetic recombination in phage. *Genetics* **38**:5-33.
414. **Volkin, E., and L. Astrachan.** 1956. Phosphorus incorporation in *Escherichia coli* ribo-nucleic acid after infection with bacteriophage T2. *Virology* **2**:149-161.
415. **von Hippel, P. H., S. C. Kowalczykowski, N. Lonberg, J. W. Newport, L. S. Paul, G. D. Stormo, and L. Gold.** 1983. Autoregulation of expression of T4 gene 32: a quantitative analysis., p. 202-207. *In* C. K. Mathews, E. Kutter, G. Mosig, and P. B. Berget (ed.), *Bacteriophage T4*. American Society for Microbiology, Washington, D.C.
416. **Wais, A. C., and E. B. Goldberg.** 1969. Growth and transformation of phage T4 in *Escherichia coli* B-4, *Salmonella*, *Aerobacter*, *Proteus*, and *Serratia*. *Virology* **39**:153-161.
417. **Wakem, L. P., and K. Ebisuzaki.** 1984. An analysis of DNA repair and recombination functions of bacteriophage T4 by means of suppressors: the role of das. *Virology* **137**:324-330.
418. **Wang, C. C., A. Pavlov, and J. D. Karam.** 1997. Evolution of RNA-binding specificity in T4 DNA polymerase. *J. Biol. Chem.* **272**:17703-17710.

419. **Wang, G. R., A. Vianelli, and E. B. Goldberg.** 2000. Bacteriophage T4 self-assembly: in vitro reconstitution of recombinant gp2 into infectious phage. *J. Bacteriol.* **182**:672-679.
420. **Wang, J., A. K. Sattar, C. C. Wang, J. D. Karam, W. H. Konigsberg, and T. A. Steitz.** 1997. Crystal structure of a pol alpha family replication DNA polymerase from bacteriophage RB69. *Cell* **89**:1087-1099.
421. **Wang, J., P. Yu, T. C. Lin, W. H. Konigsberg, and T. A. Steitz.** 1996. Crystal structures of an NH₂-terminal fragment of T4 DNA polymerase and its complexes with single-stranded DNA and with divalent metal ions. *Biochemistry* **35**:8110-9.
422. **Washburn, R. S., and B. L. Stitt.** 1996. In vitro characterization of transcription termination factor Rho from *Escherichia coli* rho(nusD) mutants. *J. Mol. Biol.* **260**:332-346.
423. **Weaver, L. H., D. Rennell, A. R. Poteete, and B. W. Mathews.** 1985. Structure of phage P22 gene 19 lysozyme inferred from its homology with phage T4 lysozyme. Implications for lysozyme evolution. *J. Mol. Biol.* **184**:739-741.
424. **Webster, K. R., and E. K. Spicer.** 1990. Characterization of bacteriophage T4 regA protein-nucleic acid interactions. *J. Biol. Chem.* **265**:19007-19014.
425. **Werner, R.** 1968. Distribution of growing points in DNA of bacteriophage T4. *J. Mol. Biol.* **33**:679-692.
426. **Werner, R.** 1969. Initiation and propagation of growing points on the DNA of phage T4. *Cold Spring Harbor Symp. Quant. Biol.* **33**:501-507.
427. **Wheeler, L. J., N. B. Ray, C. Ungermann, S. P. Hendricks, M. A. Bernard, E. S. Hanson, and C. K. Mathews.** 1996. T4 phage gene 32 protein as a candidate

- organizing factor for the deoxyribonucleoside triphosphate synthetase complex.
J. Biol. Chem. **271**:11156-11162.
428. **Wiberg, J. S., and J. D. Karam.** 1983. Translational regulation in T4 phage development., p. 193-201. *In* C. K. Mathews, E. Kutter, G. Mosig, and P. B. Berget (ed.), Bacteriophage T4. American Society for Microbiology, Washington, D.C.
429. **Wiberg, J. S., S. Mendelsohn, V. Warner, K. Hercules, C. Aldrich, and J. L. Munro.** 1973. SP62, a viable mutant of bacteriophage T4D defective in regulation of phage enzyme synthesis. J. Virol. **12**:775-792.
430. **Wilkens, K., and W. Ruger.** 1996. Characterization of bacteriophage T4 early promoters *in vivo* with a new promoter probe vector. Plasmid **35**:108-120.
431. **Wilkens, K., B. Tiemann, F. Bazan, and W. Ruger.** 1997. ADP-ribosylation and early transcription regulation by bacteriophage T4, p. 71-82. *In* Haag and Koch-Nolte (ed.), ADP-Ribosylation in Animal Tissue. Plenum Press, New York.
432. **Williams, K. P., G. A. Kassavetis, D. R. Herendeen, and E. P. Geiduschek.** 1994. Regulation of late-gene expression., p. 161-175. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
433. **Williams, K. R., Y. Shamoo, E. K. Spicer, J. E. Coleman, and W. H. Konigsberg.** 1994. Correlating structure to function in proteins: T4 gp32 as a prototype., p. 301-304. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S.

Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.

434. **Winter, R. B., L. Morrissey, P. Gauss, L. Gold, T. Hsu, and J. Karam.** 1987. Bacteriophage T4 regA protein binds to mRNAs and prevents translation initiation. *Proc. Natl. Acad. Sci., U.S.A.* **84**:7822-7826.
435. **Wood, W. B., and M. P. Conley.** 1979. Attachment of tail fibers in bacteriophage T4 assembly: role of the phage whiskers. *J. Mol. Biol.* **127**:15-29.
436. **Wood, W. B., F. A. Eiserling, and R. A. Crowther.** 1994. Long tail fibers: genes, proteins, structure and assembly., p. 282-290. *In* J. D. Karam, J. W. Drake, K. N. Kreuzer, G. Mosig, D. H. Hall, F. A. Eiserling, L. W. Black, E. K. Spicer, E. Kutter, C. Carlson, and E. S. Miller (ed.), Molecular Biology of Bacteriophage T4. American Society for Microbiology, Washington, DC.
437. **Wu, C. H., and L. W. Black.** 1995. Mutational analysis of the sequence-specific recombination box for amplification of gene 17 of bacteriophage T4. *J. Mol. Biol.* **247**:604-617.
438. **Wu, C. H., H. Lin, and L. W. Black.** 1995. Bacteriophage T4 gene 17 amplification mutants: evidence for initiation by the T4 terminase subunit gp16. *J. Mol. Biol.* **247**:523-528.
439. **Yee, J. K., and R. C. Marsh.** 1985. Locations of bacteriophage T4 origins of replication. *J. Virol.* **54**:271-277.
440. **Yeh, L. S., T. Hsu, and J. D. Karam.** 1998. Divergence of a DNA replication gene cluster in the T4-related bacteriophage RB69. *J. Bacteriol.* **180**:2005-2013.

441. **Youil, R., B. W. Kemper, and R. G. Cotton.** 1995. Screening for mutations by enzyme mismatch cleavage with T4 endonuclease VII. Proc. Natl. Acad. Sci., U.S.A. **92**:87-91.
442. **Yu, Y. T., and L. Snyder.** 1994. Translation elongation factor Tu cleaved by a phage-exclusion system. Proc. Natl. Acad. Sci., U.S.A. **91**:802-806.