

brought to you by [www.thebacteriophages.org](#) and [www.phage.org](#)

REFERENCES

1. **Abelson, J. and Thomas, C.A.** 1966. The anatomy of the T5 bacteriophage DNA molecule. *J. Mol. Biol.* **18**: 262.
2. **Anderson, T.F.** 1973. Morphologies of bacteriophage virions, in *Ultrastructure of Animal Viruses and Bacteriophages* p347-357. *In* A. J. Dalton and F., Hagunay, (ed.). *Ultrastructure of Animal Viruses and Bacteriophages*, Academic Press, New York, NY.
3. **Artymiuk, P.J., Ceska, T.A., Suck, D., and Sayers, J.R.** 1997. Prokaryotic 5'-3' exonucleases share a common core structure with gamma-delta resolvase. *Nucleic Acids Res.* **25**: 4224-4229.
4. **Beckman, L.D., Hoffman, M.S., and McCorquodale, D.J.** 1971. Pre-early proteins of bacteriophage T5: structure and function. *J. Mol. Biol.* **62**: 551-564.
5. **Berget, S.M., Mozer, T.J., and Warner, H.R.** 1976. Early events after infection of *Escherichia coli* by bacteriophage T5. II. Control of the bacteriophage-induced 5'-nucleotidase activity. *J. Virol.* **18**: 71-79.
6. **Bhagwat, M. and Nossal, N.G.** 2001. Bacteriophage T4 RNase H removes both RNA primers and adjacent DNA from the 5' end of lagging strand fragments. *J. Biol. Chem.* **276**: 28516-28524.
7. **Bonhivers, M., Ghazi, A., Boulanger, P., and Letellier, L.** 1996. FhuA, a transporter of the *Escherichia coli* outer membrane, is converted into a channel upon binding of bacteriophage T5. *EMBO J.* **15**: 1850-1856.

8. **Bonhivers, M. and Letellier, L.** 1995. Calcium controls phage T5 infection at the level of the Escherichia coli cytoplasmic membrane. *FEBS Lett.* **374**: 169-173.
9. **Bourguignon, G.J., Sweeney, T.K., and Delius, H.** 1976. Multiple origins and circular structures in replicating T5 bacteriophage DNA. *J. Virol.* **18**: 245-259.
10. **Bradbeer, C., Woodrow, M.L., and Khalifah, L.I.** 1976. Transport of vitamin B12 in Escherichia coli: common receptor system for vitamin B12 and bacteriophage BF23 on the outer membrane of the cell envelope. *J. Bacteriol.* **125**: 1032-1039.
11. **Bradley, D.E.** 1963. The structure of coliphages. *J. Gen. Microbiol.* **23**: 435-445.
12. **Bradley, D.E.** 1967. Ultrastructure of bacteriophages and bacteriocins. *Bacteriology Reviews.* **31**: 230-314.
13. **Ceska, T.A., Sayers, J.R., Stier, G., and Suck, D.** 1996. A helical arch allowing single-stranded DNA to thread through T5 5'-exonuclease. *Nature.* **382**: 90-93.
14. **Chatterjee, D.K., Fujimura, R.K., Campbell, J.H., and Gerard, G.F.** 1991. Cloning and overexpression of the gene encoding bacteriophage T5 DNA polymerase. *Gene* **97**: 13-19.
15. **Chinnadurai, G. and McCorquodale, D.J.** 1973. Requirement of a phage-induced 5'-exonuclease for the expression of late genes of bacteriophage T5. *Proc. Natl. Acad. Sci. USA.* **70**: 3502-3505.
16. **Chinnadurai, G. and McCorquodale, D.J.** 1974. Regulation of expression of late genes of bacteriophage T5. *J. Virol.* **13**: 85-93.

17. **Constantinou, A., Voelkel-Meiman, K., Sternglanz, R., McCorquodale, M.M., and McCorquodale, D.J.** 1986. Involvement of host DNA gyrase in growth of bacteriophage T5. *J. Virol.* **57**: 875-882.
18. **Decker, K., Krauel, V., Meesmann, A., and Heller, K.J.** 1994. Lytic conversion of *Escherichia coli* by bacteriophage T5: blocking of the FhuA receptor protein by a lipoprotein expressed early during infection. *Mol. Microbiol.* **12**: 321-332.
19. Dervan, J.J., Feng, M., Patel, D., Grasby, J.A., Artymiuk, P.J., Ceska, T.A. and Sayers, J.R. 2002 Interactions of mutant and wild-type flap endonucleases with oligonucleotide substrates suggest an alternative model of DNA binding. *Proc. Natl. Acad. Sci. USA.* **25**:99:8542-8547.
20. **Everett, R.D.** 1981. DNA replication of bacteriophage T5. 3. Studies on the structure of concatemeric T5 DNA. *J. Gen. Virol.* **52**: 25-38.
21. **Ferguson, A.D., Hofmann, E., Coulton, J.W., Diederichs, K., and Welte, W.** 1998. Siderophore-mediated iron transport: crystal structure of FhuA with bound lipopolysaccharide. *Science.* **282**: 2215-2220.
22. **Ficht, T.A. and Moyer, R.W.** 1980. Isolation and characterization of a putative bacteriophage T5 transcription.replication enzyme complex from infected *Escherichia coli*. *J. Biol. Chem.* **255**: 7040-7048.
23. **Fox, J.W., Barish, A., Snyder, C.E., and Benzinger, R.** 1982. Amino terminal sequence of the bacteriophage T5-coded gene A2 protein. *Biochem. Biophys. Res. Commun.* **106**: 265-269.
24. **Frenkel, G.D. and Richardson, C.C.** 1971. The deoxyribonuclease induced after infection of *Escherichia coli* by bacteriophage T5. I. Characterization of the enzyme as a 5'-exonuclease. *J. Biol. Chem.* **246**: 4839-4847.

25. **Frenkel, G.D. and Richardson, C.C.** 1971. The deoxyribonuclease induced after infection of *Escherichia coli* by bacteriophage T5. II. Role of the enzyme in replication of the phage deoxyribonucleic acid. *J. Biol. Chem.* **246**: 4848-4852.
26. **Garforth, S.J., Ceska, T.A., Suck, D., and Sayers, J.R.** 1999. Mutagenesis of conserved lysine residues in bacteriophage T5 5'-3' exonuclease suggests separate mechanisms of endo- and exonucleolytic cleavage. *Proc. Natl. Acad. Sci. U S A.* **96**: 38-43.
27. **Gentz, R. and Bujard, H.** 1985. Promoters recognized by *Escherichia coli* RNA polymerase selected by function: highly efficient promoters from bacteriophage T5. *J. Bacteriol.* **164**: 70-77.
28. **Gentz, R., Langner, A., Chang, A.C., Cohen, S.N., and Bujard, H.** 1981. Cloning and analysis of strong promoters is made possible by the downstream placement of a RNA termination signal. *Proc. Natl. Acad. Sci. U S A.* **78**: 4936-4940.
29. **Haggard-Ljungquist, E., Halling, C., and Calendar, R.** 1992. DNA sequences of the tail fiber genes of bacteriophage P2: evidence for horizontal transfer of tail fiber genes among unrelated bacteriophages. *J. Bacteriol.* **174**: 1462-1477.
30. **Heller, K. and Braun, V.** 1979. Accelerated adsorption of bacteriophage T5 to *Escherichia coli* F, resulting from reversible tail fiber-lipopolysaccharide binding. *J. Bacteriol.* **139**: 32-38.
31. **Heller, K. and Braun, V.** 1982. Polymannose O-antigens of *Escherichia coli*, the binding sites for the reversible adsorption of bacteriophage T5+ via the L-shaped tail fibers. *J. Virol.* **41**: 222-227.

32. **Heller, K.J. 1984.** Identification of the phage gene for host receptor specificity by analyzing hybrid phages of T5 and BF23. *Virology* **139**: 11-21.
33. **Heller, K.J. and Krauel, V. 1986.** Cloning and expression of the ltf gene of bacteriophage T5. *J. Bacteriol.* **167**: 1071-1073.
34. **Heller, K.J. and Schwarz, H. 1985.** Irreversible binding to the receptor of bacteriophages T5 and BF23 does not occur with the tip of the tail. *J. Bacteriol.* **162**: 621-625.
35. **Herman, R.C. and Moyer, R.W. 1974.** In vivo repair of the single-strand interruptions contained in bacteriophage T5 DNA. *Proc. Natl. Acad. Sci. USA.* **71**: 680-684.
36. **Herman, R.C. and Moyer, R.W. 1975.** In vivo repair of bacteriophage t5 DNA: an assay for viral growth control. *Virology.* **66**: 393-407.
37. **Heusterspreute, M., Ha-Thi, V., Tournis-Gamble, S., and Davison, J. 1987.** The first-step transfer-DNA injection-stop signal of bacteriophage T5. *Gene.* **52**: 155-164.
38. **Hollingsworth, H.C. and Nossal, N.G. 1991.** Bacteriophage T4 encodes an RNase H which removes RNA primers made by the T4 DNA replication system in vitro. *J. Biol. Chem.* **266**: 1888-1897.
39. **Kaliman, A.V., Krutilina, A.I., and Kriukov, V.M. 1987.** The structure of 2 promoters and a transcription terminator from the region of early genes D10-D15 of bacteriophage T5. *Mol. Gen. Mikrobiol. Virusol.* **10**:14-19.
40. **Kaliman, A.V., Krutilina, A.I., Kryukov, V.M., and Bayev, A.A. 1986.** Cloning and DNA sequence of the 5'-exonuclease gene of bacteriophage T5. *FEBS Lett.* **195**: 61-64.

41. **Kaliman, A.V., Kryukov, V.M., and Bayev, A.A.** 1988. The nucleotide sequence of the region of bacteriophage T5 early genes D10-D15. *Nucleic Acids Res.* **16**: 10353-10354.
42. **Kaliman, A.V., Kulshin, V.E., Shlyapnikov, M.G., Ksenzenko, V.N., and Kryukov, V.M.** 1995. The nucleotide sequence of the bacteriophage T5 ltf gene. *FEBS Lett.* **366**: 46-48.
43. **Killmann, H., Videnov, G., Jung, G., Schwarz, H., and Braun, V.** 1995. Identification of receptor binding sites by competitive peptide mapping: phages T1, T5, and phi 80 and colicin M bind to the gating loop of FhuA. *J. Bacteriol.* **177**: 694-698.
44. **Krauel, V. and Heller, K.J.** 1991. Cloning, sequencing, and recombinational analysis with bacteriophage BF23 of the bacteriophage T5 oad gene encoding the receptor-binding protein. *J. Bacteriol.* **173**: 1287-1297.
45. **Labadan, B. and Legault-Demare, J.** 1973. Penetration into host cells of naked, partially injected (post-FST) DNA of bacteriophage T5. *J. Virol.* **12**: 226-229.
46. **Lambert, O., Plancon, L., Rigaud, J.L., and Letellier, L.** 1998. Protein-mediated DNA transfer into liposomes. *Mol Microbiol.* **30**: 761-765.
47. Lanni, Y., 1969. Functions of two genes in the first-step-transfer DNA of bacteriophage T5. *J. Mol. Biol.* **44**: 173-183.
48. **Lanni, Y.T.** 1968. First-step-transfer deoxyribonucleic acid of bacteriophage T5. *Bacteriol. Rev.* **32**: 227-242.
49. **Lanni, Y.T. and McCorquodale, D.J.** 1963. DNA metabolism in T5-infected *Escherichia coli*: Biochemical function of a presumptive genetic fragment of the phage. *Virology.* **19**: 72.

50. **Leavitt, M.C. and Ito, J.** 1989. T5 DNA polymerase: structural--functional relationships to other DNA polymerases. *Proc. Natl. Acad. Sci. U S A.* **86**: 4465-4469.
51. **Letellier, L., Locher, K.P., Plancon, L., and Rosenbusch, J.P.** 1997. Modeling ligand-gated receptor activity. PhuA-mediated ferrichrome efflux from lipid vesicles triggered by phage T5. *J. Biol. Chem.* **272**: 1448-1451.
52. **McCorquodale, D.J.** 1975. The T-odd bacteriophages. *CRC Crit. Revs Microbiol.* **4**: 101-159.
53. **McCorquodale, D.J., Chen, C.W., Joseph, M.K., and Woychik, R.** 1981. Modification of RNA polymerase from *Escherichia coli* by pre-early gene products of bacteriophage T5. *J. Virol.* **40**: 958-962.
54. **McCorquodale, D.J., Gossling, J., Benzinger, R., Chesney, R., Lawhorne, L., and Moyer, R.W.** 1979. Gene D5 product of bacteriophage T5: DNA-binding protein affecting DNA replication and late gene expression. *J. Virol.* **29**: 322-327.
55. **McCorquodale, D.J., Shaw, A.R., Shaw, P.K., and Chinnadurai, G.** 1977. Pre-early polypeptides of bacteriophages T5 and BF23. *J. Virol.* **22**: 480-488.
56. **McCorquodale, D.J. and Warner, H.** 1988. Bacteriophage T5 and related phages, p. 439-475. In R. Calendar, (ed.) *The Bacteriophages*, Plenum, New York and London.
57. Mikoulinskaia G. V., Gubanov, S.I., Zimin, A., Kolesnikov, I.V., Feofanov, S.A. and Miroshnikov, A.I. 2003. Purification and characterization of the deoxynucleoside monophosphate kinase of bacteriophage T5. *Protein Expr Purif.* **27**:195-201.

58. **Mondigler, M., Holz, T., and Heller, K.J.** 1996. Identification of the receptor-binding regions of pb5 proteins of bacteriophages T5 and BF23. *Virology*. **219**: 19-28.
59. **Mondigler, M., Vogele, R.T., and Heller, K.J.** 1995. Overproduced and purified receptor binding protein pb5 of bacteriophage T5 binds to the T5 receptor protein FhuA. *FEMS Microbiol. Lett.* **130**: 293-300.
60. **Moyer, R.W. and Rothe, C.T.** 1977. Role of the T5 gene D15 nuclease in the generation of nicked bacteriophage T5 DNA. *J. Virol.* **24**: 177-193.
61. **Mozer, T.J., Thompson, R.B., Berget, S.M., and Warner, H.R.** 1977. Isolation and characterization of a bacteriophage T5 mutant deficient in deoxynucleoside 5'-monophosphatase activity. *J. Virol.* **24**: 642-650.
62. **Nakayama, S., Kaneko, T., Ishimaru, H., Moriwaki, H., and Mizobuchi, K.** 1994. Cloning, sequencing, and expression of bacteriophage BF23 late genes 24 and 25 encoding tail proteins. *J. Bacteriol.* **176**: 7280-7290.
63. **Nichols, B.P. and Donelson, J.E.** 1977. Sequence analysis of the nicks and termini of bacteriophage T5 DNA. *J. Virol.* **22**: 520-526.
64. **Pedruzzi, I., Rosenbusch, J.P., and Locher, K.P.** 1998. Inactivation in vitro of the Escherichia coli outer membrane protein FhuA by a phage T5-encoded lipoprotein. *FEMS Microbiol. Lett.* **168**: 119-125.
65. **Rhoades, M.** 1982. New physical map of bacteriophage T5 DNA. *J. Virol.* **43**: 566-573.
66. **Rhoades, M. and Rhoades, E.A.** 1972. Terminal repetition in the DNA of bacteriophage T5. *J. Mol. Biol.* **69**: 187-200.
67. **Rhoades, M., Schwartz, J., and Wahl, J.M.** 1980. New deletion mutant of bacteriophage T5. *J. Virol.* **36**: 622-626.

68. **Rice, A.C., Ficht, T.A., Holladay, L.A., and Moyer, R.W.** 1979. The purification and properties of a double-stranded DNA-binding protein encoded by the gene D5 of bacteriophage T5. *J. Biol. Chem.* **254**: 8042-8051.
69. **Rogers, S.G. and Rhoades, M.** 1976. Bacteriophage T5-induced endonucleases that introduce site-specific single-chain interruptions in duplex DNA. *Proc. Natl. Acad. Sci. USA.* **73**: 1576-1580.
70. **Rose, J.D. and McCorquodale, D.J.** 1990. Identity of genes A2 and A3 of bacteriophage BF23. *Virology.* **177**: 753-755.
71. **Saigo, K.** 1978. Isolation of high-density mutants and identification of nonessential structural proteins in bacteriophage T5; dispensability of L-shaped tail fibers and a secondary major head protein. *Virology.* **85**: 422-433.
72. **Sayers, J.R. and Eckstein, F.** 1990. Properties of overexpressed phage T5 D15 exonuclease. Similarities with Escherichia coli DNA polymerase I 5'-3' exonuclease. *J. Biol. Chem.* **265**: 18311-18317.
73. **Sayers, J.R. and Eckstein, F.** 1991. A single-strand specific endonuclease activity copurifies with overexpressed T5 D15 exonuclease. *Nucleic Acids Res.* **19**: 4127-4132.
74. **Shaw, A.R. and Davison, J.** 1979. Polarized injection of the bacteriophage T5 chromosome. *J. Virol.* **30**: 933-935.
75. **Shaw, A.R., Lang, D., and McCorquodale, D.J.** 1979. Terminally redundant deletion mutants of bacteriophage BF23. *J. Virol.* **29**: 220-231.
76. **Shlyapnikov, M.G., Ksenzenko, V.N., Kryukov, V.M., and Bayev, A.A.** 1995. Specific properties of phage T5-encoded tRNAs. *Molecular Biology.* **28**: 818-823.

77. **Smith, M.C., Burns, N., Sayers, J.R., Sorrell, J.A., Casjens, S.R., and Hendrix, R.W.** 1998. Bacteriophage collagen. *Science*. **279**: 1834.
78. **Snyder, C.E., Jr.** 1984. Bacteriophage T5 gene A2 protein alters the outer membrane of *Escherichia coli*. *J. Bacteriol.* **160**: 1191-1195.
79. **Snyder, C.E., Jr.** 1991. Amino acid sequence of the bacteriophage T5 gene A2 protein. *Biochem. Biophys. Res. Commun.* **177**: 1240-1246.
80. **Snyder, C.E., Jr. and Benzinger, R.H.** 1981. Second-step transfer of bacteriophage T5 DNA: purification and characterization of the T5 gene A2 protein. *J. Virol.* **40**: 248-257.
81. **Szabo, C., Dharmgrongartama, B., and Moyer, R.W.** 1975. The regulation of transcription in bacteriophage T5-infected *Escherichia coli*. *Biochemistry*. **14**: 989-997.
82. **Szabo, C. and Moyer, R.W.** 1975. Purification and properties of a bacteriophage T5-modified form of *Escherichia coli* RNA polymerase. *J. Virol.* **15**: 1042-1046.
83. **von Gabain, A. and Bujard, H.** 1977. Interaction of *E. coli* RNA polymerase with promoters of coliphage T5: the rates of complex formation and decay and their correlation with in vitro and in vivo transcriptional activity. *Mol. Gen. Genet.* **157**: 301-311.
84. **von Gabain, A. and Bujard, H.** 1979. Interaction of *Escherichia coli* RNA polymerase with promoters of several coliphage and plasmid DNAs. *Proc. Natl. Acad. Sci. USA.* **76**: 189-193.
85. **Warner, H.R., Drong, R.F., and Berget, S.M.** 1975. Early events after infection of *Escherichia coli* by bacteriophage T5. Induction of a 5'-nucleotidase activity and excretion of free bases. *J. Virol.* **15**: 273-280.

86. **Wiest, J.S. and McCorquodale, D.J.** 1990. Characterization of preearly genes in the terminal repetition of bacteriophage BF23 DNA by nucleotide sequencing and restriction mapping. *Virology*. **177**: 745-754.
87. **Zweig, M. and Cummings, D.J.** 1973. Structural proteins of bacteriophage T5. *Virology*. **51**: 443-453.
88. **Zweig, M., Rosenkranz, H.S., and Morgan, C.** 1972. Development of coliphage T5: ultrastructural and biochemical studies. *J. Virol.* **9**: 526-543.