

brought to you by www.thebacteriophages.org and www.phage.org

REFERENCES

1. **Abravaya, K., and L. B. Rothman-Denes.** 1989. *In vitro* requirements for N4 RNA polymerase II-specific initiation. J. Biol. Chem. **264**:12695-12699.
2. **Abravaya, K., and L. B. Rothman-Denes.** 1989. N4 RNA polymerase II sites of transcription initiation. J. Mol. Biol. **211**:359-372.
3. **Cannon, W. V., M. T. Gallegos, and M. Buck.** 2000. Isomerization of a binary sigma-promoter DNA complex by transcription activators. Nature Struct. Biol. **7**:594-601.
4. **Carter, R. H., A. A. Demidenko, S. H. Willis, and L. B. Rothman-Denes.** 2003. The activator of N4 RNAPII is a single-stranded DNA binding protein. Genes Dev. **17**:2334-2345.
5. **Cermakian, N., T. M. Ikeda, P. Miramontes, B. F. Lang, M. W. Gray, and R. Cedergren.** 1997. On the evolution of single-subunit RNA polymerases. J. Mol. Evol. **45**:671-681.
6. **Cheetham, G. M. T., D. Jeruzalmi, and T. A. Steitz.** 1999. Structural basis for initiation of transcription from an RNA polymerase-promoter complex. Nature **399**:80-83.
7. **Cheetham, G. M. T., and T. A. Steitz.** 2000. Insights into transcription: Structure and function of single-subunit DNA-dependent RNA polymerases. Curr. Opin. Struct. Biol. **10**:117-123.
8. **Cho, N.-Y., M. Choi, and L. B. Rothman-Denes.** 1995. The bacteriophage N4 single-stranded DNA binding protein (N4SSB) is the transcriptional activator of *E. coli* RNA

- polymerase at N4 late promoters. *J. Mol. Biol.* **246**:461-471.
9. **Choi, M., A. Miller, N.-Y. Cho, and L. B. Rothman-Denes.** 1995. Identification, cloning and characterization of the bacteriophage N4 gene encoding the single-stranded DNA binding protein; a protein required for phage replication, recombination and late transcription. *J. Biol. Chem.* **270**:22541-22547.
 10. **Chou, S.-H., Y.-Y. Tseng, and B.-Y. Chu.** 1999. Stable formation of a pyrimidine-rich loop hairpin in a cruciform promoter. *J. Mol. Biol.* **292**:309-320.
 11. **Christie, G. E., S. B. Cale, L. A. Isaksson, D. J. Jin, M. Xu, B. Sauer, and R. Calendar.** 1996. *Escherichia coli rpoC397*: a temperature sensitive C-terminal frameshift in the β' subunit of RNA polymerase that blocks growth of bacteriophage P2. *J. Bacteriol.* **178**:6991-6993.
 12. **Curth, U., J. Genschel, C. Urbanke, and J. Greipel.** 1996. *In vitro* and *in vivo* function of the C-terminus of *Escherichia coli* single-stranded DNA binding protein. *Nuc. Acids. Res.* **24**:2706-2711.
 13. **Curth, U., C. Urbanke, J. Greipel, H. Gerberding, V. Tiranti, and M. Zeviani.** 1994. Single-stranded-DNA-binding proteins from human mitochondria and *Escherichia coli* have analogous physicochemical properties. *Eur. J. Biochem.* **221**:435-443.
 14. **Dai, X., M. Greizerstein, K. Nadas-Chinni, and L. B. Rothman-Denes.** 1997. Supercoil-induced extrusion of a regulatory DNA hairpin. *Proc. Natl. Acad. Sci. USA* **94**:2174-2179.
 15. **Dai, X., M. Kloster, and L. B. Rothman-Denes.** 1998. Sequence-dependent extrusion of a small DNA hairpin at the N4 vRNAP promoters. *J. Mol. Biol.* **283**:43-58.

16. **Dai, X., and L. B. Rothman-Denes L. B.** 1998. Sequence and DNA structural determinants of N4 virion RNA polymerase-promoter recognition. *Genes Dev.* **12**:2782-2790.
17. **Davydova, E. K., K. M. Kazmierczak, and L. B. Rothman-Denes.** 2003. Bacteriophage N4-coded, virion-encapsulated DNA-dependent RNA polymerase, p. 83-93. *In* S. Adhya and S. Garges (eds), *Methods Enzymol.* vol. 370. RNA polymerase and associated factors. Elsevier Academic Press, UK.
18. **Davydova, E. K. and L. B. Rothman-Denes.** *Escherichia coli* single-stranded DNA-binding protein mediates template recycling during transcription by bacteriophage N4 virion RNA polymerase. *Proc. Natl. Acad. Sci USA* **100**:9250-9255.
19. **Double, S., S. Tabor, A. M. Long, C. C. Richardson, and T. Ellenberger.** 1998. Crystal structure of a bacteriophage T7 DNA replication complexed to a primer-template, a nucleoside triphosphate, and its processivity factor thioredoxin. *Nature* **391**:251-258.
20. **Elliott, J., and W. Arber.** 1978. *E. coli* K-12 pel mutants, which block phage lambda DNA injection, coincide with *ptsM*, which determines a component of a sugar transport system. *Mol. Gen. Genet.* **161**:1-8.
21. **Erni, B., B. Zanolari, and H. P. Kocher.** 1987. The mannose permease of *Escherichia coli* consists of three different proteins. *J. Biol. Chem.* **262**:5238-5247.
22. **Falco, S. C., and L. B. Rothman-Denes.** 1979. Bacteriophage N4-induced transcribing activities in *E. coli*. I- Detection and characterization in cell extracts. *Virology.* **95**:454-465.
23. **Falco, S. C., and L. B. Rothman-Denes.** 1979. Bacteriophage N4-induced transcribing activities in *Escherichia coli*. II. Association of the N4 transcriptional apparatus with the

- cytoplasmic membrane. *Virology* **95**:466-475.
24. **Falco, S. C., K. VanderLaan, and L. B. Rothman-Denes.** 1977. Virion-associated RNA polymerase required for bacteriophage N4 development. *Proc. Nat. Acad. Sci. USA* **74**:520-523.
 25. **Falco, S. C., W. Zehring, and L. B. Rothman-Denes.** 1980. DNA-dependent RNA polymerase from bacteriophage N4 virions. Purification and characterization. *J. Biol.Chem.* **255**:4339-4347.
 26. **Falco, S. C., R. Zivin, and L. B. Rothman-Denes.** 1978. Novel template requirements of N4 virion RNA polymerase. *Proc. Natl. Acad. Sci. USA* **75**: 3220-3224.
 27. **Glucksmann, M. A., P. Markiewicz, C. Malone, and L. B. Rothman-Denes.** 1992. Specific sequences and a hairpin structure in the template strand are required for N4 virion RNA polymerase promoter recognition. *Cell* **70**:491-500.
 28. **Glucksmann-Kuis, M. A., X. Dai, P. Markiewicz, and L. B. Rothman-Denes.** 1996. *E. coli* SSB activates N4 virion RNA polymerase promoters by stabilizing a DNA hairpin required for promoter recognition. *Cell* **84**:147-154.
 29. **Grachev, M., T. Kolocheva, E. Lukhtanov, and A. Mustaev.** 1987. Studies on the functional topography of *E. coli* RNA polymerase. Highly selective affinity labelling by analogues of initiating nucleotides. *Eur. J. Biochem.* **163**:113-121.
 30. **Gross, L., W. J. Chen, and W. T. McAllister.** 1992. Characterization of bacteriophage T7 RNA polymerase by linker insertion mutagenesis. *J. Mol. Biol.* **228**:488-505.
 31. **Guinta, D., G. Lindberg, and L. B. Rothman-Denes.** 1986. Bacteriophage N4 coded 5'-3' exonuclease: purification and characterization. *J. Biol. Chem.* **261**:10736-10743.

32. **Guinta, D., J. Stambouly, S. C. Falco, J. K. Rist, and L. B. Rothman-Denes.** 1986. Host and phage-coded functions required for coliphage N4 DNA replication. *Virology* **150**:33-44.
33. **Hartmann, G. R., C. Biebricher, S. J. Glaser, F. Grosse, M. J. Katzameyer, A. J. Lindner, H. Mosig, H.-P. Nasheuer, L. B. Rothman-Denes, A. R. Schaffner, G. J. Schneider, K.-O. Stetter, and M. Thomm.** 1988. Initiation of transcription- a general tool for affinity labeling of RNA polymerases by autocatalysis. *Biol. Chem. Hoppe-Seyler* **369**:775-788.
34. **Haynes, L. L., and L. B. Rothman-Denes.** 1985. N4 virion RNA polymerase sites of transcription initiation. *Cell* **41**:597-605.
35. **Hingorani, M. M., and M. O'Donnell.** 2000. Sliding clamps: A (tail)ored fit. *Current Biol.* **10**:R25-R29.
36. **Hirao, I., G. Kawai, S. Yoshizawa, Y. Nishimura, Y. Ishido, K. Watanabe, and K. Miura.** 1994. Most compact hairpin-turn structure exerted by a short DNA fragment, d(GCGAAGC) in solution: an extraordinarily stable structure resistant to nucleases and heat. *Nucleic Acids Res.* **22**:576-582.
37. **Jang, S. H., and J. A. Jaehning.** 1991. The yeast mitochondrial RNA polymerase specificity factor, MTF1, is similar to bacterial σ factors. *J. Biol. Chem.* **266**:22671-22677.
38. **Jeruzalmi, D., and T. A. Steitz.** 1998. Structure of T7 RNA polymerase complexed to the transcriptional inhibitor T7 lysozyme. *EMBO J.* **17**:4101-4113.
39. **Kazmierczak, K. M., E. K. Davydova, A. A. Mustaev, and L. B. Rothman-Denes.**

2002. The phage N4 virion RNA polymerase catalytic domain is related to single-subunit RNA polymerases. *EMBO J.* **21**:5815-5823.
40. **Kelly, J. L., and I. R. Lehman.** 1986. Yeast mitochondrial RNA polymerase. Purification and properties of the catalytic subunit. *J. Biol. Chem.* **261**:10340-10347.
41. **Kelman, Z., and M. O'Donnell.** 1995. Structural and functional similarities of prokaryotic and eukaryotic sliding clamps. *Nucleic Acids Res.* **23**:3613-3620.
42. **Kiino, D. R., R. Licudine, K. Wilt, D. Yang, and L. B. Rothman-Denes.** 1993. A cytoplasmic protein, NfrC, is required for bacteriophage N4 adsorption. *J. Bacteriol.* **175**:7074-7080.
43. **Kiino, D. R., and L. B. Rothman-Denes.** 1989. Genetic analysis of bacteriophage N4 adsorption. *J. Bacteriol.* **171**:4595-4602.
44. **Kiino, D. R., M. S. Singer, and L. B. Rothman-Denes.** 1993. Two overlapping genes encoding membrane proteins required for bacteriophage N4 adsorption. *J. Bacteriol.* **175**:7081-7085.
45. **Kim, K., and O. J. Yoo.** 1989. Two subunits of mannose permease, II-PMan and II-MMan, of *Escherichia coli* mediate coliphage N4 infection. *Biochem. International.* **18**:545-549.
46. **Lindberg, G., J. K. Rist, T. Kunkel, A. Sugino, and L. B. Rothman-Denes.** 1988. Purification and Characterization of Bacteriophage N4-induced DNA Polymerase. *J. Biol. Chem.* **263**:11319-11326.
47. **Lindberg, G. J., S. C. Kowalczykowski, J. K. Rist, A. Sugino, A., and L. B. Rothman-Denes.** 1989. Purification and Characterization of the coliphage N4-coded

- single-stranded DNA binding protein. *J. Biol. Chem.* **264**:12700-12708.
48. **Lindberg, G. K., M. S. Pearle, and L. B. Rothman-Denes.** 1988. N4 DNA replication *in vivo* and *in vitro*, p.130-139. *In*: R. E. Moses, and W. C. Summers (eds), DNA Replication and Mutagenesis. American Society for Microbiology, Washington, D. C.
49. **Lohman, T., and M. E. Ferrari.** 1994. *E. coli* single-stranded DNA binding protein: multiple DNA binding modes and cooperativities. *Annu. Rev. Biochem.* **63**:527-570.
50. **Malone, C., S. Spellman, D. Hyman, and L. B. Rothman-Denes.** 1988. Cloning and generation of a genetic map of bacteriophage N4 DNA. *Virology.* **162**:328-336.
51. **Markiewicz, P., C. Malone, J. W. Chase, and L. B. Rothman-Denes.** 1992. *E. coli* single-stranded DNA binding protein is a supercoiled-template dependent transcriptional activator of N4 virion RNA polymerase. *Genes Dev.* **6**:2010-2019.
52. **Martin, R. G., W. K. Gillette, N. I. Martin, and J. L. Rosner.** 2002. Complex formation between activator and RNA polymerase as the basis for transcriptional activation by MarA and SoxS in *Escherichia coli*. *Mol. Microbiol.* **43**:355-370.
53. **Masters, B. S., L. L. Stohl, and D. A. Clayton.** 1987. Yeast mitochondrial RNA polymerase is homologous to those encoded by bacteriophages T3 and T7. *Cell* **51**:89-99.
54. **Miller, A. A., X. Dai, M. Y. Choi, A. Glucksmann-Kuis, and L. B. Rothman-Denes.** 1996. Single-stranded DNA binding proteins as transcriptional activators. p.9-19. *In*: S. Adhya (ed.) *Methods Enzymol.* vol. 174, Part B, RNA polymerase and associated factors. Academic Press, Inc. San Diego, CA.
55. **Miller, A. A., D. Wood, R. E. Ebright, and L. B. Rothman-Denes.** 1997. RNA polymerase β' subunit: a target of DNA binding-independent activation. *Science* **275**:1655-1657.

56. **Muller, D. K., C. T. Martin, and J. E. Coleman.** 1988. Processivity of proteolytically modified forms of T7 RNA polymerase. *Biochemistry* **27**:5763-5771.
57. **Niu, W., Y. Kim, G. Tau, T. Heyduk, and R. H. Ebright.** 1996. Transcription activation at Class II CAP-dependent promoters: Two interactions between CAP and RNA polymerase. *Cell* **87**:1123-1134.
58. **Ohmori, H., L. L. Haynes, and L. B. Rothman-Denes.** 1988. Structure of the ends of the coliphage N4 genome. *J. Mol. Biol.* **202**:1-10.
59. **Parkhill, J., G. Dougan, K. D. James, N. R. Thomson, D. Pickard, J. Wain, C. Churcher, K. L. Mungall, S. D. Bentley, M. T. Holden, M. Sebahia, S. Baker, D. Basham, K. Brooks, T. Chillingworth, P. Connerton, A. Cronin, P. Davis, R. M. Davies, L. Dowd, N. White, J. Farrar, T. Feltwell, N. Hamlin, A. Haque, T. T. Hien, S. Holroyd, K. Jagels, A. Krogh, T. S. Larsen, S. Leather, S. Moule, P. O'Gaora, C. Parry, M. Quail, K. Rutherford, M. Simmonds, J. Skelton, K. Stevens, S. Whitehead, and B. G. Barrell.** 2001. Complete genome sequence of a multiple drug resistant *Salmonella enterica* serovar *Typhi* CT18. *Nature* **413**:848-852.
60. **Parkinson, J. S. and R. J. Huskey.** 1971. Deletion mutants of bacteriophage Lambda: I, Isolation and initial characterization. *J. Mol. Biol.* **56**:369.
61. **Pesce, A., C. Casoli, and G. C. Schito.** 1978. Selectivity of transcription and structure of coliphage N4 virion-associated RNA polymerase. *Biochem Biophys Res Commun.* **82**:1040-1048.
62. **Pesce, A., G. Satta, and G. C. Schito.** 1969. Factors in lysis-inhibition by N4 coliphage. *Giorn. Microbiol.* **17**:119-129.

63. **Pinkney, M., and J. G. Hoggett.** 1988. Binding of the cyclic AMP receptor protein of *Escherichia coli* to RNA polymerase. *Biochem. J.* **250**:897-902.
64. **Popham, D. L., D. Szeto, J. Keener, and S. Kustu.** 1989. Function of a bacterial activator protein that binds to transcriptional enhancers. *Science* **243**:629-635.
65. **Poteete, A. R.** 1988. Bacteriophage P22, p. 647-682. *In*: R. Calendar (ed.) *The Bacteriophages* (R. Calendar, ed.), pp. 647-682. Plenum Press, New York.
66. **Ptashne, M., and A. Gann.** 1997. Transcriptional activation by recruitment. *Nature* **386**:569-577.
67. **Rabussay, D., and E. P. Geiduschek.** 1977. Regulation of gene action in development of lytic bacteriophages, p. 1-196. *In*: H. Fraenkel-Conrat, and R. R. Wagner (eds) *Comprehensive Virology* vol. 8. Plenum Press, New York.
68. **Raskin, C. A., G. A. Diaz, and W. T. McAllister.** 1993. T7 RNA polymerase mutants with altered promoter specificities. *Proc. Natl. Acad. Sci. USA* **90**:3147-3151.
69. **Rist, J. K., D. R. Guinta, A. Sugino, J., Stambouly, S. C. Falco, and L. B. Rothman-Denes.** 1983. Bacteriophage N4 DNA replication, p. 245-254. *In*: N. R. Cozzarelli (ed) *Mechanisms of DNA replication*. Alan R. Liss, New York.
70. **Rist, J. K., M. Pearle, A. Sugino, and L. B. Rothman-Denes.** 1986. Development of an *in vitro* bacteriophage N4 DNA replication system. *J. Biol. Chem.* **261**:10506-10510.
71. **Rong, M., B. He, W. T. McAllister, and R. D. Durbin.** 1998. Promoter specificity determinants of T7 RNA polymerase. *Proc. Natl. Acad. Sci. USA* **95**:515-519.
72. **Rothman-Denes, L. B., R. Haselkorn, and G. C. Schito.** 1972. Selective shutoff of catabolite-sensitive host syntheses by bacteriophage N4. *Virology* **50**:95-102.

73. **Rothman-Denes, L. B., and G. C. Schito.** 1974. Novel transcribing activities in N4-infected *Escherichia coli*. *Virology* **60**:65-72.
74. **Sala, R. F., P. M. Morgan, and M. E. Tanner.** 1996. Enzymatic formation and release of a stable glycol intermediate: the mechanism of the reaction catalyzed by UDP-N-acetylglucosamine 2-epimerase. *J. Am. Chem. Soc.* **118**:3033-3034.
75. **Sastry, S., and B. M. Ross.** 1998. RNA-binding site in T7 RNA polymerase. *Proc. Natl. Acad. Sci. USA* **95**:9111-9116.
76. **Schinkel, A. H., M. J. A. Groot Koerkamp, E. P. W. Touw, and H. F. Tabak.** 1987. Specificity factor of yeast mitochondrial RNA polymerase. *J. Biol. Chem.* **262**:12785-12791.
77. **Schito, G. C.** 1967. Intracellular crystallization of bacteriophage N4. *Virology* **32**:723-725.
78. **Schito, G. C.** 1974. Development of coliphage N4: ultrastructural studies. *J. Virol.* **13**:186-196.
79. **Schito, G. C., A. M. Molina, and A. Pesce.** 1967. Lysis and lysis inhibition with N4 coliphage. *G. Microbiol.* **15**:229-244.
80. **Schito, G. C., A. M. Molina, and A. Pesce.** 1965. Un nuovo batteriofago attivo sul ceppo K12 di *E. coli* I. Caratteristiche biologiche. *Boll. Inst. Sieroter. Milanese* **44**:329-332.
81. **Schito, G. C., G. Rialdi, and A. Pesce.** 1966. Biophysical properties of N4 coliphage. *Biochim. Biophys. Acta* **129**:482-490.
82. **Webster, G., J. Genschel, U. Curth, C. Urbanke, C. Kang, and R. Hilgenfeld.** 1997.

- A common core for binding single-stranded DNA: structural comparison of the single-stranded-DNA-binding proteins (SSB) from *E. coli* and human mitochondria. FEBS Lett. **411**:313-316.
83. **Williams, K. R., E. K. Spicer, M. LoPresti, R. A. Guggenheimer, and J. W. Chase.** 1983. Limited proteolysis studies on the *E. coli* single-stranded DNA binding protein: evidence for a functionally homologous domain in both the *E. coli* and T4 DNA binding proteins. J. Biol. Chem. **258**:3346-3355.
84. **Willis, S. H., K. M. Kazmierczak, R. H. Carter, and L. B. Rothman-Denes.** 2002. N4 RNA polymerase II, a heterodimeric RNA polymerase with homology to the single-subunit family of RNA polymerases. J. Bacteriol. **184**:4952-4961.
85. **Winkley, C. S., M. J. Keller, and J. A. Jaehning.** 1985. A multicomponent mitochondrial RNA polymerase from *Saccharomyces cerevisiae*. J. Biol. Chem. **260**:14214-14223.
86. **Yang, C., U. Curth, C. Urbanke, and C. Kang.** 1997. Crystal structure of the human mitochondrial single-stranded DNA binding protein at 2.4 Å resolution. Nature Struct. Biol. **4**:153-157.
87. **Yoshizawa, S., G. Kawai, K. Watanabe, K. Miura, and I. Hirao.** 1997. GNA trinucleotide loop sequences producing extraordinarily stable DNA hairpins. Biochemistry **36**:4761-4767.
88. **Zehring, W. A., S. C. Falco, C. Malone, and L. B. Rothman-Denes.** 1983. Bacteriophage N4-induced transcribing activities in *E. coli*. III. A third cistron required for N4 RNA polymerase II activity. Virology **126**:678-687.
89. **Zehring, W. A., and L. B. Rothman-Denes.** 1983. Purification and characterization of

coliphage N4 RNA polymerase II activity from infected cell extracts. J. Biol. Chem. **258**:8074-8080.

90. **Zivin, R., C. Malone, and L. B. Rothman-Denes.** 1980. Physical map of coliphage N4 DNA. Virology **104**:205-218.
91. **Zivin, R., W. A. Zehring, and L. B. Rothman-Denes.** 1981. Transcriptional map of bacteriophage N4. Location and polarity of N4 RNAs. J. Mol. Biol. **152**:335-356.