

brought to you by [www.thebacteriophages.org](#) and [www.phage.org](#)

References

1. **Abeles, A. L., T. Brendler, and S. J. Austin.** 1993. Evidence of two levels of control of P1 oriR and host oriC replication origins by DNA adenine methylation. *J.Bacteriol.* **175**:7801-7807.
2. **Abeles, A. L. and S. J. Austin.** 1987. P1 plasmid replication requires methylated DNA. *EMBO J.* **6**:3185-3189.
3. **Abeles, A. L., S. A. Friedman, and S. J. Austin.** 1985. Partition of unit-copy miniplasmids to daughter cells. III. The DNA sequence and functional organization of the P1 partition region. *J.Mol.Biol.* **185**:261-272.
4. **Abremski, K., R. Hoess, and N. Sternberg.** 1983. Studies on the properties of P1 site-specific recombination: evidence for topologically unlinked products following recombination. *Cell* **32**:1301-1311.
5. **Adams, D. E., J. B. Bliska, and N. R. Cozzarelli.** 1992. Cre-lox recombination in Escherichia coli cells. Mechanistic differences from the in vitro reaction. *J.Mol.Biol.* **226**:661-673.
6. **Ahmad, I., V. Krishnamurthy, and D. N. Rao.** 1995. DNA recognition by the EcoP15I and EcoPI modification methyltransferases. *Gene* **157**:143-147.

7. **Ahmad, I. and D. N. Rao.** 1996. Chemistry and biology of DNA methyltransferases. *Crit Rev.Biochem.Mol.Biol.* **31**:361-380.
8. **Arber, W. and D. Dussoix.** 1962. Host specificity of DNA produced by Escherichia coli I. Host controlled modification of bacteriophage λ . *J.Mol.Biol.* **5**:18-36.
9. **Austin, S. and A. Abeles.** 1983. Partition of unit-copy miniplasmids to daughter cells. I. P1 and F miniplasmids contain discrete, interchangeable sequences sufficient to promote equipartition. *J.Mol.Biol.* **169**:353-372.
10. **Bächi, B. and W. Arber.** 1977. Physical mapping of BglIII, BamHI, EcoRI, HindIII and PstI restriction fragments of bacteriophage P1 DNA. *Mol.Gen.Genet.* **153**:311-324.
11. **Bächi, B., J. Reiser, and V. Pirrotta.** 1979. Methylation and cleavage sequences of the EcoP1 restriction- modification enzyme. *J.Mol.Biol.* **128**:143-163.
12. **Bendtsen, J. D., A. S. Nilsson, and H. Lehnherr.** 2002. Phylogenetic and functional analysis of the bacteriophage P1 single-stranded DNA-binding protein. unpublished results.
13. **Bergmann, J., D. Rünzler, H. Lehnherr, G. Köhler, C. Kratky, and W. Keller.** 2002. DNA-binding characteristics of the major repressor protein, C1, of bacteriophage P1. unpublished results.
14. **Bertani, L. E.** 1951. Studies in lysogenesis. I. The mode of phage liberation by lysogenic Escherichia coli. *J.Bacteriol.* **62**:293-300.

15. **Bertani, L. E. and G. Bertani.** 1971. Genetics of P2 and related phages. *Adv.Genet.* **16**:199-237.
16. **Bethke, B. D. and B. Sauer.** 2000. Rapid generation of isogenic mammalian cell lines expressing recombinant transgenes by use of Cre recombinase. *Methods Mol.Biol.* **133**:75-84.
17. **Bickle, T. A. and D. H. Krüger.** 1993. Biology of DNA restriction. *Microbiol.Rev.* **57**:434-450.
18. **Biere, A. L., M. Citron, and H. Schuster.** 1992. Transcriptional control via translational repression by $\underline{c}4$ antisense RNA of bacteriophages P1 and P7. *Genes Dev.* **6**:2409-2416.
19. **Bouet, J. Y. and B. E. Funnell .** 1999. P1 ParA interacts with the P1 partition complex at parS and an ATP-ADP switch controls ParA activities. *EMBO J.* **18**:1415-1424.
20. **Bouet, J. Y., J. A. Surtees, and B. E. Funnell.** 2000. Stoichiometry of P1 plasmid partition complexes. *J.Biol.Chem.* **275**:8213-8219.
21. **Brendler, T., A. Abeles, and S. Austin.** 1991. Critical sequences in the core of the P1 plasmid replication origin. *J.Bacteriol.* **173**:3935-3942.
22. **Brendler, T., A. Abeles, and S. Austin.** 1995. A protein that binds to the P1 origin core and the oriC 13mer region in a methylation-specific fashion is the product of the host seqA gene. *EMBO J.* **14**:4083-4089.

23. **Brendler, T. and S. Austin.** 1999. Binding of SeqA protein to DNA requires interaction between two or more complexes bound to separate hemimethylated GATC sequences. *EMBO J.* **18**:2304-2310.
24. **Chattoraj, D. K.** 2000. Control of plasmid DNA replication by iterons: no longer paradoxical. *Mol.Microbiol.* **37**:467-476.
25. **Citron, M. and H. Schuster.** 1990. The c_4 repressors of bacteriophages P1 and P7 are antisense RNAs. *Cell* **62**:591-598.
26. **Citron, M. and H. Schuster.** 1992. The c_4 repressor of bacteriophage P1 is a processed 77 base antisense RNA. *Nucleic Acids Res.* **20**:3085-3090.
27. **Citron, M., M. Velleman, and H. Schuster.** 1989. Three additional operators, Op21, Op68, and Op88, of bacteriophage P1. Evidence for control of the P1 dam methylase by Op68. *J.Biol.Chem.* **264**:3611-3617.
28. **Cohen, G.** 1983. Electron microscopy study of early lytic replication forms of bacteriophage P1 DNA. *Virology* **131**:159-170.
29. **Cohen, G., E. Or, W. Minas, and N. L. Sternberg.** 1996. The bacteriophage P1 lytic replicon: directionality of replication and cis-acting elements. *Gene* **175**:151-155.
30. **Cohen, G. and N. L. Sternberg.** 1989. Genetic analysis of the lytic replication of bacteriophage P1. I. Isolation and partial characterization. *J.Mol.Biol.* **207**:99-109.

31. **Coren, J. S., J. C. Pierce, and N. Sternberg.** 1995. Headful packaging revisited: the packaging of more than one DNA molecule into a bacteriophage P1 head. *J.Mol.Biol.* **249**:176-184.
32. **Coren, J. S. and N. Sternberg.** 2001. Construction of a PAC vector system for the propagation of genomic DNA in bacterial and mammalian cells and subsequent generation of nested deletions in individual library members. *Gene* **264**:11-18.
33. **Coulby, J. N. and N. L. Sternberg.** 1988. Characterization of the phage P1 dam gene. *Gene* **74**:191.
34. **Crawford, J. T. and E. B. Goldberg.** 1980. The function of tail fibers in triggering baseplate expansion of bacteriophage T4. *J.Mol.Biol.* **139**:679-690.
35. **DasGupta, S., G. Mukhopadhyay, P. P. Papp, M. S. Lewis, and D. K. Chattoraj.** 1993. Activation of DNA binding by the monomeric form of the P1 replication initiator RepA by heat shock proteins DnaJ and DnaK. *J.Mol.Biol.* **232**:23-34.
36. **Davey, M. J. and B. E. Funnell.** 1994. The P1 plasmid partition protein ParA. A role for ATP in site-specific DNA binding. *J.Biol.Chem.* **269**:29908-29913.
37. **Davey, M. J. and B. E. Funnell.** 1997. Modulation of the P1 plasmid partition protein ParA by ATP, ADP, and P1 ParB. *J.Biol.Chem.* **272**:15286-15292.
38. **Davis, M. A. and S. J. Austin.** 1988. Recognition of the P1 plasmid centromere analog involves binding of the ParB protein and is modified by a specific host factor. *EMBO J.* **7**:1881-1888.

39. **Davis, M. A., K. A. Martin, and S. J. Austin.** 1990. Specificity switching of the P1 plasmid centromere-like site. *EMBO J.* **9**:991-998.
40. **Davis, M. A., K. A. Martin, and S. J. Austin.** 1992. Biochemical activities of the parA partition protein of the P1 plasmid. *Mol.Microbiol.* **6**:1141-1147.
41. **Davis, M. A., L. Radnedge, K. A. Martin, F. Hayes, B. Youngren, and S. J. Austin.** 1996. The P1 ParA protein and its ATPase activity play a direct role in the segregation of plasmid copies to daughter cells. *Mol.Microbiol.* **21**:1029-1036.
42. **Dibbens, J. A., K. Muraiso, and D. K. Chattoraj.** 1997. Chaperone-mediated reduction of RepA dimerization is associated with RepA conformational change. *Mol.Microbiol.* **26**:185-195.
43. **Dreiseikermann, B.** 1994. Translocation of DNA across bacterial membranes. *Microbiol.Rev.* **58**:293-316.
44. **Dreiseikermann, B., M. Velleman, and H. Schuster.** 1988. The $\underline{c}1$ repressor of bacteriophage P1. *J.Biol.Chem.* **263**:1391-1397.
45. **Dussoix, D. and W. Arber.** 1962. Host specificity of DNA produced by Escherichia coli I. Control of acceptance of DNA from infecting phage λ . *J.Mol.Biol.* **5**:37-49.
46. **Edgar, R., D. K. Chattoraj, and M. B. Yarmolinsky.** 2001. Pairing of P1 plasmid partition sites by ParB. *Mol.Microbiol.* **42**:1363-1370.

47. **Eliason, J. L. and N. L. Sternberg.** 1987. Characterization of the binding sites of cI repressor of bacteriophage P1. Evidence for multiple asymmetric sites. *J.Mol.Biol.* **198**:281-293.
48. **Endlich, B. and S. Linn.** 1985. The DNA restriction endonuclease of Escherichia coli B. I. Studies of the DNA translocation and the ATPase activities. *J.Biol.Chem.* **260**:5720-5728.
49. **Engel, H., B. Kazemier, and W. Keck.** 1991. Murein-metabolizing enzymes from Escherichia coli: sequence analysis and controlled overexpression of the slt gene, which encodes the soluble lytic transglycosylase. *J.Bacteriol.* **173**:6773-6782.
50. **Erdmann, N., T. Petroff, and B. E. Funnell.** 1999. Intracellular localization of P1 ParB protein depends on ParA and parS. *Proc.Natl.Acad.Sci.U.S.A* **96**:14905-14910.
51. **Fung, E., J. Y. Bouet, and B. E. Funnell.** 2001. Probing the ATP-binding site of P1 ParA: partition and repression have different requirements for ATP binding and hydrolysis. *EMBO J.* **20**:4901-4911.
52. **Funnell, B. E.** 1988. Participation of Escherichia coli integration host factor in the P1 plasmid partition system. *Proc.Natl.Acad.Sci.U.S.A* **85**:6657-6661.
53. **Funnell, B. E.** 1991. The P1 plasmid partition complex at parS. The influence of Escherichia coli integration host factor and of substrate topology. *J.Biol.Chem.* **266**:14328-14337.
54. **Funnell, B. E. and L. Gagnier.** 1993. The P1 plasmid partition complex at parS. II. Analysis of ParB protein binding activity and specificity. *J.Biol.Chem.* **268**:3616-3624.

55. **Funnell, B. E. and L. Gagnier.** 1994. P1 plasmid partition: binding of P1 ParB protein and Escherichia coli integration host factor to altered parS sites. *Biochimie* **76**:924-932.
56. **Funnell, B. E. and L. Gagnier.** 1995. Partition of P1 plasmids in Escherichia coli mukB chromosomal partition mutants. *J.Bacteriol.* **177**:2381-2386.
57. **Garcia, L. R. and I. J. Molineux.** 1996. Transcription-independent DNA translocation of bacteriophage T7 DNA into Escherichia coli. *J.Bacteriol.* **178**:6921-6929.
58. **Gazit, E. and R. T. Sauer.** 1999. Stability and DNA binding of the phd protein of the phage P1 plasmid addiction system. *J.Biol.Chem.* **274**:2652-2657.
59. **Gazit, E. and R. T. Sauer.** 1999. The Doc toxin and Phd antidote proteins of the bacteriophage P1 plasmid addiction system form a heterotrimeric complex. *J.Biol.Chem.* **274**:16813-16818.
60. **Glasgow, A. C., K. T. Hughes, and M. I. Simon.** 1989. Bacterial DNA inversion systems, p. 637-659. *In* D. E. Berg and M. M. Howe (eds.), *Mobile DNA*. American Society for Microbiology, Washington, D.C.
61. **Gordon, G. S., D. Sitnikov, C. D. Webb, A. Teleman, A. Straight, R. Losick, A. W. Murray, and A. Wright.** 1997. Chromosome and low copy plasmid segregation in E. coli: visual evidence for distinct mechanisms. *Cell* **90**:1113-1121.
62. **Gordon, G. S. and A. Wright.** 2000. DNA segregation in bacteria. *Annu.Rev.Microbiol.* **54**:681-708.

63. **Guhathakurta, A., I. Viney, and D. Summers.** 1996. Accessory proteins impose site selectivity during ColE1 dimer resolution. *Mol.Microbiol.* **20**:613-620.
64. **Guidolin, A., J. M. Zingg, and W. Arber.** 1989. Organization of the bacteriophage P1 tail-fibre operon. *Gene* **76**:239-243.
65. **Guidolin, A., J. M. Zingg, H. Lehnerr, and W. Arber.** 1989. Bacteriophage P1 tail-fibre and dar operons are expressed from homologous phage-specific late promoter sequences. *J.Mol.Biol.* **208**:615-622.
66. **Hadi, S. M., B. Bächli, S. Iida, and T. A. Bickle.** 1983. DNA restriction--modification enzymes of phage P1 and plasmid p15B. Subunit functions and structural homologies. *J.Mol.Biol.* **165**:19-34.
67. **Haffter, P. and T. A. Bickle.** 1987. Purification and DNA-binding properties of FIS and Cin, two proteins required for the bacteriophage P1 site-specific recombination system, cin. *J.Mol.Biol.* **198**:579-587.
68. **Hamilton, D. L. and K. Abremski.** 1984. Site-specific recombination by the bacteriophage P1 lox-Cre system. Cre- mediated synapsis of two lox sites. *J.Mol.Biol.* **178**:481-486.
69. **Hansen, A.-M., H. Lehnerr, X. Wang, V. Mobley, and D. J. Jin.** 2003. Escherichia coli SspA is a transcription activator for bacteriophage P1 late genes. *Mol.Microbiol.* **48**: 1621-1631.
70. **Hansen, E. B.** 1989. Structure and regulation of the lytic replicon of phage P1. *J.Mol.Biol.* **207**:135-149.

71. **Hartmann, R. K., J. Heinrich, J. Schlegl, and H. Schuster.** 1995. Precursor of C4 antisense RNA of bacteriophages P1 and P7 is a substrate for RNase P of Escherichia coli. *Proc.Natl.Acad.Sci.U.S.A* **92**:5822-5826.
72. **Hawley, D. K. and W. R. McClure.** 1983. Compilation and analysis of Escherichia coli promoter and DNA sequences. *Nucleic Acids Res.* **11**:2237-2255.
73. **Hay, N. and G. Cohen.** 1983. Requirement of E. coli DNA synthesis functions for the lytic replication of bacteriophage P1. *Virology* **131**:193-206.
74. **Hayes, F. and S. Austin.** 1994. Topological scanning of the P1 plasmid partition site. *J.Mol.Biol.* **243**:190-198.
75. **Hayes, F. and S. J. Austin.** 1993. Specificity determinants of the P1 and P7 plasmid centromere analogs. *Proc.Natl.Acad.Sci.U.S.A* **90**:9228-9232.
76. **Hayes, F., M. A. Davis, and S. J. Austin.** 1993. Fine-structure analysis of the P7 plasmid partition site. *J.Bacteriol.* **175**:3443-3451.
77. **Hayes, F., L. Radnedge, M. A. Davis, and S. J. Austin.** 1994. The homologous operons for P1 and P7 plasmid partition are autoregulated from dissimilar operator sites. *Mol.Microbiol.* **11**:249-260.
78. **Hazan, R., B. Sat, M. Reches, and H. Engelberg-Kulka.** 2001. Postsegregational killing mediated by the P1 phage "addiction module" phd-doc requires the Escherichia coli programmed cell death system mazEF. *J.Bacteriol.* **183**:2046-2050.

79. **Heinrich, J., H.-D. Riedel, B. Rückert, R. Lurz, and H. Schuster.** 1995. The lytic replicon of bacteriophage P1 is controlled by an antisense RNA. *Nucleic Acids Res.* **23**:1468-1474.
80. **Heinrich, J., M. Velleman, and H. Schuster.** 1995. The tripartite immunity system of phages P1 and P7. *FEMS Microbiol.Rev.* **17**:121-126.
81. **Heinzel, T., M. Velleman, and H. Schuster.** 1989. ban operon of bacteriophage P1. Mutational analysis of the c1 repressor- controlled operator. *J.Mol.Biol.* **205**:127-135.
82. **Heinzel, T., M. Velleman, and H. Schuster.** 1989. ban Operon of bacteriophage P1. Mutational analysis of the c1 repressor-controlled operator. *J.Mol.Biol.* **205**:127-135.
83. **Heinzel, T., M. Velleman, and H. Schuster.** 1990. The c1 repressor inactivator protein coi of bacteriophage P1. Cloning and expression of coi and its interference with c1 repressor function. *J.Biol.Chem.* **265**:17928-17934.
84. **Heinzel, T., M. Velleman, and H. Schuster.** 1992. C1 repressor of phage P1 is inactivated by noncovalent binding of P1 Coi protein. *J.Biol.Chem.* **267**:4183-4188.
85. **Heisig, A., I. Severin, A. K. Seefluth, and H. Schuster.** 1987. Regulation of the ban gene containing operon of prophage P1. *Mol.Gen.Genet.* **206**:368-376.
86. **Hiestand-Nauer, R. and S. Iida .** 1983. Sequence of the site-specific recombinase gene cin and of its substrates serving in the inversion of the C segment of bacteriophage P1. *EMBO J.* **2**:1733-1740.

87. **Hochman, L., N. Segev, N. Sternberg, and G. Cohen.** 1983. Site-specific recombinational circularization of bacteriophage P1 DNA. *Virology* **131**:11-17.
88. **Hodgman, T. C., H. Griffiths, and D. K. Summers.** 1998. Nucleoprotein architecture and ColE1 dimer resolution: a hypothesis. *Mol.Microbiol.* **29**:545-558.
89. **Hornby, D. P., M. Muller, and T. A. Bickle.** 1987. High level expression of the EcoP1 modification methylase gene and characterisation of the gene product. *Gene* **54**:239-245.
90. **Huber, H. E., S. Iida, W. Arber, and T. A. Bickle.** 1985. Site-specific DNA inversion is enhanced by a DNA sequence element in cis. *Proc.Natl.Acad.Sci.U.S.A* **82**:3776-3780.
91. **Humbelin, M., B. Suri, D. N. Rao, D. P. Hornby, H. Eberle, T. Pripfl, S. Kenel, and T. A. Bickle.** 1988. Type III DNA restriction and modification systems EcoP1 and EcoP15. Nucleotide sequence of the EcoP1 operon, the EcoP15 mod gene and some EcoP1 mod mutants. *J.Mol.Biol.* **200**:23-29.
92. **Hübner, P. and W. Arber.** 1989. Mutational analysis of a prokaryotic recombinational enhancer element with two functions. *EMBO J.* **8**:577-585.
93. **Hübner, P., P. Haffter, S. Iida, and W. Arber.** 1989. Bent DNA is needed for recombinational enhancer activity in the site- specific recombination system Cin of bacteriophage P1. The role of FIS protein. *J.Mol.Biol.* **205**:493-500.
94. **Iida, S. and R. Hiestand-Nauer .** 1986. Localized conversion at the crossover sequences in the site-specific DNA inversion system of bacteriophage P1. *Cell* **45**:71-79.

95. **Iida, S. and R. Hiestand-Nauer** . 1987. Role of the central dinucleotide at the crossover sites for the selection of quasi sites in DNA inversion mediated by the site-specific Cin recombinase of phage P1. *Mol.Gen.Genet.* **208**:464-468.
96. **Iida, S., R. Hiestand-Nauer, H. Sandmeier, H. Lehnerr, and W. Arber.** 1998. Accessory genes in the darA operon of bacteriophage P1 affect anti-restriction function, generalized transduction, head morphogenesis and host cell lysis. *Virology* **251**:49-58.
97. **Iida, S., H. Huber, R. Hiestand-Nauer, J. Meyer, T. A. Bickle, and W. Arber.** 1984. The bacteriophage P1 site-specific recombinase Cin: recombination events and DNA recognition sequences. *Cold Spring Harb.Symp.Quant.Biol.* **49**:769-777.
98. **Iida, S., J. Meyer, B. Bächli, M. Stalhammar-Carlemalm, S. Schrickel, T. A. Bickle, and W. Arber.** 1983. DNA restriction--modification genes of phage P1 and plasmid p15B. Structure and in vitro transcription. *J.Mol.Biol.* **165**:1-18.
99. **Iida, S., J. Meyer, K. E. Kennedy, and W. Arber.** 1982. A site-specific, conservative recombination system carried by bacteriophage P1. Mapping the recombinase gene cin and the cross-over sites cix for the inversion of the C segment. *EMBO J.* **1**:1445-1453.
100. **Iida, S., H. Sandmeier, P. Hübner, R. Hiestand-Nauer, K. Schneitz, and W. Arber.** 1990. The Min DNA inversion enzyme of plasmid p15B of Escherichia coli 15T⁻: a new member of the Din family of site-specific recombinases. *Mol.Microbiol.* **4**:991-997.
101. **Iida, S., M. B. Streiff, T. A. Bickle, and W. Arber.** 1987. Two DNA antirestriction systems of bacteriophage P1, darA, and darB: characterization of darA⁻ phage. *Virology* **157**:156-166.

102. **Ikeda, H. and J. Tomizawa.** 1968. Prophage P1, and extrachromosomal replication unit. Cold Spring Harb.Symp.Quant.Biol. **33**:791-798.
103. **Ishihama, A. and T. Saitoh.** 1979. Subunits of RNA polymerase in function and structure. IX. Regulation of RNA polymerase activity by stringent starvation protein (SSP). J.Mol.Biol. **129**:517-530.
104. **Janscak, P., U. Sandmeier, M. D. Szczelkun, and T. A. Bickle.** 2001. Subunit assembly and mode of DNA cleavage of the type III restriction endonucleases EcoP1I and EcoP15I. J.Mol.Biol. **306**:417-431.
105. **Kamp, D., R. Kahmann, D. Zipser, T. R. Broker, and L. T. Chow.** 1978. Inversion of the G DNA segment of phage Mu controls phage infectivity. Nature **271**:577-580.
106. **Klaus, S., D. Krüger, and J. Meyer.** 1992. Bakterienviren. Gustav Fischer Verlag, Jena.
107. **Kliem, M. and B. Dreiseikermann.** 1989. The superimmunity gene sim of bacteriophage P1 causes superinfection exclusion. Virology **171**:350-355.
108. **Koch, C. and R. Kahmann.** 1986. Purification and properties of the Escherichia coli host factor required for inversion of the G segment in bacteriophage Mu. J.Biol.Chem. **261**:15673-15678.
109. **Koonin, E. V. and K. E. Rudd.** 1994. A conserved domain in putative bacterial and bacteriophage transglycosylases. Trends Biochem.Sci. **19**:106-107.

110. **Kostrewa, D., J. Granzin, C. Koch, H. W. Choe, S. Raghunathan, W. Wolf, J. Labahn, R. Kahmann, and W. Saenger** . 1991. Three-dimensional structure of the E. coli DNA-binding protein FIS. *Nature* **349**:178-180.
111. **Laufer, C. S., J. B. Hays, B. E. Windle, T. S. Schaefer, E. H. Lee, S. L. Hays, and M. R. McClure**. 1989. Enhancement of Escherichia coli plasmid and chromosomal recombination by the Ref function of bacteriophage P1. *Genetics* **123**:465-476.
112. **Lehnherr, H.** 2002. unpublished data.
113. **Lehnherr, H., J. D. Bendtsen, F. Preuss, and T. V. Ilyina**. 1999. Identification and characterization of the single-stranded DNA-binding protein of bacteriophage P1. *J.Bacteriol.* **181**:6463-6468.
114. **Lehnherr, H., A. Guidolin, and W. Arber**. 1991. Bacteriophage P1 gene 10 encodes a trans-activating factor required for late gene expression. *J.Bacteriol.* **173**:6438-6445.
115. **Lehnherr, H., A. Guidolin, and W. Arber**. 1992. Mutational analysis of the bacteriophage P1 late promoter sequence Ps. *J.Mol.Biol.* **228**:101-107.
116. **Lehnherr, H., A.-M. Hansen, and T. V. Ilyina**. 1998. Penetration of the bacterial cell wall: a family of lytic transglycosylases in bacteriophages and conjugative plasmids. *Molecular Microbiol.* **30**:454-457.
117. **Lehnherr, H., C. D. Jensen, A. R. Stenholm, and A. Dueholm**. 2001. Dual regulatory control of a particle maturation function of bacteriophage P1. *J.Bacteriol.* **183**:4105-4109.

118. **Lenherr, H., E. Maguin, S. Jafri, and M. B. Yarmolinsky.** 1993. Plasmid addiction genes of bacteriophage P1: doc, which causes cell death on curing of prophage, and phd, which prevents host death when prophage is retained. *J.Mol.Biol.* **233**:414-428.
119. **Lenherr, H. and J. Meyer.** 1999. Enterobacteria Phage P1 (Myoviridae), p. 455-461. *In* A. Granoff and R. G. Webster (eds.), *Encyclopedia of Virology*. Academic Press Ltd, London.
120. **Lenherr, H., M. Velleman, A. Guidolin, and W. Arber.** 1992. Bacteriophage P1 gene 10 is expressed from a promoter-operator sequence controlled by C1 and Bof proteins. *J.Bacteriol.* **174**:6138-6144.
121. **Lenherr, H. and M. B. Yarmolinsky.** 1995. Addiction protein Phd of plasmid prophage P1 is a substrate of the ClpXP serine protease of Escherichia coli. *Proc.Natl.Acad.Sci.USA* **92**:3274-3277.
122. **Lennox, E. S.** 1955. Transduction of linked genetic characters of the host by bacteriophage P1. *Virology* **1**:190-206.
123. **Lobočka, M. and M. B. Yarmolinsky.** 1996. P1 plasmid partition: a mutational analysis of ParB. *J.Mol.Biol.* **259**:366-382.
124. **Lobočka, M. B., D. Rose, M. Rusin, A. Samojedny, M. B. Yarmolinsky, H. Lenherr, and F. C. Blattner.** 2002. The genome of bacteriophage P1: Analysis based on the complete nucleotide sequence of two related isolates. unpublished results.
125. **Lu, M., J. L. Campbell, E. Boye, and N. Kleckner.** 1994. SeqA: a negative modulator of replication initiation in E. coli. *Cell* **77**:413-426.

126. **Lu, S. D., D. Lu, and M. Gottesman.** 1989. Stimulation of IS₁ excision by bacteriophage P1 ref function. *J.Bacteriol.* **171**:3427-3432.
127. **Magnuson, R., H. Lehnerr, G. Mukhopadhyay, and M. B. Yarmolinsky.** 1996. Autoregulation of the plasmid addiction operon of bacteriophage P1. *J.Biol.Chem.* **271**:18705-18710.
128. **Magnuson, R. and M. B. Yarmolinsky.** 1998. Corepression of the P1 addiction operon by Phd and Doc. *J.Bacteriol.* **180**:6342-6351.
129. **Maillou, J. and B. Dreiseikelmann.** 1990. The sim gene of Escherichia coli phage P1: nucleotide sequence and purification of the processed protein. *Virology* **175**:500-507.
130. **Martin, K. A., M. A. Davis, and S. Austin.** 1991. Fine-structure analysis of the P1 plasmid partition site. *J.Bacteriol.* **173**:3630-3634.
131. **McLenigan, M. P., O. I. Kulaeva, D. G. Ennis, A. S. Levine, and R. Woodgate.** 1999. The bacteriophage P1 HumD protein is a functional homolog of the prokaryotic UmuD'-like proteins and facilitates SOS mutagenesis in Escherichia coli. *J.Bacteriol.* **181**:7005-7013.
132. **Meisel, A., T. A. Bickle, D. H. Krüger, and C. Schroeder.** 1992. Type III restriction enzymes need two inversely oriented recognition sites for DNA cleavage. *Nature* **355**:467-469.
133. **Meisel, A., P. Mackeldanz, T. A. Bickle, D. H. Krüger, and C. Schroeder.** 1995. Type III restriction endonucleases translocate DNA in a reaction driven by recognition site-specific ATP hydrolysis. *EMBO J.* **14**:2958-2966.

134. **Mise, K. and W. Arber.** 1976. Plaque-forming transducing bacteriophage P1 derivatives and their behaviour in lysogenic conditions. *Virology* **69**:191-205.
135. **Moak, M. and I. J. Molineux.** 2000. Role of the Gp16 lytic transglycosylase motif in bacteriophage T7 virions at the initiation of infection. *Mol.Microbiol.* **37**:345-355.
136. **Mukhopadhyay, G., K. M. Carr, J. M. Kaguni, and D. K. Chattoraj.** 1993. Open-complex formation by the host initiator, DnaA, at the origin of P1 plasmid replication. *EMBO J.* **12**:4547-4554.
137. **Mukhopadhyay, G., S. Sozhamannan, and D. K. Chattoraj.** 1994. Relaxation of replication control in chaperone-independent initiator mutants of plasmid P1. *EMBO J.* **13**:2089-2096.
138. **Mukhopadhyay, S. and D. K. Chattoraj.** 2000. Replication-induced transcription of an autorepressed gene: the replication initiator gene of plasmid P1. *Proc.Natl.Acad.Sci.U.S.A* **97**:7142-7147.
139. **Murray, N. E.** 2000. Type I restriction systems: sophisticated molecular machines (a legacy of Bertani and Weigle). *Microbiol.Mol.Biol.Rev.* **64**:412-434.
140. **Nguyen, H. A., T. Tomita, M. Hirota, J. Kaneko, T. Hayashi, and Y. Kamio.** 2001. DNA Inversion in the Tail Fiber Gene Alters the Host Range Specificity of Carotovoricin Er, a Phage-Tail-Like Bacteriocin of Phytopathogenic *Erwinia carotovora* subsp. *carotovora* Er. *J.Bacteriol.* **183**:6274-6281.
141. **Nordström, K. and S. J. Austin.** 1989. Mechanisms that contribute to the stable segregation of plasmids. *Annu.Rev.Genet.* **23**:37-69.

142. **Park, K. and D. K. Chatteraj.** 2001. DnaA boxes in the P1 plasmid origin: the effect of their position on the directionality of replication and plasmid copy number. *J.Mol.Biol.* **310**:69-81.
143. **Park, K., E. Han, J. Paulsson, and D. K. Chatteraj.** 2001. Origin pairing ('handcuffing') as a mode of negative control of P1 plasmid copy number. *EMBO J.* **20**:7323-7332.
144. **Plasterk, R. H. and P. P. van de.** 1985. The invertible P-DNA segment in the chromosome of *Escherichia coli*. *EMBO J.* **4**:237-242.
145. **Poteete, A. R. and L. W. Hardy.** 1994. Genetic analysis of bacteriophage T4 lysozyme structure and function. *J.Bacteriol.* **176**:6783-6788.
146. **Redaschi, N. and T. A. Bickle .** 1996. Posttranscriptional regulation of EcoP1I and EcoP15I restriction activity. *J.Mol.Biol.* **257**:790-803.
147. **Riedel, H. D., J. Heinrich, A. Heisig, T. Choli, and H. Schuster.** 1993. The antirepressor of phage P1. Isolation and interaction with the C1 repressor of P1 and P7. *FEBS Lett.* **334**:165-169.
148. **Riedel, H. D., J. Heinrich, and H. Schuster.** 1993. Cloning, expression, and characterization of the icd gene in the immI operon of bacteriophage P1. *J.Bacteriol.* **175**:2833-2838.
149. **Rodionov, O., M. Lobočka, and M. B. Yarmolinsky.** 1999. Silencing of genes flanking the P1 plasmid centromere. *Science* **283**:546-549.

150. **Rosner, J. L.** 1972. Formation, induction, and curing of bacteriophage P1 lysogens. *Virology* **48**:679-680.
151. **Rydman, P. S. and D. H. Bamford.** 2000. Bacteriophage PRD1 DNA entry uses a viral membrane-associated transglycosylase activity. *Mol.Microbiol.* **37**:356-363.
152. **Saha, S. and D. N. Rao.** 1995. ATP hydrolysis is required for DNA cleavage by EcoPI restriction enzyme. *J.Mol.Biol.* **247**:559-567.
153. **Sandmeier, H., S. Iida, and W. Arber.** 1992. DNA inversion regions Min of plasmid p15B and Cin of bacteriophage P1: evolution of bacteriophage tail fiber genes. *J.Bacteriol.* **174**:3936-3944.
154. **Sandmeier, H., S. Iida, P. Hübner, R. Hiestand-Nauer, and W. Arber.** 1991. Gene organization in the multiple DNA inversion region min of plasmid p15B of E. coli 15T: assemblage of a variable gene. *Nucleic Acids Res.* **19**:5831-5838.
155. **Sandulache, R., P. Prehm, and D. Kamp.** 1984. Cell wall receptor for bacteriophage Mu G(+). *J.Bacteriol.* **160**:299-303.
156. **Sauer, B.** 1998. Inducible gene targeting in mice using the Cre/lox system. *Methods* **14**:381-392.
157. **Schaefer, T. S. and J. B. Hays.** 1990. The bof gene of bacteriophage P1: DNA sequence and evidence for roles in regulation of phage c1 and ref genes. *J.Bacteriol.* **172**:3269-3277.

158. **Schmidt, C., M. Velleman, and W. Arber.** 1996. Three functions of bacteriophage P1 involved in cell lysis. *J.Bacteriol.* **178**:1099-1104.
159. **Schneider, T. D. and R. M. Stephens.** 1990. Sequence logos: a new way to display consensus sequences. *Nucleic Acids Res.* **18**:6097-6100.
160. **Sharrocks, A. D. and D. P. Hornby.** 1991. Transcriptional analysis of the restriction and modification genes of bacteriophage P1. *Mol.Microbiol.* **5**:685-694.
161. **Shepherd, N. S., B. D. Pfrogner, J. N. Coulby, S. L. Ackerman, G. Vaidyanathan, R. H. Sauer, T. C. Balkenhol, and N. Sternberg.** 1994. Preparation and screening of an arrayed human genomic library generated with the P1 cloning system. *Proc.Natl.Acad.Sci.U.S.A* **91**:2629-2633.
162. **Shine, J. and L. Dalgarno.** 1975. Terminal-sequence analysis of bacterial ribosomal RNA. Correlation between the 3'-terminal-polypyrimidine sequence of 16-S RNA and translational specificity of the ribosome. *Eur.J.Biochem.* **57**:221-230.
163. **Silverman, M., J. Zieg, M. Hilmen, and M. Simon.** 1979. Phase variation in *Salmonella*: genetic analysis of a recombinational switch. *Proc.Natl.Acad.Sci.U.S.A* **76**:391-395.
164. **Skorupski, K., J. C. Pierce, B. Sauer, and N. Sternberg.** 1992. Bacteriophage P1 genes involved in the recognition and cleavage of the phage packaging site (pac). *J.Mol.Biol.* **223**:977-989.

165. **Skorupski, K., B. Sauer, and N. Sternberg.** 1994. Faithful cleavage of the P1 packaging site (pac) requires two phage proteins, PacA and PacB, and two Escherichia coli proteins, IHF and HU. *J.Mol.Biol.* **243**:268-282.
166. **Skorupski, K., N. Sternberg, and B. Sauer.** 1994. Purification and DNA-binding activity of the PacA subunit of the bacteriophage P1 pacase enzyme. *J.Mol.Biol.* **243**:258-267.
167. **Skowrya, D. and S. Wickner.** 1993. The interplay of the GrpE heat shock protein and Mg²⁺ in RepA monomerization by DnaJ and DnaK. *J.Biol.Chem.* **268**:25296-25301.
168. **Sozhamannan, S. and D. K. Chatteraj.** 1993. Heat shock proteins DnaJ, DnaK, and GrpE stimulate P1 plasmid replication by promoting initiator binding to the origin. *J.Bacteriol.* **175**:3546-3555.
169. **Sternberg, N. L.** 1994. The P1 cloning system: past and future. *Mamm.Genome* **5**:397-404.
170. **Sternberg, N. L. and G. Cohen .** 1989. Genetic analysis of the lytic replicon of bacteriophage P1. II. Organization of replicon elements. *J.Mol.Biol.* **207**:111-133.
171. **Sternberg, N. L. and J. Coulby.** 1987. Recognition and cleavage of the bacteriophage P1 packaging site (pac). II. Functional limits of pac and location of pac cleavage termini. *J.Mol.Biol.* **194**:469-479.
172. **Sternberg, N. L. and J. Coulby.** 1990. Cleavage of the bacteriophage P1 packaging site (pac) is regulated by adenine methylation. *Proc.Natl.Acad.Sci.U.S.A* **87**:8070-8074.

173. **Sternberg, N. L., M. Powers, M. B. Yarmolinsky, and S. J. Austin.** 1981. Group Y incompatibility and copy control of P1 prophage. *Plasmid* **5**:138-149.
174. **Sternberg, N. L., B. Sauer, R. Hoess, and K. Abremski.** 1986. Bacteriophage P1 cre gene and its regulatory region. Evidence for multiple promoters and for regulation by DNA methylation. *J.Mol.Biol.* **187**:197-212.
175. **Streiff, M. B., S. Iida, and T. A. Bickle.** 1987. Expression and proteolytic processing of the darA antirestriction gene product of bacteriophage P1. *Virology* **157**:167-171.
176. **Struthers-Schlinke, J. S., W. P. Robins, P. Kemp, and I. J. Molineux.** 2000. The internal head protein Gp16 controls DNA ejection from the bacteriophage T7 virion. *J.Mol.Biol.* **301**:35-45.
177. **Summers, D., S. Yaish, J. Archer, and D. Sherratt.** 1985. Multimer resolution systems of ColE1 and ColK: localisation of the crossover site. *Mol.Gen.Genet.* **201**:334-338.
178. **Surtees, J. A. and B. E. Funnell.** 1999. P1 ParB domain structure includes two independent multimerization domains. *J.Bacteriol.* **181**:5898-5908.
179. **Surtees, J. A. and B. E. Funnell.** 2001. The DNA binding domains of P1 ParB and the architecture of the P1 plasmid partition complex. *J.Biol.Chem.* **276**:12385-12394.
180. **Touati-Schwartz, D.** 1979. A dnaB analog ban, specified by bacteriophage P1: genetic and physiological evidence for functional analogy and interactions between the two products. *Mol.Gen.Genet.* **174**:173-188.

181. **Touati-Schwartz, D.** 1979. A new pleiotropic bacteriophage P1 mutation, bof, affecting c1 repression activity, the expression of plasmid incompatibility and the expression of certain constitutive prophage genes. *Mol.Gen.Genet.* **174**:189-202.
182. **Travers, A.** 1997. DNA-protein interactions: IHF--the master bender. *Curr.Biol.* **7**:R252-R254.
183. **Treptow, N., R. Rosenfeld, and M. B. Yarmolinsky.** 1994. Partition of nonreplicating DNA by the par system of bacteriophage P1. *J.Bacteriol.* **176**:1782-1786.
184. **Velleman, M., T. Heinzl, and H. Schuster.** 1992. The Bof protein of bacteriophage P1 exerts its modulating function by formation of a ternary complex with operator DNA and C1 repressor. *J.Biol.Chem.* **267**:12174-12181.
185. **Velleman, M., M. Heirich, A. Günther, and H. Schuster.** 1990. A bacteriophage P1-encoded modulator protein affects the P1 c1 repression system. *J.Biol.Chem.* **265**:18511-18517.
186. **Walker, D. H. and T. F. Anderson.** 1970. Morphological variants of coliphage P1. *J.Virol.* **5**:765-782.
187. **Walker, D. H. and J. T. Walker.** 1983. Coliphage P1 morphogenesis: analysis of mutants by electron microscopy. *J.Virology* **45**:1118-1139.
188. **Walker, D. H. JR. and J. T. Walker.** 1976. Genetic studies of coliphage P1. III. Extended genetic map. *J.Virology* **20**:177-187.

189. **Wall, J. D. and P. D. Harriman.** 1974. Phage P1 mutants with altered transducing abilities for Escherichia coli. *Virology* **59**:532-544.
190. **Wickner, S., J. Hoskins, D. Chattoraj, and K. McKenney.** 1990. Deletion analysis of the mini-P1 plasmid origin of replication and the role of Escherichia coli DnaA protein. *J.Biol.Chem.* **265**:11622-11627.
191. **Wickner, S., D. Skowrya, J. Hoskins, and K. McKenney.** 1992. DnaJ, DnaK, and GrpE heat shock proteins are required in oriP1 DNA replication solely at the RepA monomerization step. *Proc.Natl.Acad.Sci.U.S.A* **89**:10345-10349.
192. **Williams, M. D., J. A. Fuchs, and M. C. Flickinger.** 1991. Null mutation in the stringent starvation protein of Escherichia coli disrupts lytic development of bacteriophage P1. *Gene* **109**:21-30.
193. **Windle, B. E. and J. B. Hays.** 1986. A phage P1 function that stimulates homologous recombination of the Escherichia coli chromosome. *Proc.Natl.Acad.Sci.U.S.A* **83**:3885-3889.
194. **Windle, B. E., C. S. Laufer, and J. B. Hays.** 1988. Sequence and deletion analysis of the recombination enhancement gene (ref) of bacteriophage P1: evidence for promoter-operator and attenuator-antiterminator control. *J.Bacteriol.* **170**:4881-4889.
195. **Yarmolinsky, M.** 2000. Transcriptional silencing in bacteria. *Curr.Opin.Microbiol.* **3**:138-143.
196. **Yarmolinsky, M. B.** 1995. Programmed cell death in bacterial populations. *Science* **267**:836-837.

197. **Yarmolinsky, M. B. and M. B. Loboeka.** 1993. Bacteriophage P1., p. 1.50-1.61. *In* S. J. O'Brian (ed.), Locus maps of complex genomes. Cold Spring Harbor Laboratory Press, New York.
198. **Yarmolinsky, M. B. and N. L. Sternberg.** 1988. Bacteriophage P1., p. 291-438. *In* R. Calendar (ed.), The Bacteriophages. Plenum Press, New York.
199. **Young, M. C., S. B. Kuhl, and P. H. von Hippel.** 1994. Kinetic theory of ATP-driven translocases on one-dimensional polymer lattices. *J.Mol.Biol.* **235**:1436-1446.
200. **Young, R.** 1992. Bacteriophage lysis: mechanism and regulation. *Microbiol.Rev.* **56**:430-481.