

brought to you by www.thebacteriophages.org and www.phage.org

REFERENCES

1. **Ackermann, H. W.** 1999. Tailed bacteriophages: The order *Caudovirales*. *Adv. Virus Res.* **51**:135-201.
2. **Agarwal, M., M. Arthur, R. D. Arbeit, and R. Goldstein.** 1990. Regulation of icosahedral virion capsid size by the *in vivo* activity of a cloned gene product. *Proc. Natl. Acad. Sci. USA* **87**:2428-2432.
3. **Ayers, D. J., M. G. Sunshine, E. W. Six, and G. E. Christie.** 1994. Mutations affecting two adjacent amino acid residues in the alpha subunit of RNA polymerase block transcriptional activation by the P2 Ogr protein. *J. Bacteriol.* **176**:7430-7438.
4. **Baas, P. D., F. Heidekamp, A. D. M. Van Mansfeld, H. S. Jansz, S. A. Langeveld, G. A. Van der Martel, G. H. Veeneman, and J. H. Von Boom.** 1981. Essential features of the origin of bacteriophage ΦX174 RF DNA replication: A recognition and a key sequence for ΦX gene A protein, p. 195-209. *In* D. S. Ray (ed.), *The initiation of DNA replication*. Academic Press, New York.
5. **Barclay, S. L., and W. F. Dove.** 1978. Mutations of bacteriophage P2 which prevent activation of P2 late genes by satellite phage P4. *Virology* **91**:321-335.
6. **Barreiro, V., and E. Haggård-Ljungquist.** 1992. Attachment sites for bacteriophage P2 on the *Escherichia coli* chromosome: DNA sequences, localization on the physical map, and detection of a P2-like remnant in *E. coli* K-12 derivatives. *J. Bacteriol.* **174**:4086-4093.
7. **Bertani, G.** 1962. Multiple lysogeny from single infection. *Virology* **18**:131-139.

8. **Bertani, G.** 1951. Studies on lysogenesis I. The mode of phage liberation by lysogenic *Escherichia coli*. *J. Bacteriol.* **62**:293-300.
9. **Bertani, G., and G. Dehò.** 2001. Bacteriophage P2: Recombination in the superinfection prophage state and under repliacion control by phage P4. *Mol. Genet. Genomics* **266**:406-416.
10. **Bertani, L. E.** 1968. Abortive induction of bacteriophage P2. *Virology* **36**:87-103.
11. **Bertani, L. E., and G. Bertani.** 1971. Genetics of P2 and related phages. *Adv. Genet.* **16**:199-237.
12. **Bertani, L. E., and E. W. Six.** 1988. The P2-like phages and their parasite, P4, p. 73-143. In R. Calendar (ed.), *The Bacteriophages 2*, vol. 2. Plenum Publishing Corporation, New York and London.
13. **Birkeland, N. K., and B. H. Lindqvist.** 1986. Coliphage P2 late control gene *ogr*. DNA sequence and product identification. *J. Mol. Biol.* **188**:487-490.
14. **Birkeland, N. K., B. H. Lindqvist, and G. E. Christie.** 1991. Control of bacteriophage P2 gene expression: Analysis of transcription of the *ogr* gene. *J. Bacteriol.* **173**:6927-6934.
15. **Botstein, D.** 1980. A theory of modular evolution for bacteriophages. *Ann. New York Acad. Sci.* **354**:484-491.
16. **Bowden, D. W., and R. Calendar.** 1979. Maturation of bacteriophage P2 DNA *in vitro*: A complex, site-specific system for DNA cleavage. *J. Mol. Biol.* **129**:1-18.
17. **Bowden, D. W., and P. Modrich.** 1985. *In vitro* maturation of circular bacteriophage P2 DNA. Purification of *ter* components and characterization of the reaction. *J. Biol. Chem.* **260**:6999-7007.

18. **Bowden, D. W., R. S. Twersky, and R. Calendar.** 1975. Escherichia coli deoxyribonucleic acid synthesis mutants: their effect upon bacteriophage P2 and satellite bacteriophage P4 deoxyribonucleic acid synthesis. *J. Bacteriol.* **124**:167-175.
19. **Brumby, A. M., I. Lamont, I. B. Dodd, and J. B. Egan.** 1996. Defining the SOS operon of coliphage 186. *Virology* **219**:105-114.
20. **Bullas, L. R., A. R. Mostaghimi, J. J. Arensdorf, P. T. Rajadas, and A. J. Zuccarelli.** 1991. *Salmonella* phage PSP3, another member of the P2-like phage group. *Virology* **185**:918-921.
21. **Burgess Hickman, A., S. Waninger, J. J. Scocca, and F. Dyda.** 1997. Molecular organization in site-specific recombination: The catalytic domain of bacteriophage HP1 integrase at 2.7 Å resolution. *Cell* **89**:227-237.
22. **Calendar, R., S. Yu, H. Myung, V. Barreiro, R. Odegrip, K. Carlson, L. Davenport, G. Mosig, G. Christie, and E. Haggård-Ljungquist.** 1998. The lysogenic conversion genes of coliphage P2 have unusually high AT content, p. 241-252. In C. I. Kado (ed.), Horizontal Gene Transfer. Chapman & Hall, London.
23. **Campbell, A. M.** 1992. Chromosomal insertion sites for phages and plasmids. *J. Bacteriol.* **174**:7495-7499.
24. **Christie, G. E., E. Haggård-Ljungquist, R. Feiwell, and R. Calendar.** 1986. Regulation of bacteriophage late-gene expression: The *ogr* gene. *Proc. Natl. Acad. Sci. USA* **83**:3238-3242.
25. **Dibbens, J. A., and J. B. Egan.** 1992. Control of gene expression in the temperate coliphage 186. IX. *B* is the sole phage function needed to activate transcription of the phage late genes. *Mol. Microbiol.* **6**:2629-2642.

26. **Dibbens, J. A., S. L. Gregory, and J. B. Egan.** 1992. Control of gene expression in the temperate coliphage 186. X. The *cI* repressor directly represses transcription of the late control gene *B*. *Mol. Microbiol.* **6**:2643-2650.
27. **Dodd, I. B., and J. B. Egan.** 1996. DNA binding by the coliphage 186 repressor protein CI. *J. Biol. Chem.* **271**:11532-11540.
28. **Dodd, I. B., and J. B. Egan.** 1999. P2, 186 and related phages (*Myoviridae*), p. 1087-1094. In A. Granoff and R. G. Webster (ed.), *Encyclopedia of Virology*, 2 ed, vol. 1. Academic Press, San Diego, USA.
29. **Dodd, I. B., B. Kalionis, and J. B. Egan.** 1990. Control of gene expression in the temperate coliphage 186 VIII. Control of lysis and lysogeny by a transcriptional switch involving face-to-face promoters. *J. Mol. Biol.* **214**:27-37.
30. **Dodd, I. B., M. R. Reed, and J. B. Egan.** 1993. The Cro-like ApI repressor of coliphage 186 is required for prophage excision and binds near the phage attachment site. *Mol. Microbiol.* **10**:1139-1150.
31. **Dokland, T.** 1999. Scaffolding proteins and their role in viral assembly. *Cell. Mol. Life Sci.* **56**:580-603.
32. **Dokland, T., B. H. Lindqvist, and S. D. Fuller.** 1992. Image reconstruction from cryo-electron micrographs reveals the morphopoietic mechanism in the P2-P4 bacteriophage system. *EMBO J.* **11**:839-846.
33. **Doran, T. J., S. M. Loh, N. Firth, and R. A. Skurray.** 1994. Molecular analysis of the F-plasmid *traVR* region - *TraV* encodes a lipoprotein. *J. Bacteriol.* **176**:4182-4186.
34. **Eriksson, J. M., and E. Haggård-Ljungquist.** 2000. The multifunctional bacteriophage P2 Cox protein requires oligomerization for biological activity. *J. Bacteriol.* **182**:6714-6723.

35. **Esposito, D., W. P. Fitzmaurice, R. C. Benjamin, S. D. Goodman, A. S. Waldman, and J. J. Scocca.** 1996. The complete nucleotide sequence of bacteriophage HP1 DNA. *Nucleic Acids Res.* **24**:2360-2368.
36. **Esposito, D., and J. J. Scocca.** 1994. Identification of an HP1 phage protein required for site-specific excision. *Mol. Microbiol.* **13**:685-695.
37. **Esposito, D., and J. J. Scocca.** 1997. Purification and characterization of HP1 Cox and definition of its role in controlling the direction of site-specific recombination. *J. Biol. Chem.* **272**:8660-8670.
38. **Esposito, D., J. S. Thrower, and J. J. Scocca.** 2001. Protein and DNA requirements of the bacteriophage HP1 recombination system: a model for intasome formation. *Nucleic Acids Res.* **29**:3955-3964.
39. **Esposito, D., J. C. E. Wilson, and J. J. Scocca.** 1997. Reciprocal regulation of the early promoter region of bacteriophage HP1 by the Cox and CI proteins. *Virology* **234**:267-276.
40. **Feil, E. J., E. C. Holmes, D. E. Bessen, M.-S. Chan, N. P. J. Day, M. C. Enright, R. Goldstein, D. W. Hood, A. Kalia, C. E. Moore, J. Zhou, and B. G. Spratt.** 2001. Recombination within natural populations of pathogenic bacteria: Short-term empirical estimates and long-term phylogenetic consequences. *Proc. Natl. Acad. Sci. USA* **98**:182-187.
41. **Francke, B., and D. S. Ray.** 1972. *Cis*-limited action of the gene-A product of bacteriophage ΦX174 and the essential bacterial site. *Proc. Natl. Acad. Sci. USA* **69**:475-479.

42. **Fujiki, H., P. Palm, W. Zillig, R. Calendar, and M. Sunshine.** 1976. Identification of a mutation within the structural gene for the α subunit of DNA-dependent RNA polymerase of *E. coli*. *Mol. Gen. Genet.* **145**:19-22.
43. **Gebhardt, K.** 1994. Structure and function analysis of the bacteriophage P2 Ogr protein. University of Oslo, Norway, Oslo.
44. **Gebhardt, K., R. A. King, G. E. Christie, and B. H. Lindqvist.** 1993. Mutational analysis of bacteriophage P2 Ogr protein: truncation of the carboxy terminus. *J. Bacteriol.* **175**:7724-7726.
45. **Geisselsoder, J., P. Youderian, G. Dehò, M. Chidambaran, R. Goldstein, and E. Ljungquist.** 1981. Mutants of satellite virus P4 that cannot derepress their bacteriophage P2 helper. *J. Mol. Biol.* **148**:1-19.
46. **Grambow, N. J., N. K. Birkeland, D. L. Anders, and G. E. Christie.** 1990. Deletion analysis of a bacteriophage P2 late promoter. *Gene* **95**:9-15.
47. **Haggård-Ljungquist, E., C. Halling, and R. Calendar.** 1992. DNA sequences of the tail fiber genes of bacteriophage P2: evidence for horizontal transfer of tail fiber genes among unrelated bacteriophages. *J. Bacteriol.* **174**:1462-1477.
48. **Haggård-Ljungquist, E., E. Jacobsen, S. Rishovd, E. W. Six, Ø. Nilssen, M. G. Sunshine, B. H. Lindqvist, K.-J. Kim, V. Barreiro, E. V. Koonin, and R. Calendar.** 1995. Bacteriophage P2: genes involved in baseplate assembly. *Virology* **213**:109-121.
49. **Hakimi, J. M., and J. J. Scocca.** 1994. Binding sites for bacteriophage HP1 integrase on its DNA substrates. *J. Biol. Chem.* **269**:21340-21345.
50. **Hakimi, J. M., and J. J. Scocca.** 1996. Purification and characterization of the integrase from the *Haemophilus influenzae* bacteriophage HP1; identification of a four-stranded intermediate and the order of strand exchange. *Mol. Microbiol.* **21**:147-158.

51. **Halling, C., and R. Calendar.** 1990. Bacteriophage P2 *ogr* and P4 δ genes act independently and are essential for P4 multiplication. *J. Bacteriol.* **172**:3549-3558.
52. **Halling, C., M. G. Sunshine, K. B. Lane, E. W. Six, and R. Calendar.** 1990. A mutation of the transactivation gene of satellite bacteriophage P4 that suppresses the *rpoA109* mutation of *Escherichia coli*. *J. Bacteriol.* **172**:3541-3548.
53. **Hauser, M. A., and J. J. Scocca.** 1992. Site-specific integration of the *Haemophilus influenzae* bacteriophage HP1: Identification of the points of recombinational strand exchange and the limits of the host attachment site. *J. Biol. Chem.* **267**:6859-6864.
54. **Hauser, M. A., and J. J. Scocca.** 1992. Site-specific integration of the *Haemophilus influenzae* bacteriophage HP1: Location of the boundaries of the phage attachment site. *J. Bacteriol.* **174**:6674-6677.
55. **Hayashi, T., K. Makino, M. Ohnishi, K. Kurakawa, K. Ishii, K. Yokoyama, C.-G. Han, E. Ohtsubo, K. Nakayama, T. Murata, M. Tanaka, T. Tobe, T. Iida, H. Takami, T. Honda, C. Sasakawa, N. Ogasawara, T. Yasunaga, S. Kuhara, T. Shiba, M. Hattori, and H. Shinagawa.** 2001. Complete genome sequence of enterohaemorrhagic *Escherichia coli* O157:H7 and genomic comparison with a laboratory strain K-12. *DNA Res.* **8**:11-22.
56. **Hayashi, T., H. Matsumoto, M. Ohnishi, and Y. Terawaki.** 1993. Molecular analysis of a cytotoxin-converting phage, Φ CTX, of *Pseudomonas aeruginosa*: structure of the attP-cos-ctx region and integration into the serine tRNA gene. *Mol. Microbiol.* **7**:657-667.
57. **Hendrix, R. W., J. G. Lawrence, G. F. Hatfull, and S. Casjens.** 2000. The origins and ongoing evolution of viruses. *Trends Microbiol.* **8**:504-508.

58. **Hendrix, R. W., M. C. M. Smith, R. N. Burns, and M. E. Ford.** 1999. Evolutionary relationships among diverse bacteriophages and prophages: All the world's a phage. Proc. Natl. Acad. Sci. USA **96**:2192-2197.
59. **Higgins, D. G., J. D. Thompson, and T. J. Gibson.** 1996. Using CLUSTAL for multiple sequence alignments. Meth. Enzymol. **266**:383-402.
60. **Hooper, I., and J. B. Egan.** 1981. Coliphage 186 infection requires host initiation functions *dnaA* and *dnaC*. J. Virol. **40**:599-601.
61. **Hwang, E. S., and J. J. Scocca.** 1990. Interaction of integration host factor from *Escherichia coli* with the integration region of the *Haemophilus influenzae* bacteriophage HP1. J. Bacteriol. **172**:4852-4860.
62. **Ilyina, T. V., and E. V. Koonin.** 1992. Conserved sequence motifs in the initiator proteins for rolling circle DNA replication encoded by diverse replicons from eubacteria, eucaryotes and archaebacteria. Nucleic Acids Res. **20**:3279-3285.
63. **Jessop, L., T. Bankhead, D. Wong, and A. M. Segall.** 2000. The amino terminus of bacteriophage lambda integrase is involved in protein-protein interactions during recombination. J. Bacteriol. **182**:1024-1034.
64. **Jin, S., Y.-C. Chen, G. E. Christie, and M. J. Benedik.** 1996. Regulation of the *Serratia marcescens* extracellular nuclease: A positive control by a homolog of P2 Ogr encoded by a cryptic prophage. J. Mol. Biol. **256**:264-278.
65. **Juhala, R. J., M. E. Ford, R. L. Duda, A. Youlton, G. F. Hatfull, and R. W. Hendrix.** 2000. Genomic sequences of bacteriophages HK97 and HK022: Pervasive genetic mosaicism in the lambdoid bacteriophages. J. Mol. Biol. **299**:27-51.
66. **Julien, B., and R. Calendar.** 1996. Bacteriophage PSP3 and ΦR73 activator proteins: analysis of promoter specificities. J. Bacteriol. **178**:5668-5675.

67. **Julien, B., and R. Calendar.** 1995. Purification and characterization of the bacteriophage P4 δ protein. *J. Bacteriol.* **177**:3743-3751.
68. **Julien, B., P. Lefevre, and R. Calendar.** 1997. The two Ogr-like domains of the Delta protein from bacteriophage P4 are required for activity. *Virology* **230**:292-299.
69. **Julien, B., D. Pountney, G. E. Christie, and R. Calendar.** 1998. Mutational analysis of a satellite phage activator. *Gene* **223**:129-134.
70. **Kalionis, B., I. B. Dodd, and J. B. Egan.** 1986. Control of gene expression in the P2-related temperate coliphages III. DNA sequence of the major control region of phage 186. *J. Mol. Biol.* **191**:199-209.
71. **Kalionis, B., M. Pritchard, and J. B. Egan.** 1986. Control of gene expression in the P2-related temperate coliphages IV. Concerning the late control gene and control of its transcription. *J. Mol. Biol.* **191**:211-220.
72. **Kapfhammer, D., and J. Reidl.** 2001. The complete nucleotide sequence of bacteriophage K139 of *Vibrio cholerae*. Unpublished.
73. **Kim, S., and A. Landy.** 1992. Lambda Int protein bridges between higher order complexes at two distant chromosomal loci *attL* and *attR*. *Science* **256**:198-203.
74. **King, R. A., D. L. Anders, and G. E. Christie.** 1992. Site-directed mutagenesis of an amino acid residue in the bacteriophage P2 Ogr protein implicated in interaction with *Escherichia coli* RNA polymerase. *Mol. Microbiol.* **6**:3313-3320.
75. **Koonin, E. V., and T. V. Ilyina.** 1993. Computer-assisted dissection of rolling circle DNA-replication. *Biosystems* **30**:241-268.
76. **Kwon, H. J., R. S. Tirumalai, A. Landy, and T. Ellenberger.** 1997. Flexibility in DNA recombination: Structure of the lambda integrase catalytic core. *Science* **276**:126-131.

77. **Lamont, I., H. Richardson, D. R. Carter, and J. B. Egan.** 1993. Genes for the establishment and maintenance of lysogeny by the temperate coliphage 186. *J. Bacteriol.* **175**:5286-5288.
78. **Landy, A.** 1989. Dynamic, structural, and regulatory aspects of λ site-specific recombination. *Annu. Rev. Biochem.* **58**:913-949.
79. **Lee, T.-C., and G. E. Christie.** 1990. Purification and properties of bacteriophage P2 *ogr* gene product. A prokaryotic Zinc-binding transcriptional activator. *J. Biol. Chem.* **265**:7472-7477.
80. **Lengyel, J., and R. Calendar.** 1974. Control of bacteriophage P2 protein and DNA synthesis. *Virology* **57**:305-313.
81. **Lengyel, J. A., R. N. Goldstein, M. Marsch, and R. Calendar.** 1974. Structure of the bacteriophage P2 tail. *Virology* **62**:161-174.
82. **Lennox, E. S.** 1955. Transduction of linked genetic characters of the host by bacteriophage P1. *Virology* **1**:190-206.
83. **Lindahl, G.** 1970. Bacteriophage P2: Replication of the chromosome requires a protein which acts only on the genome that coded for it. *Virology* **42**:522-533.
84. **Linderoth, N. A., G. E. Christie, and E. Haggård-Ljungquist.** 1993. Bacteriophage P2: physical, genetic and restriction map. *Genetic Maps*, ed. 6, S.J. O'Brian (Ed), Cold Spring Harbor Press, Cold Spring Harbor, NY:1.62-1.69.
85. **Linderoth, N. A., B. Julien, K. E. Flick, R. Calendar, and G. E. Christie.** 1994. Molecular cloning and characterization of bacteriophage P2 genes *R* and *S* involved in tail completion. *Virology* **200**:347-359.

86. **Linderoth, N. A., R. Ziermann, E. Haggård-Ljungquist, G. E. Christie, and R. Calendar.** 1991. Nucleotide sequence of the DNA packaging and capsid synthesis genes of bacteriophage P2. *Nucleic Acids Res.* **19**:7207-7214.
87. **Liu, T., and E. Haggård-Ljungquist.** 1999. The transcriptional switch of bacteriophage WΦ, a P2-related but heteroimmune coliphage. *J. Virol.* **73**:9816-9826.
88. **Liu, T., S. K. Renberg, and E. Haggård-Ljungquist.** 1997. Derepression of prophage P2 by satellite phage P4: Cloning of the P4 ε gene and identification of its product. *J. Virol.* **71**:4502-4508.
89. **Liu, T., S. K. Renberg, and E. Haggård-Ljungquist.** 1998. The E protein of satellite phage P4 acts as an anti-repressor by binding to the C protein of helper phage P2. *Mol. Microbiol.* **30**:1041-1050.
90. **Liu, Y., and E. Haggård-Ljungquist.** 1996. Functional characterization of the P2 A initiator protein and its DNA cleavage site. *Virology* **216**:158-164.
91. **Liu, Y., and E. Haggård-Ljungquist.** 1994. Studies of bacteriophage P2 DNA replication: localization of the cleavage site of the A protein. *Nucleic Acids Res.* **22**:5204-5210.
92. **Liu, Y., S. Saha, and E. Haggård-Ljungquist.** 1993. Studies of Bacteriophage P2 DNA replication. The DNA sequence of the *cis*-acting gene A and *ori* region and construction of a P2 mini-chromosome. *J. Mol. Biol.* **231**:361-374.
93. **Ljungquist, E., and L. E. Bertani.** 1983. Properties and products of the cloned *int* gene of bacteriophage P2. *Mol. Gen. Genet.* **192**:87-94.
94. **Ljungquist, E., K. Kockum, and L. E. Bertani.** 1984. DNA sequence of the repressor gene and operator region of bacteriophage P2. *Proc. Natl. Acad. Sci. USA* **81**:3988-3992.

95. **Lurz, R., E. V. Orlova, D. Günther, P. Dube, A. Dröge, F. Weise, M. van Heel, and P. Tavares.** 2001. Structural organization of the head-to-tail interface of a bacterial virus. *J. Mol. Biol.* **310**:1027-1037.
96. **Marvik, O. J., T. Dokland, R. H. Nøkling, E. Jacobsen, T. Larsen, and B. H. Lindqvist.** 1995. The capsid size-determining protein Sid forms an external scaffold on phage P4 procapsids. *J. Mol. Biol.* **251**:59-75.
97. **Marvik, O. J., E. Jacobsen, T. Dokland, and B. H. Lindqvist.** 1994. Bacteriophage P2 and P4 morphogenesis: assembly precedes proteolytic processing of the capsid proteins. *Virology* **205**:51-65.
98. **Marvik, O. J., P. Sharma, T. Dokland, and B. H. Lindqvist.** 1994. Bacteriophage P2 and P4 assembly: alternative scaffolding proteins regulate capsid size. *Virology* **200**:702-714.
99. **McClelland, M., K. E. Sanderson, J. Spieth, S. W. Clifton, P. Latreille, L. Courtney, S. Porwollik, J. Ali, M. Dante, F. Du, S. Hou, D. Layman, S. Leonard, C. Nguyen, K. Scott, A. Holmes, N. Grewal, E. Mulvaney, E. Ryan, H. Sun, L. Florea, W. Miller, T. Stoneking, M. Nhan, R. Waterston, and R. K. Wilson.** 2001. Complete genome sequence of *Salmonella enterica* serovar Typhimurium LT2. *Nature* **413**:852-856.
100. **Mirold, S., W. Rabsch, H. Tschäpe, and W.-D. Hardt.** 2001. Transfer of the *Salmonella* type III effector *sopE* between unrelated phage families. *J. Mol. Biol.* **312**:7-16.
101. **Mosig, G., S. Yu, H. Myung, E. Haggård-Ljungquist, L. Davenport, K. Carlsson, and R. Calendar.** 1997. A novel mechanism of virus-virus interactions: Bacteriophage P2 Tin protein inhibits phage T4 DNA synthesis by poisoning the T4 single-stranded DNA binding protein, gp32. *Virology* **230**:72-81.

102. **Myung, H., and R. Calendar.** 1995. The *old* nuclease of bacteriophage P2. *J. Bacteriol.* **177**:497-501.
103. **Nakayama, K., S. Kanaya, M. Ohnishi, Y. Terawaki, and T. Hayashi.** 1999. The complete nucleotide sequence of ΦCTX, a cytotoxin-converting phage of *Pseudomonas aeruginosa*: Implications for phage evolution and horizontal transfer via bacteriophages. *Mol. Microbiol.* **31**:399-419.
104. **Nakayama, K., K. Takashima, H. Ishihara, T. Shinomiya, M. Kageyama, S. Kanaya, M. Ohnishi, T. Murata, H. Mori, and T. Hayashi.** 2000. The R-type pyocin of *Pseudomonas aeruginosa* is related to P2 phage, and the F-type is related to lambda phage. *Mol. Microbiol.* **38**:213-231.
105. **Nesper, J., J. Blaß, M. Fountoulakis, and J. Reidl.** 1999. Characterization of the major control region of *Vibrio cholerae* bacteriophage K139: Immunity, exclusion, and integration. *J. Bacteriol.* **181**:2902-2913.
106. **Neufing, P. J., K. E. Shearwin, J. Camerotto, and J. B. Egan.** 1996. The CII protein of bacteriophage 186 establishes lysogeny by activating a promoter upstream of the lysogenic promoter. *Mol. Microbiol.* **21**:751-761.
107. **Neufing, P. J., K. E. Shearwin, and J. B. Egan.** 2001. Establishing lysogenic transcription in the pemente coliphage 186. *J. Bacteriol.* **183**:2376-2379.
108. **Nilsson, A. S., and E. Haggård-Ljungquist.** 2001. Detection of homologous recombination among bacteriophage P2 relatives. *Mol. Phylogenetic Evol.* **21**:259-269.
109. **Nilsson, A. S., J. Karlsson, and E. Haggård-Ljungquist.** 2002. Bacteriophage P2 in the *Escherichia coli* reference collection (ECOR): Genetic variation of morons at the *Z/fun* locus. To be submitted.

110. **Nunes-Düby, S. E., H. J. Kwon, R. S. Tirumalai, T. Ellenberger, and A. Landy.** 1998. Similarities and differences among 105 members of the Int family of site-specific recombinases. *Nucleic Acids Research* **26**:391-406.
111. **Ochman, H., and R. K. Selander.** 1984. Standard reference strains of *Escherichia coli* from natural populations. *J. Bacteriol.* **157**:690-693.
112. **Odegrip, R., and E. Haggård-Ljungquist.** 2001. The two active-site tyrosine residues of the A protein play non-equivalent roles during initiation of rolling circle replication of bacteriophage P2. *J. Mol. Biol.* **308**:147-163.
113. **Odegrip, R., S. Schoen, E. Haggård-Ljungquist, K. Park, and D. K. Chattoraj.** 2000. The interaction of bacteriophage P2 B protein with *Escherichia coli* DnaB helicase. *J. Virol.* **74**:4057-4063.
114. **Perna, N. T., G. Plunkett III, V. Burland, B. Mau, J. D. Glasner, D. J. Rose, G. F. Mayhew, P. S. Evans, J. Gregor, H. A. Kirkpatrick, G. Pósfal, J. Hackett, S. Klink, A. Boutin, Y. Shao, L. Miller, E. J. Grotbeck, N. W. Davis, A. Lim, E. T. Dimalanta, K. D. Potamousis, J. Apodaca, T. S. Anantharaman, J. Lin, G. Yen, D. C. Schwartz, R. A. Welch, and F. R. Blattner.** 2001. Genome sequence of enterohaemorrhagic *Escherichia coli* O157:H7. *Nature* **409**:529-533.
115. **Pontarollo, R. A., C. R. Rioux, and A. A. Potter.** 1997. Cloning and characterization of bacteriophage-like DNA from *Haemophilus somnus* homologous to phages P2 and HP1. *J. Bacteriol.* **179**:1872-1879.
116. **Portelli, R., I. B. Dodd, Q. Xue, and J. B. Egan.** 1998. The late-expressed region of the temperate coliphage 186 genome. *Virology* **248**:117-130.

117. **Pountney, D. L., R. P. Tiwari, and J. B. Egan.** 1997. Metal- and DNA-binding properties and mutual analysis of the transcription activating factor, B, of coliphage 186: a prokaryotic C4 zinc-finger protein. *Protein Sci.* **6**:892-902.
118. **Ptashne, M.** 1992. A genetic switch: Phage λ and higher organisms, 2 ed. Cell Press & Blackwell Scientific Publications.
119. **Reed, M. R., F. E. Shearwin, L. M. Pell, and J. B. Egan.** 1997. The dual role of Apl in prophage induction of coliphage 186. *Mol. Microbiol.* **23**:669-681.
120. **Renberg-Eriksson, S. K., A. Ahlgren-Berg, J. DeGroot, and E. Haggård-Ljungquist.** 2001. Characterization of the developmental switch region of bacteriophage P2 Hy *dis.* *Virology* **290**:199-210.
121. **Renberg-Eriksson, S. K., T. Liu, and E. Haggård-Ljungquist.** 2000. Interacting interfaces of the P4 antirepressor E and the P2 immunity repressor C. *Mol. Microbiol.* **36**:1148-1155.
122. **Rice, P. A., S.-W. Yang, K. Mizuuchi, and H. A. Nash.** 1996. Crystal structure of an IHF-DNA complex: A protein-induced DNA U-turn. *Cell* **87**:1295-1306.
123. **Richardson, H., and J. B. Egan.** 1989. Control of gene expression in the P2-related temperate coliphage 186 VI. Sequence analysis of the early lytic region. *J. Mol. Biol.* **206**:251-255.
124. **Richardson, H., and J. B. Egan.** 1989. DNA replication studies with coliphage 186 II. Derepression of host replication by a 186 gene. *J. Mol. Biol.* **206**:59-68.
125. **Rishovd, S., A. Holzenburg, B. V. Johansen, and B. H. Lindqvist.** 1998. Bacteriophage P2 and P4 morphogenesis: Structure and function of the connector. *Virology* **245**:11-17.
126. **Rishovd, S., and B. H. Lindqvist.** 1992. Bacteriophage P2 and P4 morphogenesis: protein processing and capsid size determination. *Virology* **187**:548-554.

127. **Rishovd, S., O. J. Marvik, E. Jacobsen, and B. H. Lindqvist.** 1994. Bacteriophage P2 and P4 morphogenesis: identification and characterization of the portal protein. *Virology* **200**:744-751.
128. **Saha, S., E. Haggård-Ljungquist, and K. Nordström.** 1989. Activation of prophage P4 by the P2 Cox protein and the sites of action of the Cox protein on the two phage genomes. *Proc. Natl. Acad. Sci. USA* **86**:3973-3977.
129. **Saha, S., E. Haggård-Ljungquist, and K. Nordström.** 1987. The Cox protein of bacteriophage P2 inhibits the formation of the repressor protein and autoregulates the early operon. *EMBO J.* **6**:3191-3199.
130. **Saha, S., B. Lundqvist, and E. Haggård-Ljungquist.** 1987. Autoregulation of bacteriophage P2 repressor. *EMBO J.* **6**:809-814.
131. **Sauer, B., R. Calendar, E. Ljungquist, E. Six, and M. G. Sunshine.** 1982. Interaction of satellite phage P4 with phage 186 helper. *Virology* **116**:523-534.
132. **Shearwin, K. E., A. M. Brumby, and J. B. Egan.** 1998. The Tum protein of coliphage 186 is an antirepressor. *J. Biol. Chem.* **273**:5708-5715.
133. **Shearwin, K. E., I. B. Dodd, and J. B. Egan.** 2002. The helix-turn-helix motif of the coliphage 186 immunity repressor binds to two distinct recognition sequences. *The Journal of Biological Chemistry* **277**:3186-3194.
134. **Shearwin, K. E., and J. B. Egan.** 1996. Purification and self-association equilibria of the lysis-lysogeny switch proteins of coliphage 186. *J. Biol. Chem.* **271**:11525-11531.
135. **Sinsheimer, R. L., C. A. Hutchison, and B. H. Lindqvist.** 1967. Bacteriophage ΦX174: Viral functions, p. 175-192. In J. S. Colter and W. Parachych (ed.), *The molecular biology of viruses*. Academic press, New York.

136. **Sivaprasad, A. V., R. Jarvinen, A. Puspurs, and J. B. Egan.** 1990. DNA replication studies with coliphage 186 III. A single phage gene is required for phage 186 replication. *J. Mol. Biol.* **213**:449-463.
137. **Six, E. W., M. G. Sunshine, J. Williams, E. Haggård-Ljungquist, and B. H. Lindqvist.** 1991. Morphopoietic switch mutations in bacteriophage P2. *Virology* **182**:34-46.
138. **Slettan, A., K. Gebhardt, E. Kristiansen, N.-K. Birkeland, and B. H. Lindqvist.** 1992. *Escherichia coli* K-12 and B contain functional bacteriophage P2 *ogr* genes. *J. Bacteriol.* **174**:4094-4100.
139. **Souza, L., R. Calendar, E. W. Six, and B. H. Lindqvist.** 1977. A *transactivation* mutant of satellite phage P4. *Virology* **81**:81-90.
140. **Sunshine, M. G., and B. Sauer.** 1975. A bacterial mutation blocking P2 phage late gene expression. *Proc. Natl. Acad. Sci. USA* **72**:2770-2774.
141. **Swofford, D. L.** 1999. PAUP*. Phylogenetic Analysis Using Parsimony (*and Other Methods), 4.0 ed. Sinauer Associates, Sunderland, Massachusetts, USA.
142. **Temple, L. M., S. L. Forsburg, R. Calendar, and G. E. Christie.** 1991. Nucleotide sequence of the genes encoding the major tail sheath and tail tube proteins of bacteriophage P2. *Virology* **181**:353-358.
143. **Tessman, E. S.** 1966. Mutants of bacteriophage S13 blocked in infectious DNA synthesis. *J. Mol. Biol.* **17**:218-236.
144. **Tessman, E. S., M. T. Borras, and I. L. Sun.** 1971. Superinfection in bacteriophage S13 and determination of the number of bacteriophage particles which can function in an infected cell. *J. Virology* **8**:111-120.

145. **Valpuesta, J. M., and J. L. Carrascosa.** 1994. Structure of viral connectors and their function in bacteriophage assembly and DNA packaging. *Quart. Rev. Biophys.* **27**:107-155.
146. **Valpuesta, J. M., J. J. Fernández, J. M. Carazo, and J. L. Carrascosa.** 1999. The three-dimensional structure of a DNA translocating machine at 10 Å resolution. *Structure Fold Des.* **7**:289-296.
147. **Van Bokkelen, G. B., E. C. Dale, C. Halling, and R. Calendar.** 1991. Mutational Analysis of a bacteriophage P4 late promoter. *J. Bacteriol.* **173**:37-45.
148. **Van der Mei, D., J. Zandberg, and H. S. Jansz.** 1972. The effect of chloramphenicol on synthesis of ΦX174-specific proteins and deletion of the cistron A protein. *Biochim. Biophys. Acta* **287**:312-321.
149. **Van Mansfeld, A. D. M., H. A. A. M. Van Teeffelen, P. D. Baas, and H. S. Jansz.** 1986. Two juxtaposed tyrosyl-OH groups participate in X174 gene A protein catalysed cleavage and ligation of DNA. *Nucleic Acids Res.* **14**:4229-4238.
150. **Wang, I.-N., D. L. Smith, and R. Young.** 2000. Holins: The protein clocks of bacteriophage infections. *Annu. Rev. Microbiol.* **54**:799-825.
151. **Williams, B. J., M. Golomb, T. Phillips, J. Brownlee, M. V. Olson, and A. L. Smith.** 2002. Bacteriophage HP2 of *Haemophilus influenzae*. *J. Bacteriol.* **184**:6893-6905.
152. **Williams, S. G., and J. B. Egan.** 1994. DNA replication studies with coliphage 186: the involvement of the *Escherichia coli* DnaA protein in 186 replication is indirect. *J. Bacteriol.* **176**:6039-6044.
153. **Xue, Q., and J. B. Egan.** 1995. Tail sheath and tail tube genes of the temperate coliphage 186. *Virology* **212**:218-221.

154. **Young, R.** 2002. Bacteriophage holins: Deadly diversity. *J. Mol. Microbiol. Biotechnol.* **4**:21-36.
155. **Young, R.** 1992. Bacteriophage lysis: Mechanism and regulation. *Microbiol. Rev.* **56**:430-481.
156. **Yu, A., V. Barreiro, and E. Haggård-Ljungquist.** 1994. Regulation of *int* gene expression in bacteriophage P2. *J. Virol.* **68**:4220-4226.
157. **Yu, A., L. E. Bertani, and E. Haggård-Ljungquist.** 1989. Control of prophage integration and excision in bacteriophage P2: nucleotide sequences of the *int* gene and *att* sites. *Gene* **80**:1-12.
158. **Yu, A., and E. Haggård-Ljungquist.** 1993. Characterization of the binding sites of two proteins involved in the bacteriophage P2 site-specific recombination system. *J. Bacteriol.* **175**:1239-1249.
159. **Yu, A., and E. Haggård-Ljungquist.** 1993. The Cox protein is a modulator of directionality in bacteriophage P2 site-specific recombination. *J. Bacteriol.* **175**:7848-7855.
160. **Ziermann, R., B. Bartlett, R. Calendar, and G. E. Christie.** 1994. Functions involved in bacteriophage P2-induced host cell lysis and identification of a new tail gene. *J. Bacteriol.* **176**:4974-4984.
161. **Ziermann, R., and R. Calendar.** 1990. Characterization of the *cos* site of bacteriophages P2 and P4. *Gene* **96**:9-15.