

brought to you by www.thebacteriophages.org and www.phage.org

REFERENCES

1. **Abraham, J., D. Mascarenhas, R. Fischer, M. Benedik, A. Campbell, and H. Echols.** 1980. DNA sequence of regulatory region for integration gene of bacteriophage lambda. *Proc. Natl. Acad. Sci. USA* **77**:2477-2481.
2. **Ackermann, H. W.** 1998. Tailed bacteriophages: the order *caudovirales*. *Adv. Virus. Res.* **51**:135-201.
3. **Aggarwal, A. K., D. W. Rodgers, M. Drottar, M. Ptashne, and S. C. Harrison.** 1988. Recognition of a DNA operator by the repressor of phage 434: a view at high resolution. *Science* **242**:899-907.
4. **Albright, R. A., and B. W. Matthews.** 1998. Crystal structure of lambda-Cro bound to a consensus operator at 3.0 Å resolution. *J. Mol. Biol.* **280**:137-151.
5. **Albright, R. A., and B. W. Matthews.** 1998. How Cro and lambda-repressor distinguish between operators: the structural basis underlying a genetic switch. *Proc. Natl. Acad. Sci. U S A* **95**:3431-3436.
6. **Allison, G. E., D. Angeles, N. Tran-Dinh, and N. K. Verma.** 2002. Complete genomic sequence of SfV, a serotype-converting temperate bacteriophage of *Shigella flexneri*. *J. Bacteriol.* **184**:1974-1987.

7. **Allison, G. E., and N. K. Verma.** 2000. Serotype-converting bacteriophages and O-antigen modification in *Shigella flexneri*. *Trends Microbiol.* **8**:17-23.
8. **Anderson, W. F., D. H. Ohlendorf, Y. Takeda, and B. W. Matthews.** 1981. Structure of the cro repressor from bacteriophage lambda and its interaction with DNA. *Nature* **290**:754-758.
9. **Ang, D., F. Keppel, G. Klein, A. Richardson, and C. Georgopoulos.** 2000. Genetic analysis of bacteriophage-encoded cochaperonins. *Annu. Rev. Genet.* **34**:439-456.
10. **Backhaus, H., and J. B. Petri.** 1984. Sequence analysis of a region from the early right operon in phage P22 including the replication genes 18 and 12. *Gene* **32**:289-303.
11. **Baker, J., R. Limberger, S. J. Schneider, and A. Campbell.** 1991. Recombination and modular exchange in the genesis of new lambdoid phages. *New Biol.* **3**:297-308.
12. **Ball, C. A., and R. C. Johnson.** 1991. Efficient excision of phage lambda from the *Escherichia coli* chromosome requires the Fis protein. *J. Bacteriol.* **173**:4027-4031.
13. **Banik-Maiti, S., R. A. King, and R. A. Weisberg.** 1997. The antiterminator RNA of phage HK022. *J. Mol. Biol.* **272**:677-687.

14. **Banks, D. J., S. B. Beres, and J. M. Musser.** 2002. The fundamental contribution of phages to GAS evolution, genome diversification and strain emergence. *Trends Microbiol.* **10**:515-521.
15. **Baranska, S., M. Gabig, A. Wegrzyn, G. Konopa, A. Herman-Antosiewicz, P. Hernandez, J. B. Schwartzman, D. R. Helinski, and G. Wegrzyn.** 2001. Regulation of the switch from early to late bacteriophage lambda DNA replication. *Microbiology* **147**:535-547.
16. **Barenboim, M., C. Y. Chang, F. dib Hajj, and R. Young.** 1999. Characterization of the dual start motif of a class II holin gene. *Molec. Microbiol.* **32**:715-727.
17. **Barondess, J. J., and J. Beckwith.** 1995. *bor* gene of phage lambda, involved in serum resistance, encodes a widely conserved outer membrane lipoprotein. *J. Bacteriol.* **177**:1247-1253.
18. **Bazinet, C., J. Benbasat, J. King, J. M. Carazo, and J. L. Carrascosa.** 1988. Purification and organization of the gene 1 portal protein required for phage P22 DNA packaging. *Biochemistry* **27**:1849-1856.
19. **Beamer, L. J., and C. O. Pabo.** 1992. Refined 1.8 Å crystal structure of the lambda repressor-operator complex. *J. Mol. Biol.* **227**:177-196.
20. **Belfort, M., and D. Wulff.** 1974. The roles of the lambda *c3* gene and the *Escherichia coli* catabolite gene activation system in the establishment of lysogeny by bacteriophage lambda. *Proc. Natl. Acad. Sci. USA* **71**:779-782.

21. **Bell, C. E., and M. Lewis.** 2001. Crystal structure of the lambda repressor C-terminal domain octamer. *J. Mol. Biol.* **314**:1127-1136.
22. **Benchimol, S., H. Lucko, and A. Becker.** 1982. A novel endonuclease specified by bacteriophage lambda. Purification and properties of the enzyme. *J. Biol. Chem.* **257**:5211-5219.
23. **Benton, C. B., J. King, and P. L. Clark.** 2002. Characterization of the protrimer intermediate in the folding pathway of the interdigitated beta-helix tailspike protein. *Biochemistry* **41**:5093-5103.
24. **Benzer, S.** 1957. The elementary unit of heredity, p. 70-93. *In* W. McElroy and B. Glass (ed.), *The chemical basis of heredity*. The Johns Hopkins Press, Baltimore, MD.
25. **Benzer, S.** 1955. Fine structure of a genetic region in bacteriophage. *Proc. Natl. Acad. Sci. USA* **41**:344-354.
26. **Bergh, O., K. Y. Borsheim, G. Bratbak, and M. Heldal.** 1989. High abundance of viruses found in aquatic environments. *Nature* **340**:467-468.
27. **Betts, S., and J. King.** 1999. There's a right way and a wrong way: *in vivo* and *in vitro* folding, misfolding and subunit assembly of the P22 tailspike. *Structure Fold. Des.* **7**:R131-139.
28. **Bienkowska-Szewczyk, K., B. Lipinska, and A. Taylor.** 1981. The R gene product of bacteriophage lambda is the murein transglycosylase. *Mol. Gen. Genet.* **184**:111-114.

29. **Black, L. W., M. Showe, and A. C. Steven.** 1994. Morphogenesis of the T4 head, p. 218-258. *In* J. Karam (ed.), *Molecular biology of bacteriophage T4*. ASM Press, Washington, DC.
30. **Blasband, A. J., W. R. Marcotte, Jr., and C. A. Schnaitman.** 1986. Structure of the lc and nmpC outer membrane porin protein genes of lambdoid bacteriophage. *J. Biol. Chem.* **261**:12723-12732.
31. **Blasi, U., and R. Young.** 1996. Two beginnings for a single purpose: the dual-start holins in the regulation of phage lysis. *Molec. Microbiol.* **21**:675-682.
32. **Blattner, F. R., G. Plunkett, 3rd, C. A. Bloch, N. T. Perna, V. Burland, M. Riley, J. Collado-Vides, J. D. Glasner, C. K. Rode, G. F. Mayhew, J. Gregor, N. W. Davis, H. A. Kirkpatrick, M. A. Goeden, D. J. Rose, B. Mau, and Y. Shao.** 1997. The complete genome sequence of *Escherichia coli* K-12. *Science* **277**:1453-1474.
33. **Botstein, D.** 1980. A theory of modular evolution in bacteriophages. *Ann. N. Y. Acad. Sci.* **354**:484-491.
34. **Botstein, D., C. H. Waddell, and J. King.** 1973. Mechanism of head assembly and DNA encapsulation in *Salmonella* phage P22. I. Genes, proteins, structures and DNA maturation. *J. Mol. Biol.* **80**:669-695.
35. **Boyd, E. F., and H. Brussow.** 2002. Common themes among bacteriophage-encoded virulence factors and diversity among the bacteriophages involved. *Trends Microbiol.* **10**:521-529.

36. **Brikun, I., K. Suziedelis, and D. E. Berg.** 1994. DNA sequence divergence among derivatives of *Escherichia coli* K-12 detected by arbitrary primer PCR (random amplified polymorphic DNA) fingerprinting. *J. Bacteriol.* **176**:1673-1682.
37. **Brown, K. L., G. J. Sarkis, C. Wadsworth, and G. F. Hatfull.** 1997. Transcriptional silencing by the mycobacteriophage L5 repressor. *EMBO J.* **16**:5914-5921.
38. **Buchwald, M., H. Murialdo, and L. Siminovitch.** 1970. The morphogenesis of bacteriophage lambda. II. Identification of the principal structural proteins. *Virology* **42**:390-400.
39. **Buchwald, M., and L. Siminovitch.** 1969. Production of serum-blocking material by mutants of the left arm of the λ chromosome. *Virology* **42**:1-10.
40. **Buchwald, M., P. Steed-Glaister, and L. Siminovitch.** 1970. The morphogenesis of bacteriophage lambda. I. Purification and characterization of lambda heads and lambda tails. *Virology* **42**:375-389.
41. **Bunny, K., J. Liu, and J. Roth.** 2002. Phenotypes of *lexA* mutations in *Salmonella enterica*: Evidence for a lethal *lexA* null phenotype due to the Fels-2 prophage. *J. Bacteriol.* **184**:6235-6249.
42. **Cairns, J., G. Stent, and J. E. Watson.** 1966. Phage and the origins of molecular biology. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.

43. **Campbell, A.** 1994. Comparative molecular biology of lambdoid phages. *Annu. Rev. Microbiol.* **48**:193-222.
44. **Campbell, A., A. del-Campillo-Campbell, and M. L. Ginsberg.** 2002. Specificity in DNA recognition by phage integrases. *Gene* **300**:13-18.
45. **Campbell, A., S. J. Schneider, and B. Song.** 1992. Lambdoid phages as elements of bacterial genomes (integrase/phage 21/*Escherichia coli* K-12/*icd* gene). *Genetica* **86**:259-267.
46. **Casjens, S.** 1974. Bacteriophage lambda *FII* gene protein: role in head assembly. *J. Mol. Biol.* **90**:1-20.
47. **Casjens, S.** 1989. Bacteriophage P22 DNA packaging., p. 241-261. *In* K. Adolph (ed.), *Chromosomes, Eukaryotic, Prokaryotic and Viral*, vol. III. CRC Press, Boca Raton.
48. **Casjens, S.** 1999. Evolution of the linear DNA replicons of the *Borrelia* spirochetes. *Curr. Opin. Microbiol.* **2**:529-534.
49. **Casjens, S.** 1979. Molecular organization of the bacteriophage P22 coat protein shell. *J. Mol. Biol.* **131**:1-14.
50. **Casjens, S.** 2003. Prophages in bacterial genomics: What have we learned so far? *Molec. Microbiol.* **49**:277-300.
51. **Casjens, S., K. Eppler, R. Parr, and A. R. Poteete.** 1989. Nucleotide sequence of the bacteriophage P22 gene 19 to 3 region: identification of a new gene required for lysis. *Virology* **171**:588-598.

52. **Casjens, S., E. B. Gilcrease, W. M. Huang, K. L. Bunny, M. L. Pedulla, M. E. Ford, J. M. Houtz, G. F. Hatfull, and R. W. Hendrix.** 2004. The pKO2 linear plasmid prophage of *Klebsiella oxytoca*. *J. Bacteriol.* **186**:1818-1832.
53. **Casjens, S., G. Hatfull, and R. Hendrix.** 1992. Evolution of dsDNA tailed-bacteriophage genomes. *Sem. Virol.* **3**:383-397.
54. **Casjens, S., and M. Hayden.** 1988. Analysis *in vivo* of the bacteriophage P22 headful nuclease. *J. Mol. Biol.* **199**:467-474.
55. **Casjens, S., and R. Hendrix.** 2003. Bacteriophage roles in bacterial chromosome evolution, *In* P. Higgins (ed.), *The Bacterial Chromosome*. ASM Press, Washington, D.C., in press.
56. **Casjens, S., and R. Hendrix.** 1974. Comments on the arrangement of the morphogenetic genes of bacteriophage lambda. *J. Mol. Biol.* **90**:20-25.
57. **Casjens, S., and R. Hendrix.** 1988. Control mechanisms in dsDNA bacteriophage assembly., p. 15-91. *In* R. Calendar (ed.), *The Bacteriophages*, vol. 1. Plenum Press, New York City.
58. **Casjens, S., T. Hohn, and A. D. Kaiser.** 1972. Head assembly steps controlled by genes *F* and *W* in Bacteriophage λ . *J. Mol. Biol.* **64**:551-563.
59. **Casjens, S., and J. King.** 1974. P22 morphogenesis. I: Catalytic scaffolding protein in capsid assembly. *J. Supramol. Struct.* **2**:202-224.
60. **Casjens, S., L. Sampson, S. Randall, K. Eppler, H. Wu, J. B. Petri, and H. Schmieger.** 1992. Molecular genetic analysis of bacteriophage P22 gene 3

- product, a protein involved in the initiation of headful DNA packaging. *J. Mol. Biol.* **227**:1086-1099.
61. **Casjens, S., D. Winn, R. Moreno, W. Inwood, and A. J. Clark.** 2004. The chromosome of *Shigella flexneri* bacteriophage Sf6: complete nucleotide sequence, genetic mosaicism, and DNA packaging. *J. Mol. Biol.* **339**:379-394.
 62. **Casjens, S., E. Wyckoff, M. Hayden, L. Sampson, K. Eppler, S. Randall, E. Moreno, and P. Serwer.** 1992. Bacteriophage P22 portal protein is part of the gauge that regulates packing density of intravirion DNA. *J. Mol. Biol.* **224**:1055-1074.
 63. **Casjens, S. R., and R. W. Hendrix.** 1974. Locations and amounts of major structural proteins in bacteriophage lambda. *J. Mol. Biol.* **88**:535-545.
 64. **Catalano, C., and M. Tomka.** 1995. Role of gpFI protein in DNA packaging by bacteriophage lambda. *Biochemistry* **34**:10036-10042.
 65. **Catalano, C. E.** 2000. The terminase enzyme from bacteriophage lambda: a DNA-packaging machine. *Cell. Mol. Life Sci.* **57**:128-148.
 66. **Chattoraj, D. K., and R. B. Inman.** 1974. Location of DNA ends in P2, 186, P4 and lambda bacteriophage heads. *J. Mol. Biol.* **87**:11-22.
 67. **Cheetham, B. F., and M. E. Katz.** 1995. A role for bacteriophages in the evolution and transfer of bacterial virulence determinants. *Molec. Microbiol.* **18**:201-208.

68. **Cheng, H. H., P. J. Muhlrاد, M. A. Hoyt, and H. Echols.** 1988. Cleavage of the cII protein of phage lambda by purified HflA protease: control of the switch between lysis and lysogeny. *Proc. Natl. Acad. Sci. USA* **85**:7882-7886.
69. **Cho, E. H., R. I. Gumpert, and J. F. Gardner.** 2002. Interactions between integrase and excisionase in the phage lambda excisive nucleoprotein complex. *J. Bacteriol.* **184**:5200-5203.
70. **Ciubotaru, M., F. V. Bright, C. M. Ingersoll, and G. B. Koudelka.** 1999. DNA-induced conformational changes in bacteriophage 434 repressor. *J. Mol. Biol.* **294**:859-873.
71. **Clark, A. J., W. Inwood, T. Cloutier, and T. S. Dillon.** 2001. Nucleotide sequence of coliphage HK620 and the evolution of lambdoid phages. *J. Mol. Biol.* **311**:657-679.
72. **Clark, C. A., J. Beltrame, and P. A. Manning.** 1991. The *oac* gene encoding a lipopolysaccharide O-antigen acetylase maps adjacent to the integrase-encoding gene on the genome of *Shigella flexneri* bacteriophage Sf6. *Gene* **107**:43-52.
73. **Clarke, N. D., L. J. Beamer, H. R. Goldberg, C. Berkower, and C. O. Pabo.** 1991. The DNA binding arm of lambda repressor: critical contacts from a flexible region. *Science* **254**:267-270.

74. **Clement, J. M., E. Lepouce, C. Marchal, and M. Hofnung.** 1983. Genetic study of a membrane protein: DNA sequence alterations due to 17 *lamB* point mutations affecting adsorption of phage lambda. *EMBO J.* **2**:77-80.
75. **Conlin, C. A., E. R. Vimr, and C. G. Miller.** 1992. Oligopeptidase A is required for normal phage P22 development. *J. Bacteriol.* **174**:5869-5880.
76. **Conway, J. F., R. L. Duda, N. Cheng, R. W. Hendrix, and A. C. Steven.** 1995. Proteolytic and conformational control of virus capsid maturation: the bacteriophage HK97 system. *J. Mol. Biol.* **253**:86-99.
77. **Court, D., and A. B. Oppenheim.** 1983. Phage lambda's accessory genes, p. 251-277. *In* R. Hendrix, J. Roberts, F. W. Stahl, and R. Weisberg (ed.), *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
78. **Court, D., and K. Sato.** 1969. Studies of novel transducing variants of lambda: dispensability of genes *N* and *Q*. *Virology* **39**:348-352.
79. **Crisona, N. J., R. L. Weinberg, B. J. Peter, D. W. Sumners, and N. R. Cozzarelli.** 1999. The topological mechanism of phage lambda integrase. *J. Mol. Biol.* **289**:747-775.
80. **Crowther, R. A., E. V. Lenk, Y. Kikuchi, and J. King.** 1977. Molecular reorganization in the hexagon to star transition of the baseplate of bacteriophage T4. *J. Mol. Biol.* **116**:489-523.
81. **Czyz, A., R. Zielke, and G. Wegrzyn.** 2001. Rapid degradation of bacteriophage lambda O protein by ClpP/ClpX protease influences the

- lysis-versus-lysogenization decision of the phage under certain growth conditions of the host cells. *Arch. Virol.* **146**:1487-1498.
82. **Davey, M. J., L. Fang, P. McInerney, R. E. Georgescu, and M. O'Donnell.** 2002. The DnaC helicase loader is a dual ATP/ADP switch protein. *EMBO J.* **21**:3148-3159.
83. **de Beer, T., J. Fang, M. Ortega, Q. Yang, L. Maes, C. Duffy, N. Berton, J. Sippy, M. Overduin, M. Feiss, and C. E. Catalano.** 2002. Insights into specific DNA recognition during the assembly of a viral genome packaging machine. *Mol. Cell* **9**:981-991.
84. **Deneke, J., G. Ziegelin, R. Lurz, and E. Lanka.** 2000. The protelomerase of temperate *Escherichia coli* phage N15 has cleaving- joining activity. *Proc. Natl. Acad. Sci. USA* **97**:7721-7726.
85. **Dhillon, E. K., T. S. Dhillon, A. N. Lai, and S. Linn.** 1980. Host range, immunity and antigenic properties of lambdoid coliphage HK97. *J. Gen. Virol.* **50**:217-220.
86. **Dodd, I. B., A. J. Perkins, D. Tsemitsidis, and J. B. Egan.** 2001. Octamerization of lambda CI repressor is needed for effective repression of P_{RM} and efficient switching from lysogeny. *Genes Dev.* **15**:3013-3022.
87. **Dodson, M., R. McMacken, and H. Echols.** 1989. Specialized nucleoprotein structures at the origin of replication of bacteriophage lambda. Protein association and disassociation reactions responsible for localized initiation of replication. *J. Biol. Chem.* **264**:10719-10725.

88. **Dokland, T., and H. Murialdo.** 1993. Structural transitions during maturation of bacteriophage lambda capsids. *J. Mol. Biol.* **233**:682-694.
89. **Droge, A., M. A. Santos, A. C. Stiege, J. C. Alonso, R. Lurz, T. A. Trautner, and P. Tavares.** 2000. Shape and DNA packaging activity of bacteriophage SPP1 procapsid: protein components and interactions during assembly. *J. Mol. Biol.* **296**:117-132.
90. **Duda, R., K. Martincic, Z. Xie, and R. Hendrix.** 1995. Bacteriophage HK97 head assembly. *FEMS Microbiol. Rev.* **17**:41-46.
91. **Duda, R. L.** 1998. Protein chainmail: catenated protein in viral capsids. *Cell* **94**:55-60.
92. **Duda, R. L., J. Hempel, H. Michel, J. Shabanowitz, D. Hunt, and R. W. Hendrix.** 1995. Structural transitions during bacteriophage HK97 head assembly. *J. Mol. Biol.* **247**:618-635.
93. **Duda, R. L., K. Martincic, and R. W. Hendrix.** 1995. Genetic basis of bacteriophage HK97 prohead assembly. *J. Mol. Biol.* **247**:636-647.
94. **Duffy, C., and M. Feiss.** 2002. The large subunit of bacteriophage lambda's terminase plays a role in DNA translocation and packaging termination. *J. Mol. Biol.* **316**:547-561.
95. **Dykhuisen, D., J. H. Campbell, and B. G. Rolfe.** 1978. The influences of a lambda prophage on the growth rate of *Escherichia coli*. *Microbios* **23**:99-113.

96. **Echols, H.** 1986. Bacteriophage λ development: temporal switches and the choices of lysis and lysogeny. *Trends Microbiol.* **2**:26-30.
97. **Echols, H., and G. Guarneros.** 1983. Control of integration and excision, p. 75-92. *In* R. Hendrix, J. Roberts, F. W. Stahl, and R. Weisberg (ed.), *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
98. **Elliott, J., and W. Arber.** 1978. *E. coli* K-12 *pel* mutants, which block phage lambda DNA injection, coincide with *ptsM*, which determines a component of a sugar transport system. *Mol. Gen. Genet.* **161**:1-8.
99. **Engelberg-Kulka, H., M. Reches, S. Narasimhan, R. Schoulaker-Schwarz, Y. Klemes, E. Aizenman, and G. Glaser.** 1998. *rexB* of bacteriophage lambda is an anti-cell death gene. *Proc. Natl. Acad. Sci. USA* **95**:15481-15486.
100. **Eppler, K., E. Wyckoff, J. Goates, R. Parr, and S. Casjens.** 1991. Nucleotide sequence of the bacteriophage P22 genes required for DNA packaging. *Virology* **183**:519-538.
101. **Erdile, L., and R. B. Inman.** 1984. The role of gene O protein in the replication of bacteriophage lambda. *Virology* **139**:97-108.
102. **Espion, D., K. Kaiser, and C. Dambly-Chaudiere.** 1983. A third defective lambdoid prophage of *Escherichia coli* K12 defined by the lambda derivative, lambda_{daqin111}. *J. Mol. Biol.* **170**:611-633.

103. **Esposito, D., and G. F. Gerard.** 2003. The *Escherichia coli* Fis protein stimulates bacteriophage lambda integrative recombination *in vitro*. *J. Bacteriol.* **185**:3076-3080.
104. **Evans, R., N. R. Seeley, and P. L. Kuempel.** 1979. Loss of rac locus DNA in merozygotes of *Escherichia coli* K12. *Mol. Gen. Genet.* **175**:245-250.
105. **Evrard, C., J. Fastrez, and J. P. Declercq.** 1998. Crystal structure of the lysozyme from bacteriophage lambda and its relationship with V and C-type lysozymes. *J. Mol. Biol.* **276**:151-164.
106. **Feinstein, S. I., and K. B. Low.** 1982. Zygotic induction of the rac locus can cause cell death in *E. coli*. *Mol. Gen. Genet.* **187**:231-235.
107. **Figueroa-Bossi, N., and L. Bossi.** 1999. Inducible prophages contribute to *Salmonella* virulence in mice. *Molec. Microbiol.* **33**:167-176.
108. **Filali Maltouf, A. K., and B. Labedan.** 1985. The energetics of the injection process of bacteriophage lambda DNA and the role of the *ptsM/pel*-encoded protein. *Biochem. Biophys. Res. Commun.* **130**:1093-1101.
109. **Ford, M. E., G. J. Sarkis, A. E. Belanger, R. W. Hendrix, and G. F. Hatfull.** 1998. Genome structure of mycobacteriophage D29: implications for phage evolution. *J. Mol. Biol.* **279**:143-164.
110. **Ford, M. E., C. Stenstrom, R. W. Hendrix, and G. F. Hatfull.** 1998. Mycobacteriophage TM4: genome structure and gene expression. *Tuber. Lung Dis.* **79**:63-73.

111. **Forti, F., s. Polo, K. Lane, E. Six, G. Sironi, G. Deho, and D. Ghishotti.** 1999. Translation of two nested genes in bacteriophage P4 controls immunity specific transcription termination. *J. Bacteriol.* **181**:5225-5233.
112. **Forti, F., P. Sabbattini, G. Sironi, S. Zangrossi, G. Deho, and D. Ghisotti.** 1995. Immunity determinant of phage-plasmid P4 is a short processed RNA. *J. Mol. Biol.* **249**:869-878.
113. **Fouts, K. E., T. Wasie-Gilbert, D. K. Willis, A. J. Clark, and S. D. Barbour.** 1983. Genetic analysis of transposon-induced mutations of the Rac prophage in *Escherichia coli* K-12 which affect expression and function of *recE*. *J. Bacteriol.* **156**:718-726.
114. **Franklin, N. C.** 1985. "N" transcription antitermination proteins of bacteriophages lambda, 21 and P22. *J. Mol. Biol.* **181**:85-91.
115. **Friedman, D. I., and D. L. Court.** 2001. Bacteriophage lambda: alive and well and still doing its thing. *Curr. Opin. Microbiol.* **4**:201-207.
116. **Friedman, D. I., and D. L. Court.** 1995. Transcription antitermination: the lambda paradigm updated. *Molec. Microbiol.* **18**:191-200.
117. **Fukazawa, Y., and P. Hartman.** 1964. A P22 bacteriophage mutant defective in antigenic conversion. *Virology* **23**:279-283.
118. **Furth, M., and S. Wickner.** 1983. Lambda DNA replication, p. 145-173. In R. W. Hendrix, J. Roberts, F. Stahl, and R. Weisberg (ed.), Lambda II. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.

119. **Garzon, A., D. A. Cano, and J. Casadesus.** 1998. The P22 Erf protein and host RecA provide alternative functions for transductional segregation of plasmid-borne duplications. *Mol. Gen. Genet.* **259**:39-45.
120. **Gellert, M.** 1967. Formation of covalent circles of lambda DNA by *E. coli* extracts. *Proc. Natl. Acad. Sci. USA* **57**:148-155.
121. **George, D. G., L. S. Yeh, and W. C. Barker.** 1983. Unexpected relationships between bacteriophage lambda hypothetical proteins and bacteriophage T4 tail-fiber proteins. *Biochem. Biophys. Res. Commun.* **115**:1061-1068.
122. **Georgopoulos, C., K. Tilly, and S. Casjens.** 1983. Lambdoid phage head assembly, p. 279-304. In R. W. Hendrix, J. Roberts, F. Stahl, and R. Weisberg (ed.), *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
123. **Georgopoulos, C. P., R. W. Hendrix, S. R. Casjens, and A. D. Kaiser.** 1973. Host participation in bacteriophage lambda head assembly. *J. Mol. Biol.* **76**:45-60.
124. **Gilakjan, Z. A., and A. M. Kropinski.** 1999. Cloning and analysis of the capsid morphogenesis genes of *Pseudomonas aeruginosa* bacteriophage D3: another example of protein chain mail? *J. Bacteriol.* **181**:7221-7227.
125. **Glinkowska, M., J. Majka, W. Messer, and G. Wegrzyn.** 2003. The mechanism of regulation of bacteriophage lambda pR promoter activity by *Escherichia coli* DnaA protein. *J. Biol. Chem.* **278**:22250-22256.

126. **Goldenberg, D., and J. King.** 1982. Trimeric intermediate in the in vivo folding and subunit assembly of the tail spike endorhamnosidase of bacteriophage P22. *Proc. Natl. Acad. Sci. USA* **79**:3403-3407.
127. **Gonciarz-Swiatek, M., A. Wawrzynow, S. J. Um, B. A. Learn, R. McMacken, W. L. Kelley, C. Georgopoulos, O. Sliemers, and M. Zylicz.** 1999. Recognition, targeting, and hydrolysis of the lambda O replication protein by the ClpP/ClpX protease. *J. Biol. Chem.* **274**:13999-14005.
128. **Gottesman, S., G. Storz, C. Rosenow, N. Majdalani, F. Repoila, and K. M. Wassarman.** 2001. Small RNA regulators of translation: mechanisms of action and approaches for identifying new small RNAs. *Cold Spring Harb. Symp. Quant. Biol.* **66**:353-362.
129. **Greenblatt, J., T. F. Mah, P. Legault, J. Mogridge, J. Li, and L. E. Kay.** 1998. Structure and mechanism in transcriptional antitermination by the bacteriophage lambda N protein. *Cold Spring Harb. Symp. Quant. Biol.* **63**:327-336.
130. **Griffin, P.** 1995. *Escherichia coli* O157:H7 and other enterohemorrhagic *Escherichia coli*, p. 739-762. In m. Blaser, P. R. Smith, J. Ravdin, H. Greenberg, and R. Guerrant (ed.), *Infections of the gastrointestinal tract*. Raven Press, New York.
131. **Grodzicker, T., R. R. Arditti, and H. Eisen.** 1972. Establishment of repression by lambdaoid phage in catabolite activator protein and

- adenylate cyclase mutants of *Escherichia coli*. *Proc. Natl. Acad. Sci. USA* **69**:366-370.
132. **Grundling, A., D. L. Smith, U. Blasi, and R. Y. Young.** 2000. Dimerization between the holin and holin inhibitor of phage lambda. *J. Bacteriol.* **182**:6075-6081.
133. **Guo, H. C., M. Kainz, and J. W. Roberts.** 1991. Characterization of the late-gene regulatory region of phage 21. *J. Bacteriol.* **173**:1554-1560.
134. **Gussin, G. N., A. D. Johnson, C. O. Pabo, and B. Sauer.** 1983. Repressor and Cro protein: structure, function, and role in lysogenization, p. 93-121. *In* R. W. Hendrix, J. Roberts, F. Stahl, and R. Weisberg (ed.), *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
135. **Haggard-Ljungquist, E., C. Halling, and R. Calendar.** 1992. DNA sequences of the tail fiber genes of bacteriophage P2: evidence for horizontal transfer of tail fiber genes among unrelated bacteriophages. *J. Bacteriol.* **174**:1462-1477.
136. **Hang, Q., L. Woods, M. Feiss, and C. E. Catalano.** 1999. Cloning, expression, and biochemical characterization of hexahistidine-tagged terminase proteins. *J. Biol. Chem.* **274**:15305-15314.
137. **Hashemolhosseini, S., Y. D. Stierhof, I. Hindennach, and U. Henning.** 1996. Characterization of the helper proteins for the assembly of tail fibers of coliphages T4 and lambda. *J. Bacteriol.* **178**:6258-6265.

138. **Hatfull, G. F., and G. J. Sarkis.** 1993. DNA sequence, structure and gene expression of mycobacteriophage L5: a phage system for mycobacterial genetics. *Molec. Microbiol.* **7**:395-405.
139. **Hayden, M., M. B. Adams, and S. Casjens.** 1985. Bacteriophage L: chromosome physical map and structural proteins. *Virology* **147**:431-440.
140. **Hendrix, R.** 1971. Identification of proteins coded by phage lambda, p. 355-370. *In* A. D. E. Hershey (ed.), *The bacteriophage lambda*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
141. **Hendrix, R.** 1983. Progress since 1970, p. 13-19. *In* R. Hendrix, J. Roberts, F. Stahl, and R. E. Weisberg (ed.), *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
142. **Hendrix, R., J. Roberts, F. Stahl, and R. E. Weisberg.** 1983. *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
143. **Hendrix, R. W.** 2002. Bacteriophages: evolution of the majority. *Theor. Popul. Biol.* **61**:471-480.
144. **Hendrix, R. W., and S. R. Casjens.** 1975. Assembly of bacteriophage lambda heads: protein processing and its genetic control in petit lambda assembly. *J. Mol. Biol.* **91**:187-199.
145. **Hendrix, R. W., and S. R. Casjens.** 1974. Protein cleavage in bacteriophage lambda tail assembly. *Virology* **61**:156-159.
146. **Hendrix, R. W., and S. R. Casjens.** 1974. Protein fusion during the assembly of phage lambda heads. *J. Supramol. Struct.* **2**:329-336.

147. **Hendrix, R. W., and S. R. Casjens.** 1974. Protein fusion: a novel reaction in bacteriophage lambda head assembly. *Proc. Natl. Acad. Sci. USA* **71**:1451-1455.
148. **Hendrix, R. W., and R. L. Duda.** 1998. Bacteriophage HK97 head assembly: a protein ballet. *Adv. Virus Res.* **50**:235-288.
149. **Hendrix, R. W., and R. L. Duda.** 1992. Bacteriophage lambda PaPa: not the mother of all lambda phages. *Science* **258**:1145-1148.
150. **Hendrix, R. W., J. G. Lawrence, G. F. Hatfull, and S. Casjens.** 2000. The origins and ongoing evolution of viruses. *Trends Microbiol.* **8**:504-508.
151. **Hendrix, R. W., M. C. Smith, R. N. Burns, M. E. Ford, and G. F. Hatfull.** 1999. Evolutionary relationships among diverse bacteriophages and prophages: all the world's a phage. *Proc. Natl. Acad. Sci. USA* **96**:2192-2197.
152. **Henthorn, K. S., and D. I. Friedman.** 1995. Identification of related genes in phages ϕ 80 and P22 whose products are inhibitory for phage growth in *Escherichia coli* IHF mutants. *J. Bacteriol.* **177**:3185-3190.
153. **Herman, C., D. Thevenet, R. D'Ari, and P. Bouloc.** 1997. The HflB protease of *Escherichia coli* degrades its inhibitor lambda cIII. *J. Bacteriol.* **179**:358-363.
154. **Hershey, A., and W. Dove.** 1971. Introduction to lambda, p. 3-11. In A. D. E. Hershey (ed.), *The bacteriophage lambda*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.

155. **Hershey, A. D., and E. Burgi.** 1965. Complementary structure of interacting sites at the ends of lambda DNA molecules. *Proc. Natl. Acad. Sci. USA* **53**:325-330.
156. **Hershey, A. D. E.** 1971. The bacteriophage lambda. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
157. **Herskowitz, I., and D. Hagen.** 1980. The lysis-lysogeny decision of phage lambda: explicit programming and responsiveness. *Annu. Rev. Genet.* **14**:399-445.
158. **Heymann, J. B., N. Cheng, W. W. Newcomb, B. L. Trus, J. C. Brown, and A. C. Steven.** 2003. Dynamics of herpes simplex virus capsid maturation visualized by time-lapse cryo-electron microscopy. *Nat. Struct. Biol.* **10**:334-341.
159. **Highton, P. J., Y. Chang, and R. J. Myers.** 1990. Evidence for the exchange of segments between genomes during the evolution of lambdoid bacteriophages. *Molec. Microbiol.* **4**:1329-1340.
160. **Ho, Y., and M. Rosenberg.** 1982. Characterization of the phage lambda regulatory protein cII. *Ann. Microbiol. (Paris)* **133**:215-218.
161. **Ho, Y. S., M. E. Mahoney, D. L. Wulff, and M. Rosenberg.** 1988. Identification of the DNA binding domain of the phage lambda cII transcriptional activator and the direct correlation of cII protein stability with its oligomeric forms. *Genes Dev.* **2**:184-195.

162. **Ho, Y. S., D. Pfarr, J. Strickler, and M. Rosenberg.** 1992. Characterization of the transcription activator protein C1 of bacteriophage P22. *J. Biol. Chem.* **267**:14388-14397.
163. **Ho, Y. S., and M. Rosenberg.** 1985. Characterization of a third, cII-dependent, coordinately activated promoter on phage lambda involved in lysogenic development. *J. Biol. Chem.* **260**:11838-11844.
164. **Ho, Y. S., D. L. Wulff, and M. Rosenberg.** 1983. Bacteriophage lambda protein cII binds promoters on the opposite face of the DNA helix from RNA polymerase. *Nature* **304**:703-708.
165. **Hochschild, A., N. Irwin, and M. Ptashne.** 1983. Repressor structure and the mechanism of positive control. *Cell* **32**:319-325.
166. **Hoffman, B., and M. Levine.** 1975. Bacteriophage P22 virion protein which performs an essential early function. I. Analysis of *16-ts* mutants. *J. Virol.* **16**:1536-1546.
167. **Hoffman, B., and M. Levine.** 1975. Bacteriophage P22 virion protein which performs an essential early function. II. Characterization of the gene *16* function. *J. Virol.* **16**:1547-1559.
168. **Hohn, T., H. Flick, and B. Hohn.** 1975. Petit lambda, a family of particles from coliphage lambda infected cells. *J. Mol. Biol.* **98**:107-120.
169. **Hong, J. S., G. R. Smith, and B. N. Ames.** 1971. Adenosine 3':5'-cyclic monophosphate concentration in the bacterial host regulates the viral

- decision between lysogeny and lysis. *Proc. Natl. Acad. Sci. USA* **68**:2258-2262.
170. **Huang, W. M., L. Joss, T. T. Hsieh, and S. Casjens.** 2004. Protelomerase uses a topoisomerase IB/Y-recombinase type mechanism to generate DNA hairpin ends. *J. Mol. Biol.* **337**: 77-92.
 171. **Imber, R., A. Tsugita, M. Wurtz, and T. Hohn.** 1980. Outer surface protein of bacteriophage lambda. *J. Mol. Biol.* **139**:277-295.
 172. **Israel, V.** 1977. E proteins of bacteriophage P22. I. Identification and ejection from wild-type and defective particles. *J. Virol.* **23**:91-97.
 173. **Israel, V.** 1976. Role of the bacteriophage P22 tail in the early stages of infection. *J. Virol.* **18**:361-364.
 174. **Israel, V., H. Rosen, and M. Levine.** 1972. Binding of bacteriophage P22 tail parts to cells. *J. Virol.* **10**:1152-1158.
 175. **Iwashita, S., and S. Kanegasaki.** 1973. Smooth specific phage adsorption: endorhamnosidase activity of tail parts of P22. *Biochem. Biophys. Res. Commun.* **55**:403-409.
 176. **Iyer, L. M., E. V. Koonin, and L. Aravind.** 2002. Classification and evolutionary history of the single-strand annealing proteins, RecT, Redbeta, ERF and RAD52. *BMC Genomics* **3**:8.
 177. **Jackson, E. N., D. A. Jackson, and R. J. Deans.** 1978. EcoRI analysis of bacteriophage P22 DNA packaging. *J. Mol. Biol.* **118**:365-388.

178. **Jiang, W., Z. Li, Z. Zhang, M. L. Baker, P. E. Prevelige, Jr., and W. Chiu.** 2003. Coat protein fold and maturation transition of bacteriophage P22 seen at subnanometer resolutions. *Nat. Struct. Biol.* **10**:131-135.
179. **Johnson, G., W. Widner, W. N. Xin, and M. Feiss.** 1991. Interference with phage lambda development by the small subunit of the phage 21 terminase, gp1. *J. Bacteriol.* **173**:2733-2738.
180. **Jordan, E., L. Green, and H. Echols.** 1973. Establishment of repression by bacteriophage lambda: lack of a direct regulatory effect of cyclic AMP. *Virology* **55**:521-523.
181. **Juhala, R. J., M. E. Ford, R. L. Duda, A. Youlton, G. F. Hatfull, and R. W. Hendrix.** 2000. Genomic sequences of bacteriophages HK97 and HK022: pervasive genetic mosaicism in the lambdoid bacteriophages. *J. Mol. Biol.* **299**:27-51.
182. **Kaiser, A. D.** 1957. Mutations in a temperate bacteriophage affecting its ability to lysogenize *Escherichia coli*. *Virology* **3**:42-49.
183. **Kaiser, A. D., and F. Jacob.** 1957. Recombination between related bacteriophages and the genetic control of immunity and prophage localization. *Virology* **4**:509-517.
184. **Kaiser, D., and T. Masuda.** 1973. *In vitro* assembly of bacteriophage Lambda heads. *Proc. Natl. Acad. Sci. USA* **70**:260-264.
185. **Kaiser, D., M. Syvanen, and T. Masuda.** 1975. DNA packaging steps in bacteriophage lambda head assembly. *J. Mol. Biol.* **91**:175-186.

186. **Kaiser, K.** 1980. The origin of Q-independent derivatives of phage lambda. *Mol. Gen. Genet.* **179**:547-554.
187. **Kaiser, K., and N. E. Murray.** 1979. Physical characterisation of the "Rac prophage" in *E. coli* K12. *Mol. Gen. Genet.* **175**:159-174.
188. **Kanamaru, S., P. G. Leiman, V. A. Kostyuchenko, P. R. Chipman, V. V. Mesyanzhinov, F. Arisaka, and M. G. Rossmann.** 2002. Structure of the cell-puncturing device of bacteriophage T4. *Nature* **415**:553-557.
189. **Kar, U.** 1983. Structural proteins of bacteriophage lambda: purification, characterization and localization. Ph.D. Thesis, University of Pittsburgh, Pittsburgh, Pennsylvania.
190. **Karakousis, G., N. Ye, Z. Li, S. K. Chiu, G. Reddy, and C. M. Radding.** 1998. The beta protein of phage lambda binds preferentially to an intermediate in DNA renaturation. *J. Mol. Biol.* **276**:721-731.
191. **Karch, H., H. Schmidt, C. Janetzki-Mittmann, J. Scheef, and M. Kroger.** 1999. Shiga toxins even when different are encoded at identical positions in the genomes of related temperate bacteriophages. *Mol. Gen. Genet.* **262**:600-607.
192. **Katsura, I.** 1987. Determination of bacteriophage lambda tail length by a protein ruler. *Nature* **327**:73-75.
193. **Katsura, I.** 1976. Morphogenesis of bacteriophage lambda tail. Polymorphism in the assembly of the major tail protein. *J. Mol. Biol.* **107**:307-326.

194. **Katsura, I.** 1981. Structure and function of the major tail protein of bacteriophage lambda. Mutants having small major tail protein molecules in their virion. *J. Mol. Biol.* **146**:493-512.
195. **Katsura, I.** 1983. Tail assembly and injection, p. 331-346. *In* R. Hendrix, J. Roberts, F. W. Stahl, and R. Weisberg (ed.), Lambda II. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
196. **Katsura, I., and R. W. Hendrix.** 1984. Length determination in bacteriophage lambda tails. *Cell* **39**:691-698.
197. **Katsura, I., and P. W. Kuhl.** 1975. Morphogenesis of the tail of bacteriophage lambda. II. In vitro formation and properties of phage particles with extra long tails. *Virology* **63**:238-251.
198. **Katsura, I., and P. W. Kuhl.** 1975. Morphogenesis of the tail of bacteriophage lambda. III. Morphogenetic pathway. *J. Mol. Biol.* **91**:257-273.
199. **Katsura, I., and A. Tsugita.** 1977. Purification and characterization of the major protein and the terminator protein of the bacteriophage lambda tail. *Virology* **76**:129-145.
200. **Kellenberger, E., and R. Edgar.** 1971. Structure and assembly of phage particles, p. 271-295. *In* A. D. Hershey (ed.), The bacteriophage lambda. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.

201. **Kellenberger, G., M. Zichichi, and J. Weigle.** 1961. A mutation affecting the DNA content of bacteriophage λ and its lysogenizing properties. *J. Mol. Biol.* **3**:399-408.
202. **Kihara, A., Y. Akiyama, and K. Ito.** 1997. Host regulation of lysogenic decision in bacteriophage lambda: transmembrane modulation of FtsH (HflB), the cII degrading protease, by HflKC (HflA). *Proc. Natl. Acad. Sci. USA* **94**:5544-5549.
203. **Kihara, A., Y. Akiyama, and K. Ito.** 2001. Revisiting the lysogenization control of bacteriophage lambda. Identification and characterization of a new host component, HflD. *J. Biol. Chem.* **276**:13695-13700.
204. **Kim, H. C., J. G. Zhou, H. R. Wilson, G. Mogilnitskiy, D. L. Court, and M. E. Gottesman.** 2003. Phage HK022 Nun protein represses translation of phage lambda N (transcription termination/translation repression). *Proc. Natl. Acad. Sci. USA* **100**:5308-5312.
205. **King, G., and N. E. Murray.** 1995. Restriction alleviation and modification enhancement by the Rac prophage of *Escherichia coli* K-12. *Molec. Microbiol.* **16**:769-777.
206. **King, J., and S. Casjens.** 1974. Catalytic head assembling protein in virus morphogenesis. *Nature* **251**:112-119.
207. **King, J., E. V. Lenk, and D. Botstein.** 1973. Mechanism of head assembly and DNA encapsulation in Salmonella phage P22. II. Morphogenetic pathway. *J. Mol. Biol.* **80**:697-731.

208. **King, R. A., P. L. Madsen, and R. A. Weisberg.** 2000. Constitutive expression of a transcription termination factor by a repressed prophage: promoters for transcribing the phage HK022 *nun* gene. *J. Bacteriol.* **182**:456-462.
209. **Kobiler, O., S. Koby, D. Teff, D. Court, and A. B. Oppenheim.** 2002. The phage lambda CII transcriptional activator carries a C-terminal domain signaling for rapid proteolysis. *Proc. Natl. Acad. Sci. USA* **99**:14964-14969.
210. **Kochan, J., J. L. Carrascosa, and H. Murialdo.** 1984. Bacteriophage lambda preconnectors. Purification and structure. *J. Mol. Biol.* **174**:433-447.
211. **Kornitzer, D., S. Altuvia, and A. B. Oppenheim.** 1991. The activity of the CIII regulator of lambdoid bacteriophages resides within a 24-amino acid protein domain. *Proc. Natl. Acad. Sci. USA* **88**:5217-5221.
212. **Kovall, R., and B. W. Matthews.** 1997. Toroidal structure of lambda-exonuclease. *Science* **277**:1824-1827.
213. **Krinke, L., M. Mahoney, and D. L. Wulff.** 1991. The role of the OOP antisense RNA in coliphage lambda development. *Molec. Microbiol.* **5**:1265-1272.
214. **Krinke, L., and D. L. Wulff.** 1990. RNase III-dependent hydrolysis of lambda *cII-O* gene mRNA mediated by lambda OOP antisense RNA. *Genes Dev.* **4**:2223-2233.

215. **Kropinski, A. M.** 2000. Sequence of the genome of the temperate, serotype-converting, *Pseudomonas aeruginosa* bacteriophage D3. *J. Bacteriol.* **182**:6066-6074.
216. **Kusano, K., N. K. Takahashi, H. Yoshikura, and I. Kobayashi.** 1994. Involvement of RecE exonuclease and RecT annealing protein in DNA double-strand break repair by homologous recombination. *Gene* **138**:17-25.
217. **Kwon, H. J., R. Tirumalai, A. Landy, and T. Ellenberger.** 1997. Flexibility in DNA recombination: structure of the lambda integrase catalytic core. *Science* **276**:126-131.
218. **Landsmann, J., M. Kroger, and G. Hobom.** 1982. The *rex* region of bacteriophage lambda: two genes under three-way control. *Gene* **20**:11-24.
219. **Lawrence, J. G., G. Hatfull, and R. Hendrix.** 2002. The imbroglios of viral taxonomy: genetic exchange and the failings of phenetic approaches. *J. Bacteriol.* **184**:4891-4905.
220. **Learn, B. A., S. J. Um, L. Huang, and R. McMacken.** 1997. Cryptic single-stranded-DNA binding activities of the phage lambda P and *Escherichia coli* DnaC replication initiation proteins facilitate the transfer of *E. coli* DnaB helicase onto DNA. *Proc. Natl. Acad. Sci. USA* **94**:1154-1159.
221. **Lederberg, E.** 1951. Lysogenicity in *E. coli* K-12. *Genetics* **36**:560.
222. **Leffers, G. G., Jr., and S. Gottesman.** 1998. Lambda Xis degradation in vivo by Lon and FtsH. *J. Bacteriol.* **180**:1573-1577.

223. **Leong, J. M., S. Nunes-Duby, A. Oser, C. F. Lesser, P. Youderian, M. M. Susskind, and A. Landy.** 1984. Site-specific recombination systems of phages $\phi 80$ and P22: binding sites of integration host factor and recombination-induced mutations. *Cold Spring Harb. Symp. Quant. Biol.* **49**:707-714.
224. **Levin, M. E., R. W. Hendrix, and S. R. Casjens.** 1993. A programmed translational frameshift is required for the synthesis of a bacteriophage λ tail assembly protein. *J. Mol. Biol.* **234**:124-139.
225. **Li, Z., G. Karakousis, S. K. Chiu, G. Reddy, and C. M. Radding.** 1998. The beta protein of phage lambda promotes strand exchange. *J. Mol. Biol.* **276**:733-744.
226. **Liao, S. M., T. H. Wu, C. H. Chiang, M. M. Susskind, and W. R. McClure.** 1987. Control of gene expression in bacteriophage P22 by a small antisense RNA. I. Characterization in vitro of the Psar promoter and the sar RNA transcript. *Genes Dev.* **1**:197-203.
227. **Lin, L., R. Bitner, and G. Edlin.** 1977. Increased reproductive fitness of *Escherichia coli* lambda lysogens. *J. Virol.* **21**:554-559.
228. **Lindsey, D. F., C. Martinez, and J. R. Walker.** 1992. Physical map location of the *Escherichia coli* attachment site for the P22 prophage (attP22). *J. Bacteriol.* **174**:3834-3835.
229. **Little, J. W.** 1967. An exonuclease induced by bacteriophage lambda. II. Nature of the enzymatic reaction. *J. Biol. Chem.* **242**:679-686.

230. **Little, J. W.** 1995. The SOS regulatory system, p. 453-479. *In* E. Lynn and A. Lynch (ed.), Regulation of gene expression in *E. coli*. R. G. Landis, Georgetown, TX.
231. **Little, J. W., D. P. Shepley, and D. W. Wert.** 1999. Robustness of a gene regulatory circuit. *EMBO J.* **18**:4299-4307.
232. **Lobocka, M. B., A. N. Svarchevsky, V. N. Rybchin, and M. B. Yarmolinsky.** 1996. Characterization of the primary immunity region of the *Escherichia coli* linear plasmid prophage N15. *J. Bacteriol.* **178**:2902-2910.
233. **Loenen, W. A., and N. E. Murray.** 1986. Modification enhancement by the restriction alleviation protein (Ral) of bacteriophage lambda. *J. Mol. Biol.* **190**:11-22.
234. **Mahajna, J., A. B. Oppenheim, A. Rattray, and M. Gottesman.** 1986. Translation initiation of bacteriophage lambda gene *cII* requires integration host factor. *J. Bacteriol.* **165**:167-174.
235. **Mahdi, A. A., G. J. Sharples, T. N. Mandal, and R. G. Lloyd.** 1996. Holliday junction resolvases encoded by homologous *rusA* genes in *Escherichia coli* K-12 and phage 82. *J. Mol. Biol.* **257**:561-573.
236. **Mallory, J. B., C. Alfano, and R. McMacken.** 1990. Host virus interactions in the initiation of bacteriophage lambda DNA replication. Recruitment of *Escherichia coli* DnaB helicase by lambda P replication protein. *J. Biol. Chem.* **265**:13297-13307.

237. **Marr, M. T., S. A. Datwyler, C. F. Meares, and J. W. Roberts.** 2001. Restructuring of an RNA polymerase holoenzyme elongation complex by lambdoid phage Q proteins. *Proc. Natl. Acad. Sci. USA* **98**:8972-8978.
238. **Marsic, N., S. Roje, I. Stojiljkovic, E. Salaj-Smic, and Z. Trgovcevic.** 1993. *In vivo* studies on the interaction of RecBCD enzyme and lambda Gam protein. *J. Bacteriol.* **175**:4738-4743.
239. **Maxwell, K. L., A. A. Yee, C. H. Arrowsmith, M. Gold, and A. R. Davidson.** 2002. The solution structure of the bacteriophage lambda head-tail joining protein, gpFII. *J. Mol. Biol.* **318**:1395-1404.
240. **Maxwell, K. L., A. A. Yee, V. Booth, C. H. Arrowsmith, M. Gold, and A. R. Davidson.** 2001. The solution structure of bacteriophage lambda protein W, a small morphogenetic protein possessing a novel fold. *J. Mol. Biol.* **308**:9-14.
241. **McAdams, H. H., and L. Shapiro.** 1995. Circuit simulation of genetic networks. *Science* **269**:650-656.
242. **McClelland, M., K. E. Sanderson, J. Spieth, S. W. Clifton, P. Latreille, L. Courtney, S. Porwollik, J. Ali, M. Dante, F. Du, S. Hou, D. Layman, S. Leonard, C. Nguyen, K. Scott, A. Holmes, N. Grewal, E. Mulvaney, E. Ryan, H. Sun, L. Florea, W. Miller, T. Stoneking, M. Nhan, R. Waterston, and R. K. Wilson.** 2001. Complete genome sequence of *Salmonella enterica* serovar Typhimurium LT2. *Nature* **413**:852-856.

243. **McLenigan, M. P., O. I. Kulaeva, D. G. Ennis, A. S. Levine, and R. Woodgate.** 1999. The bacteriophage P1 HumD protein is a functional homolog of the prokaryotic UmuD'-like proteins and facilitates SOS mutagenesis in *Escherichia coli*. *J. Bacteriol.* **181**:7005-7013.
244. **Mediavilla, J., S. Jain, J. Kriakov, M. E. Ford, R. L. Duda, W. R. Jacobs, Jr., R. W. Hendrix, and G. F. Hatfull.** 2000. Genome organization and characterization of mycobacteriophage Bxb1. *Molec. Microbiol.* **38**:955-970.
245. **Mensa-Wilmot, K., R. Seaby, C. Alfano, M. C. Wold, B. Gomes, and R. McMacken.** 1989. Reconstitution of a nine-protein system that initiates bacteriophage lambda DNA replication. *J. Biol. Chem.* **264**:2853-2861.
246. **Mikawa, Y., I. Maruyama, and S. Brenner.** 1996. Surface display of proteins on bacteriophage lambda heads. *J. Mol. Biol.* **262**:21-30.
247. **Mmolawa, P. T., H. Schmieger, C. P. Tucker, and M. W. Heuzenroeder.** 2003. Genomic structure of the *Salmonella enterica* serovar Typhimurium DT 64 bacteriophage ST64T: evidence for modular genetic architecture. *J. Bacteriol.* **185**:3473-3475.
248. **Moak, M., and I. Molineux.** 2004. Peptidoglycan hydrolytic activities associated with bacteriophage virions. *Molec. Microbiol.* **51**:1169-1183.
249. **Morgan, G., G. Hatfull, S. Casjens, and R. Hendrix.** 2002. Bacteriophage Mu genome sequence: analysis and comparison with Mu-like prophages in *Haemophilus*, *Neisseria* and *Deinococcus*. *J. Mol. Biol.* **317**:337-359.

250. **Mount, D., A. Harris, C. Fuerst, and L. Siminovitch.** 1968. Mutation in bacteriophage lambda affecting particle morphogenesis. *Virology* **35**:134-145.
251. **Murialdo, H., and A. Becker.** 1978. Head morphogenesis of complex double-stranded DNA bacteriophages. *Bacteriol. Rev.* **42**:529-578.
252. **Murialdo, H., and P. N. Ray.** 1975. Model for arrangement of minor structural proteins in head of bacteriophage lambda. *Nature* **257**:815-817.
253. **Murialdo, H., and D. Tzamtzis.** 1997. Mutations of the coat protein gene of bacteriophage lambda that overcome the necessity for the *FI* gene; the EFI domain. *Molec. Microbiol.* **24**:341-353.
254. **Murialdo, H., D. Tzamtzis, M. Berru, W. L. Fife, and A. Becker.** 1997. Mutations in the terminase genes of bacteriophage lambda that bypass the necessity for *FI*. *Molec. Microbiol.* **24**:937-952.
255. **Murphy, K. C.** 2000. Bacteriophage P22 Abc2 protein binds to RecC increases the 5' strand nicking activity of RecBCD and together with lambda bet, promotes Chi- independent recombination. *J. Mol. Biol.* **296**:385-401.
256. **Murphy, K. C.** 1998. Use of bacteriophage lambda recombination functions to promote gene replacement in *Escherichia coli*. *J. Bacteriol.* **180**:2063-2071.

257. **Neely, M. N., and D. I. Friedman.** 1998. Arrangement and functional identification of genes in the regulatory region of lambdoid phage H-19B, a carrier of a Shiga-like toxin. *Gene* **223**:105-113.
258. **Neely, M. N., and D. I. Friedman.** 2000. N-mediated transcription antitermination in lambdoid phage H-19B is characterized by alternative NUT RNA structures and a reduced requirement for host factors. *Molec. Microbiol.* **38**:1074-1085.
259. **Nickels, B. E., C. W. Roberts, H. Sun, J. W. Roberts, and A. Hochschild.** 2002. The sigma⁷⁰ subunit of RNA polymerase is contacted by the λ Q antiterminator during early elongation. *Mol. Cell* **10**:611-622.
260. **Novick, S. L., and J. D. Baldeschwieler.** 1988. Fluorescence measurement of the kinetics of DNA injection by bacteriophage lambda into liposomes. *Biochemistry* **27**:7919-7924.
261. **Oberto, J., R. A. Weisberg, and M. E. Gottesman.** 1989. Structure and function of the *nun* gene and the immunity region of the lambdoid phage HK022. *J. Mol. Biol.* **207**:675-693.
262. **Osawa, R., S. Iyoda, S. I. Nakayama, A. Wada, S. Yamai, and H. Watanabe.** 2000. Genotypic variations of Shiga toxin-converting phages from enterohaemorrhagic *Escherichia coli* O157: H7 isolates. *J. Med. Microbiol.* **49**:565-574.

263. **Parma, D. H., M. Snyder, S. Sobolevski, M. Nawroz, E. Brody, and L. Gold.** 1992. The Rex system of bacteriophage lambda: tolerance and altruistic cell death. *Genes Dev.* **6**:497-510.
264. **Pedulla, M. L., M. E. Ford, J. M. Houtz, T. Karthikeyan, C. Wadsworth, J. A. Lewis, D. Jacobs-Sera, J. Falbo, J. Gross, N. R. Pannunzio, W. Brucker, V. Kumar, J. Kandasamy, L. Keenan, S. Bardarov, J. Kriakov, J. G. Lawrence, W. R. Jacobs, R. W. Hendrix, and G. F. Hatfull.** 2003. Origins of highly mosaic mycobacteriophage genomes. *Cell* **113**:171-182.
265. **Pedulla, M. L., M. E. Ford, T. Karthikeyan, J. M. Houtz, R. W. Hendrix, G. F. Hatfull, A. R. Poteete, E. B. Gilcrease, D. A. Winn-Stapley, and S. R. Casjens.** 2003. Corrected sequence of the bacteriophage P22 genome. *J. Bacteriol.* **185**:1475-1477.
266. **Perna, N. T., G. Plunkett, 3rd, V. Burland, B. Mau, J. D. Glasner, D. J. Rose, G. F. Mayhew, P. S. Evans, J. Gregor, H. A. Kirkpatrick, G. Posfai, J. Hackett, S. Klink, A. Boutin, Y. Shao, L. Miller, E. J. Grotbeck, N. W. Davis, A. Lim, E. T. Dimalanta, K. D. Potamouisis, J. Apodaca, T. S. Anantharaman, J. Lin, G. Yen, D. C. Schwartz, R. A. Welch, and F. R. Blattner.** 2001. Genome sequence of enterohaemorrhagic *Escherichia coli* O157:H7. *Nature* **409**:529-533.
267. **Perucchetti, R., W. Parris, A. Becker, and M. Gold.** 1988. Late stages in bacteriophage lambda head morphogenesis: *in vitro* studies on the action

- of the bacteriophage lambda D-gene and W-gene products. *Virology* **165**:103-114.
268. **Plunkett, G., 3rd, and H. Echols.** 1989. Retroregulation of the bacteriophage lambda int gene: limited secondary degradation of the RNase III-processed transcript. *J. Bacteriol.* **171**:588-592.
269. **Plunkett, G., 3rd, D. J. Rose, T. J. Durfee, and F. R. Blattner.** 1999. Sequence of Shiga toxin 2 phage 933W from *Escherichia coli* O157:H7: Shiga toxin as a phage late-gene product. *J. Bacteriol.* **181**:1767-1778.
270. **Polissi, A., L. Goffin, and C. Georgopoulos.** 1995. The *Escherichia coli* heat shock response and bacteriophage lambda development. *FEMS Microbiol. Rev.* **17**:159-169.
271. **Popa, M. P., T. A. McKelvey, J. Hempel, and R. W. Hendrix.** 1991. Bacteriophage HK97 structure: wholesale covalent cross-linking between the major head shell subunits. *J. Virol.* **65**:3227-3237.
272. **Poteete, A. R.** 1988. Bacteriophage P22, p. 647-682. In R. Calendar (ed.), *The Bacteriophages*, vol. II. Plenum Press, New York.
273. **Poteete, A. R., and A. C. Fenton.** 1993. Efficient double-strand break-stimulated recombination promoted by the general recombination systems of phages lambda and P22. *Genetics* **134**:1013-1021.
274. **Poteete, A. R., and A. C. Fenton.** 2000. Genetic requirements of phage lambda red-mediated gene replacement in *Escherichia coli* K-12. *J. Bacteriol.* **182**:2336-2340.

275. **Poteete, A. R., A. C. Fenton, and K. C. Murphy.** 1988. Modulation of *Escherichia coli* RecBCD activity by the bacteriophage lambda Gam and P22 Abc functions. *J. Bacteriol.* **170**:2012-2021.
276. **Poteete, A. R., A. C. Fenton, and A. V. Semerjian.** 1991. Bacteriophage P22 accessory recombination function. *Virology* **182**:316-323.
277. **Poteete, A. R., and M. Ptashne.** 1982. Control of transcription by the bacteriophage P22 repressor. *J. Mol. Biol.* **157**:21-48.
278. **Poteete, A. R., R. T. Sauer, and R. W. Hendrix.** 1983. Domain structure and quaternary organization of the bacteriophage P22 Erf protein. *J. Mol. Biol.* **171**:401-418.
279. **Potrykus, K., G. Wegrzyn, and V. J. Hernandez.** 2002. Multiple mechanisms of transcription inhibition by ppGpp at the λ P_R promoter. *J. Biol. Chem.* **277**:43785-43791.
280. **Prasad, B. V., P. E. Prevelige, E. Marietta, R. O. Chen, D. Thomas, J. King, and W. Chiu.** 1993. Three-dimensional transformation of capsids associated with genome packaging in a bacterial virus. *J. Mol. Biol.* **231**:65-74.
281. **Ptashne, M.** 1992. *A genetic switch - phage λ and higher organisms*, 2nd ed. Cell Press and Blackwell Scientific Publications, Cambridge, MA.
282. **Radding, C. M., J. Rosenzweig, J. Richards, and E. Cassuto.** 1971. Separation and characterization of exonuclease, β protein and a complex of both. *J. Biol. Chem.* **146**:2510-2512.

283. **Ranade, K., and A. R. Poteete.** 1993. Superinfection exclusion (*sieB*) genes of bacteriophages P22 and lambda. *J. Bacteriol.* **175**:4712-4718.
284. **Ranade, K., and A. R. Poteete.** 1993. A switch in translation mediated by an antisense RNA. *Genes Dev.* **7**:1498-1507.
285. **Rao, R. N., and C. V. Raj.** 1973. *Salmonella typhimurium* mutants affecting establishment of lysogeny. *Mol. Gen. Genet.* **125**:119-123.
286. **Ravin, N., and V. Ravin.** 1994. A multcopy plasmid based on a mini-replicon of the temperate bacteriophage N15. *Mol. Gen. Mikrobiol. Virusol.* **1**:37-39 (in Russian).
287. **Ravin, N., T. Strakhova, and V. Kuprianov.** 2001. The protelomerase of the phage-plasmid N15 is responsible for its maintenance in linear form. *J. Mol. Biol.* **312**:899-906.
288. **Ravin, N., A. Svarchevsky, and G. Deho.** 1999. The antiimmunity system of phage-plasmid N15: identification of the antirepressor gene and its control by a small processed RNA. *Molec. Microbiol.* **34**:980-994.
289. **Ravin, N. V.** 2003. Mechanisms of replication and telomere resolution of the linear plasmid prophage N15. *FEMS Microbiol. Lett.* **221**:1-6.
290. **Ravin, N. V., O. I. Doroshenko, and V. K. Ravin.** 1998. COS-region of temperate phage N15. *Mol. Gen. Mikrobiol. Virusol.* **2**:17-20 (in Russian).
291. **Ravin, V., N. Ravin, S. Casjens, M. E. Ford, G. F. Hatfull, and R. W. Hendrix.** 2000. Genomic sequence and analysis of the atypical temperate bacteriophage N15. *J. Mol. Biol.* **299**:53-73.

292. **Ravin, V., and M. G. Shulga.** 1970. The evidence of extrachromosomal location phage prophage N15. *Virology* **40**:800-805.
293. **Ray, P., and H. Murialdo.** 1975. The role of gene Nu3 in bacteriophage lambda head morphogenesis. *Virology* **64**:247-263.
294. **Ray, P., and M. Pearson.** 1974. Evidence for post-transcriptional control of the morphogenetic genes of bacteriophage lambda. *J. Mol. Biol.* **85**:163-175.
295. **Ray, P., and M. Pearson.** 1975. Functional inactivation of the bacteriophage lambda morphogenetic gene mRNA. *Nature* **253**:637-650.
296. **Recktenwald, J., and H. Schmidt.** 2002. The nucleotide sequence of Shiga toxin (Stx) 2e-encoding phage Φ P27 is not related to other Stx phage genomes, but the modular genetic structure is conserved. *Infect. Immun.* **70**:1896-1908.
297. **Redfield, R. J., and A. Campbell.** 1987. Structure of cryptic λ prophages. *J. Mol. Biol.* **198**:393-404.
298. **Reisinger, G. R., A. Rietsch, W. Lubitz, and U. Blasi.** 1993. Lambda kil-mediated lysis requires the phage context. *Virology* **193**:1033-1036.
299. **Rennell, D., S. E. Bouvier, L. W. Hardy, and A. R. Poteete.** 1991. Systematic mutation of bacteriophage T4 lysozyme. *J. Mol. Biol.* **222**:67-88.
300. **Revet, B., B. von Wilcken-Bergmann, H. Bessert, A. Barker, and B. Muller-Hill.** 1999. Four dimers of lambda repressor bound to two suitably spaced pairs of lambda operators form octamers and DNA loops over large distances. *Curr. Biol.* **9**:151-154.

301. **Richardson, J., and J. Greenblatt.** 1996. Control of RNA chain elongation and termination, p. 822-848. *In* F. Neidhardt (ed.), *Escherichia coli* and *Salmonella* cellular and molecular biology. ASM Press, Washington, DC.
302. **Riede, I., M. Degen, and U. Henning.** 1985. The receptor specificity of bacteriophages can be determined by a tail fiber modifying protein. *EMBO J.* **4**:2343-2346.
303. **Roberts, C. W., and J. W. Roberts.** 1996. Base-specific recognition of the nontemplate strand of promoter DNA by *E. coli* RNA polymerase. *Cell* **86**:495-501.
304. **Roberts, J., C. Roberts, S. Hilliker, and D. Botstein.** 1976. Transcription termination and regulation in bacteriophages P22 and lambda, p. 707-718. *In* R. Losick and M. Chamberlin (ed.), *RNA Polymerase*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
305. **Roberts, J. W., and R. Devoret.** 1983. Lysogenic induction, p. 123-144. *In* R. W. Hendrix, J. Roberts, F. Stahl, and R. Weisberg (ed.), *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
306. **Roberts, J. W., W. Yarnell, E. Bartlett, J. Guo, M. Marr, D. C. Ko, H. Sun, and C. W. Roberts.** 1998. Antitermination by bacteriophage lambda Q protein. *Cold Spring Harb. Symp. Quant. Biol.* **63**:319-325.
307. **Roessner, C. A., and G. M. Ihler.** 1987. Sequence of amino acids in lamB responsible for spontaneous ejection of bacteriophage lambda DNA. *J. Mol. Biol.* **195**:963-966.

308. **Roessner, C. A., D. K. Struck, and G. M. Ihler.** 1983. Injection of DNA into liposomes by bacteriophage lambda. *J. Biol. Chem.* **258**:643-648.
309. **Rolfe, B., J. Schell, A. Becker, J. Heip, K. Onodera, and E. Schell-Frederick.** 1973. A colicin-tolerant mutant of *Escherichia coli* with reduced levels of cyclic AMP and a strong bias towards lambda lysogeny. *Mol. Gen. Genet.* **120**:1-16.
310. **Saad, A., Z. H. Zhou, J. Jakana, W. Chiu, and F. J. Rixon.** 1999. Roles of triplex and scaffolding proteins in herpes simplex virus type 1 capsid formation suggested by structures of recombinant particles. *J. Virol.* **73**:6821-6830.
311. **Sampson, L. L., R. W. Hendrix, W. M. Huang, and S. R. Casjens.** 1988. Translation initiation controls the relative rates of expression of the bacteriophage lambda late genes. *Proc. Natl. Acad. Sci. USA* **85**:5439-5443.
312. **Sandmeier, H., S. Iida, and W. Arber.** 1992. DNA inversion regions Min of plasmid p15B and Cin of bacteriophage P1: evolution of bacteriophage tail fiber genes. *J. Bacteriol.* **174**:3936-3944.
313. **Sandt, C. H., J. E. Hopper, and C. W. Hill.** 2002. Activation of prophage eib genes for immunoglobulin-binding proteins by genes from the IbrAB genetic island of *Escherichia coli* ECOR-9. *J. Bacteriol.* **184**:3640-3648.
314. **Sanger, F., A. R. Coulson, G. F. Hong, D. F. Hill, and G. B. Petersen.** 1982. Nucleotide sequence of bacteriophage lambda DNA. *J. Mol. Biol.* **162**:729-773.

315. **Sauer, R. T., W. Krovatin, J. DeAnda, P. Youderian, and M. M. Susskind.** 1983. Primary structure of the immI immunity region of bacteriophage P22. *J. Mol. Biol.* **168**:699-713.
316. **Sauer, R. T., H. C. Nelson, K. Hehir, M. H. Hecht, F. S. Gimble, J. DeAnda, and A. R. Poteete.** 1983. The lambda and P22 phage repressors. *J. Biomol. Struct. Dyn.* **1**:1011-1022.
317. **Scandella, D., and W. Arber.** 1976. Phage lambda DNA injection into *Escherichia coli pel*⁻ mutants is restored by mutations in phage genes *V* or *H*. *Virology* **69**:206-215.
318. **Schaefer, K. L., and W. R. McClure.** 1997. Antisense RNA control of gene expression in bacteriophage P22. I. Structures of sar RNA and its target, *ant* mRNA. *RNA* **3**:141-156.
319. **Scharpf, M., H. Sticht, K. Schweimer, M. Boehm, S. Hoffmann, and P. Rosch.** 2000. Antitermination in bacteriophage lambda. The structure of the N36 peptide-boxB RNA complex. *Eur. J. Biochem.* **267**:2397-2408.
320. **Schicklmaier, P., E. Moser, T. Wieland, W. Rabsch, and H. Schmieger.** 1998. A comparative study on the frequency of prophages among natural isolates of *Salmonella* and *Escherichia coli* with emphasis on generalized transducers. *Antonie van Leeuwenhoek* **73**:49-54.
321. **Schmieger, H.** 1999. Molecular survey of the *Salmonella* phage typing system of Anderson. *J. Bacteriol.* **181**:1630-1635.

322. **Sergueev, K., D. Court, L. Reaves, and S. Austin.** 2002. *E.coli* cell-cycle regulation by bacteriophage lambda. *J. Mol. Biol.* **324**:297-307.
323. **Shaw, J. E., and H. Murialdo.** 1980. Morphogenetic genes *C* and *Nu3* overlap in bacteriophage lambda. *Nature* **283**:30-35.
324. **Shimatake, H., and M. Rosenberg.** 1981. Purified lambda regulatory protein cII positively activates promoters for lysogenic development. *Nature* **292**:128-132.
325. **Shotland, Y., A. Shifrin, T. Ziv, D. Teff, S. Koby, O. Kobiler, and A. B. Oppenheim.** 2000. Proteolysis of bacteriophage lambda CII by *Escherichia coli* FtsH (HflB). *J. Bacteriol.* **182**:3111-3116.
326. **Siegele, D. A., S. Frackman, J. Sippy, T. Momany, T. M. Howard, K. Tilly, C. Georgopoulos, and M. Feiss.** 1983. The head genes of bacteriophage 21. *Virology* **129**:484-489.
327. **Simon, M., R. W. Davis, and N. Davidson.** 1971. Heteroduplexes of DNA molecules of lambdoid phages: physical mapping of their base sequence relationships by electron microscopy, p. 313-328. *In* A. D. Hershey (ed.), *The bacteriophage lambda*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
328. **Simpson, A. A., Y. Tao, P. G. Leiman, M. O. Badasso, Y. He, P. J. Jardine, N. H. Olson, M. C. Morais, S. Grimes, D. L. Anderson, T. S. Baker, and M. G. Rossmann.** 2000. Structure of the bacteriophage ϕ 29 DNA packaging motor. *Nature* **408**:745-750.

329. **Slavcev, R. A., and S. Hayes.** 2003. Stationary phase-like properties of the bacteriophage lambda Rex exclusion phenotype. *Mol. Genet. Genomics* **269**:40-48.
330. **Slominska, M., G. Konopa, J. Ostrowska, B. Kedzierska, G. Wegrzyn, and A. Wegrzyn.** 2003. SeqA-mediated stimulation of a promoter activity by facilitating functions of a transcription activator. *Molec. Microbiol.* **47**:1669-1679.
331. **Slominska, M., P. Neubauer, and G. Wegrzyn.** 1999. Regulation of bacteriophage lambda development by guanosine 5'-diphosphate-3'-diphosphate. *Virology* **262**:431-441.
332. **Smith, G. R.** 1983. General recombination, p. 175-209. *In* R. W. Hendrix, J. W. Roberts, F. W. Stahl, and R. A. Weisberg (ed.), *Lambda II*. Cold Spring Harbor Press, Cold Spring Harbor, NY.
333. **Smith, M. P., and M. Feiss.** 1993. Sequence analysis of the phage 21 genes for prohead assembly and head completion. *Gene* **126**:1-7.
334. **Snyder, L.** 1995. Phage-exclusion enzymes: a bonanza of biochemical and cell biology reagents? *Molec. Microbiol.* **15**:415-420.
335. **Stahl, F. W.** 1998. Recombination in phage lambda: one geneticist's historical perspective. *Gene* **223**:95-102.
336. **Steinbacher, S., U. Baxa, S. Miller, A. Weintraub, R. Seckler, and R. Huber.** 1996. Crystal structure of phage P22 tailspike protein complexed

- with *Salmonella* sp. O-antigen receptors. *Proc. Natl. Acad. Sci. USA* **93**:10584-10588.
337. **Steinbacher, S., S. Miller, U. Baxa, N. Budisa, A. Weintraub, R. Seckler, and R. Huber.** 1997. Phage P22 tailspike protein: crystal structure of the head-binding domain at 2.3 Å, fully refined structure of the endorhamnosidase at 1.56 Å resolution, and the molecular basis of O-antigen recognition and cleavage. *J. Mol. Biol.* **267**:865-880.
338. **Steinbacher, S., R. Seckler, S. Miller, B. Steipe, R. Huber, and P. Reinemer.** 1994. Crystal structure of P22 tailspike protein: interdigitated subunits in a thermostable trimer. *Science* **265**:383-386.
339. **Sternberg, N., and R. Hoess.** 1995. Display of peptides and proteins on the surface of bacteriophage lambda. *Proc. Natl. Acad. Sci. USA* **92**:1609-1613.
340. **Sternberg, N., and R. Weisberg.** 1977. Packaging of coliphage lambda DNA. II. The role of the gene D protein. *J. Mol. Biol.* **117**:733-759.
341. **Susskind, M. M., and D. Botstein.** 1975. Mechanism of action of *Salmonella* phage P22 antirepressor. *J. Mol. Biol.* **98**:413-424.
342. **Susskind, M. M., and D. Botstein.** 1978. Molecular genetics of bacteriophage P22. *Microbiol. Rev.* **42**:385-413.
343. **Susskind, M. M., D. Botstein, and A. Wright.** 1974. Superinfection exclusion by P22 prophage in lysogens of *Salmonella typhimurium*. III.

- Failure of superinfecting phage DNA to enter *sieA*⁺ lysogens. *Virology* **62**:350-366.
344. **Susskind, M. M., A. Wright, and D. Botstein.** 1974. Superinfection exclusion by P22 prophage in lysogens of *Salmonella typhimurium*. IV. Genetics and physiology of *sieB* exclusion. *Virology* **62**:367-384.
345. **Szalewska-Palasz, A., A. Wegrzyn, M. Obuchowski, R. Pawlowski, K. Bielawski, M. Thomas, and G. Wegrzyn.** 1996. Drastically decreased transcription from CII-activated promoters is responsible for impaired lysogenization of the *Escherichia coli* rpoA341 mutant by bacteriophage lambda. *FEMS Microbiol. Lett.* **144**:21-27.
346. **Szalewska-Palasz, A., B. Wrobel, and G. Wegrzyn.** 1998. Rapid degradation of polyadenylated oop RNA. *FEBS Lett.* **432**:70-72.
347. **Tarkowski, T. A., D. Mooney, L. C. Thomason, and F. W. Stahl.** 2002. Gene products encoded in the *ninR* region of phage lambda participate in Red-mediated recombination. *Genes Cells* **7**:351-363.
348. **Taylor, A., S. Kedzierska, and A. Wawrzynow.** 1996. Bacteriophage lambda lysis gene product modified and inserted into *Escherichia coli* outer membrane: Rz1 lipoprotein. *Microb. Drug Resist.* **2**:147-153.
349. **Taylor, K., and G. Wegrzyn.** 1995. Replication of coliphage lambda DNA. *FEMS Microbiol. Rev.* **17**:109-119.
350. **Thomas, J. O.** 1974. Chemical linkage of the tail to the right-hand end of bacteriophage lambda DNA. *J. Mol. Biol.* **87**:1-9.

351. **Toothman, P., and I. Herskowitz.** 1980. Rex-dependent exclusion of lambdoid phages. I. Prophage requirements for exclusion. *Virology* **102**:133-146.
352. **Toothman, P., and I. Herskowitz.** 1980. Rex-dependent exclusion of lambdoid phages. II. Determinants of sensitivity to exclusion. *Virology* **102**:147-160.
353. **Tsui, L., and R. W. Hendrix.** 1980. Head-tail connector of bacteriophage lambda. *J. Mol. Biol.* **142**:419-438.
354. **Tsui, L. C., and R. W. Hendrix.** 1983. Proteolytic processing of phage lambda tail protein gpH: timing of the cleavage. *Virology* **125**:257-264.
355. **Tsurimoto, T., and K. Matsubara.** 1981. Purified bacteriophage lambda O protein binds to four repeating sequences at the lambda replication origin. *Nucleic Acids Res.* **9**:1789-1799.
356. **Tye, B. K., and D. Botstein.** 1974. P22 morphogenesis. II: Mechanism of DNA encapsulation. *J. Supramol. Struct.* **2**:225-238.
357. **Unkmeir, A., and H. Schmidt.** 2000. Structural analysis of phage-borne *stx* genes and their flanking sequences in shiga toxin-producing *Escherichia coli* and *Shigella dysenteriae* type 1 strains. *Infect. Immun.* **68**:4856-4864.
358. **Vaca Pacheco, S., O. Garcia Gonzalez, and G. L. Paniagua Contreras.** 1997. The *lom* gene of bacteriophage lambda is involved in *Escherichia coli* K12 adhesion to human buccal epithelial cells. *FEMS Microbiol. Lett.* **156**:129-132.

359. **van der Wilk, F., A. M. Dullemans, M. Verbeek, and J. F. van den Heuvel.** 1999. Isolation and characterization of APSE-1, a bacteriophage infecting the secondary endosymbiont of *Acyrtosiphon pisum*. *Virology* **262**:104-113.
360. **Vander Byl, C., and A. M. Kropinski.** 2000. Sequence of the genome of *Salmonella* bacteriophage P22. *J. Bacteriol.* **182**:6472-6481.
361. **Vershon, A. K., P. Youderian, M. M. Susskind, and R. T. Sauer.** 1985. The bacteriophage P22 arc and mnt repressors. Overproduction, purification, and properties. *J. Biol. Chem.* **260**:12124-12129.
362. **Voegtli, W. C., D. J. White, N. J. Reiter, F. Rusnak, and A. C. Rosenzweig.** 2000. Structure of the bacteriophage lambda Ser/Thr protein phosphatase with sulfate ion bound in two coordination modes. *Biochemistry* **39**:15365-15374.
363. **Vostrov, A., O. Vostrukhina, A. Svarchevsky, and V. Rybchin.** 1996. Proteins responsible for lysogenic conversion caused by coliphages N15 and ϕ 80 are highly homologous. *J. Bacteriol.* **178**:1484-1486.
364. **Wagner, P. L., J. Livny, M. N. Neely, D. W. Acheson, D. I. Friedman, and M. K. Waldor.** 2002. Bacteriophage control of Shiga toxin 1 production and release by *Escherichia coli*. *Molec. Microbiol.* **44**:957-970.
365. **Wagner, P. L., M. N. Neely, X. Zhang, D. W. Acheson, M. K. Waldor, and D. I. Friedman.** 2001. Role for a phage promoter in Shiga toxin 2

- expression from a pathogenic *Escherichia coli* strain. *J. Bacteriol.* **183**:2081-2085.
366. **Wagner, P. L., and M. K. Waldor.** 2002. Bacteriophage control of bacterial virulence. *Infect. Immun.* **70**:3985-3993.
367. **Walker, J. E., A. D. Auffret, A. Carne, A. Gurnett, P. Hanisch, D. Hill, and M. Saraste.** 1982. Solid-phase sequence analysis of polypeptides eluted from polyacrylamide gels. An aid to interpretation of DNA sequences exemplified by the *Escherichia coli unc* operon and bacteriophage lambda. *Eur. J. Biochem.* **123**:253-260.
368. **Wang, I. N., D. L. Smith, and R. Young.** 2000. Holins: the protein clocks of bacteriophage infections. *Annu. Rev. Microbiol.* **54**:799-825.
369. **Wang, J., M. Hofnung, and A. Charbit.** 2000. The C-terminal portion of the tail fiber protein of bacteriophage lambda is responsible for binding to LamB, its receptor at the surface of *Escherichia coli* K-12. *J. Bacteriol.* **182**:508-512.
370. **Weaver, L. H., D. Rennell, A. R. Poteete, and B. W. Mathews.** 1985. Structure of phage P22 gene 19 lysozyme inferred from its homology with phage T4 lysozyme. Implications for lysozyme evolution. *J. Mol. Biol.* **184**:739-741.
371. **Weigle, J.** 1966. Assembly of phage lambda *in vitro*. *Proc. Natl. Acad. Sci. USA* **55**:1462-1466.

372. **Weigle, J.** 1968. Studies on head-tail union in bacteriophage lambda. *J. Mol. Biol.* **33**:483-489.
373. **Weisberg, R.** 1996. Specialized transduction, p. 2442-2448. *In* F. Neidhardt (ed.), *Escherichia coli and Salmonella: cellular and molecular biology*, vol. 2. ASMA Press, Washington, D.C.
374. **Weisberg, R., and M. Gottesman.** 1971. The stability of Int and Xis functions, p. 489-500. *In* A. D. Hershey (ed.), *The bacteriophage lambda*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
375. **Weisberg, R., and A. Landy.** 1983. Site-specific recombination, p. 211-250. *In* R. Hendrix, J. Roberts, F. W. Stahl, and R. Weisberg (ed.), *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
376. **Weisberg, R. A., and M. E. Gottesman.** 1999. Processive antitermination. *J. Bacteriol.* **181**:359-367.
377. **Werts, C., V. Michel, M. Hofnung, and A. Charbit.** 1994. Adsorption of bacteriophage lambda on the LamB protein of *Escherichia coli* K-12: point mutations in gene *J* of lambda responsible for extended host range. *J. Bacteriol.* **176**:941-947.
378. **Whitman, W. B., D. C. Coleman, and W. J. Wiebe.** 1998. Prokaryotes: the unseen majority. *Proc. Natl. Acad. Sci. USA* **95**:6578-6583.
379. **Wickner, S.** 1984. DNA-dependent ATPase activity associated with phage P22 gene 12 protein. *J. Biol. Chem.* **259**:14038-14043.

380. **Wickner, S.** 1984. Oligonucleotide synthesis by *Escherichia coli dnaG* primase in conjunction with phage P22 gene 12 protein. *J. Biol. Chem.* **259**:14044-14047.
381. **Wickner, S. H., and K. Zahn.** 1986. Characterization of the DNA binding domain of bacteriophage lambda O protein. *J. Biol. Chem.* **261**:7537-7543.
382. **Wikoff, W. R., L. Liljas, R. L. Duda, H. Tsuruta, R. W. Hendrix, and J. E. Johnson.** 2000. Topologically linked protein rings in the bacteriophage HK97 capsid. *Science* **289**:2129-2133.
383. **Williams, N., D. K. Fox, C. Shea, and S. Roseman.** 1986. Pel, the protein that permits lambda DNA penetration of *Escherichia coli*, is encoded by a gene in *ptsM* and is required for mannose utilization by the phosphotransferase system. *Proc. Natl. Acad. Sci. USA* **83**:8934-8938.
384. **Williams, R., and K. Richards.** 1974. Capsid structure in bacteriophage lambda. *J. Mol. Biol.* **88**:547-555.
385. **Willis, D. K., L. H. Satin, and A. J. Clark.** 1985. Mutation-dependent suppression of recB21 recC22 by a region cloned from the Rac prophage of *Escherichia coli* K-12. *J. Bacteriol.* **162**:1166-1172.
386. **Wolberger, C., Y. C. Dong, M. Ptashne, and S. C. Harrison.** 1988. Structure of a phage 434 Cro/DNA complex. *Nature* **335**:789-795.
387. **Wommack, K. E., and R. R. Colwell.** 2000. Virioplankton: viruses in aquatic ecosystems. *Microbiol. Mol. Biol. Rev.* **64**:69-114.

388. **Wood, W. B.** 1980. Bacteriophage T4 morphogenesis as a model for assembly of subcellular structure. *Q. Rev. Biol.* **55**:353-367.
389. **Woods, D. E., J. A. Jeddloh, D. L. Fritz, and D. DeShazer.** 2002. *Burkholderia thailandensis* E125 harbors a temperate bacteriophage specific for *Burkholderia mallei*. *J. Bacteriol.* **184**:4003-4017.
390. **Wrobel, B., A. Herman-Antosiewicz, S. Szalewska-Palasz, and G. Wegrzyn.** 1998. Polyadenylation of oop RNA in the regulation of bacteriophage lambda development. *Gene* **212**:57-65.
391. **Wrobel, B., and G. Wegrzyn.** 2002. Evolution of lambdoid replication modules. *Virus Genes* **24**:163-171.
392. **Wu, H., L. Sampson, R. Parr, and S. Casjens.** 2002. The DNA site utilized by bacteriophage P22 for initiation of DNA packaging. *Molec. Micro.* **45**:1631-1646.
393. **Wu, R., and A. D. Kaiser.** 1968. Structure and base sequence in the cohesive ends of phage lambda. *J. Mol. Biol.* **57**:491-499.
394. **Wu, T. H., S. M. Liao, W. R. McClure, and M. M. Susskind.** 1987. Control of gene expression in bacteriophage P22 by a small antisense RNA. II. Characterization of mutants defective in repression. *Genes Dev.* **1**:204-212.
395. **Wulff, D., and M. Rosenberg.** 1983. Establishment of repressor synthesis, p. 53-73. *In* R. W. Hendrix, J. Roberts, F. Stahl, and R. Weisberg (ed.), Lambda II. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.

396. **Wulff, D. L., Y. S. Ho, S. Powers, and M. Rosenberg.** 1993. The *int* genes of bacteriophages P22 and lambda are regulated by different mechanisms. *Molec. Microbiol.* **9**:261-271.
397. **Wulff, D. L., and M. E. Mahoney.** 1987. Cross-specificities between cII-like proteins and pRE-like promoters of lambdoid bacteriophages. *Genetics* **115**:597-604.
398. **Xin, W. N., and M. Feiss.** 1988. The interaction of *Escherichia coli* integration host factor with the cohesive end sites of phages lambda and 21. *Nucleic Acids Res.* **16**:2015-2030.
399. **Xu, J.** 2000. A conserved frameshift strategy in dsDNA long tailed phages. Ph.D. Thesis, University of Pittsburgh, Pittsburgh, Pennsylvania.
400. **Yang, F., P. Forrer, Z. Dauter, J. F. Conway, N. Cheng, M. E. Cerritelli, A. C. Steven, A. Pluckthun, and A. Wlodawer.** 2000. Novel fold and capsid-binding properties of the lambda-phage display platform protein gpD. *Nat. Struct. Biol.* **7**:230-237.
401. **Yang, X. J., J. A. Goliger, and J. W. Roberts.** 1989. Specificity and mechanism of antitermination by Q proteins of bacteriophages lambda and 82. *J. Mol. Biol.* **210**:453-460.
402. **Yarmolinsky, M. B.** 1971. Making and joining DNA ends, p. 97-111. In A. D. Hershey (ed.), *The bacteriophage lambda*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.

403. **Yochem, J., H. Uchida, M. Sunshine, H. Saito, C. P. Georgopoulos, and M. Feiss.** 1978. Genetic analysis of two genes, *dnaJ* and *dnaK*, necessary for *Escherichia coli* and bacteriophage lambda DNA replication. *Mol. Gen. Genet.* **164**:9-14.
404. **Yokota, T., and T. Kasuga.** 1972. Requirement of adenosine 3',5'-cyclic phosphate for formation of the phage lambda receptor in *Escherichia coli*. *J. Bacteriol.* **109**:1304-1306.
405. **Yokoyama, K., K. Makino, Y. Kubota, C. H. Yutsudo, S. Kimura, K. Kurokawa, K. Ishii, M. Hattori, I. Tatsuno, H. Abe, T. Iida, K. Yamamoto, M. Onishi, T. Hayashi, T. Yasunaga, T. Honda, C. Sasakawa, and H. Shinagawa.** 1999. Complete nucleotide sequence of the prophage VT2-Sakai carrying the verotoxin 2 genes of the enterohemorrhagic *Escherichia coli* O157:H7 derived from the Sakai outbreak. *Genes Genet. Syst.* **74**:227-239.
406. **Young, R.** 2002. Bacteriophage holins: deadly diversity. *J. Molec. Microbiol. Biotechnol.* **4**:21-36.
407. **Zhang, N., and R. Young.** 1999. Complementation and characterization of the nested Rz and Rz1 reading frames in the genome of bacteriophage lambda. *Mol. Gen. Genet.* **262**:659-667.
408. **Zylicz, M., D. Ang, K. Liberek, and C. Georgopoulos.** 1989. Initiation of lambda DNA replication with purified host- and bacteriophage-encoded

- proteins: the role of the dnaK, dnaJ and grpE heat shock proteins. *EMBO J.* **8**:1601-1608.
409. **Zylicz, M., D. Ang, K. Liberek, T. Yamamoto, and C. Georgopoulos.** 1988. Initiation of lambda DNA replication reconstituted with purified lambda and *Escherichia coli* replication proteins. *Biochim. Biophys. Acta* **951**:344-350.
410. **Zylicz, M., K. Liberek, A. Wawrzynow, and C. Georgopoulos.** 1998. Formation of the preprimosome protects lambda O from RNA transcription-dependent proteolysis by ClpP/ClpX. *Proc. Natl. Acad. Sci. USA* **95**:15259-15263.