

brought to you by [www.thebacteriophages.org](http://www.thebacteriophages.org) and [www.phage.org](http://www.phage.org)

## REFERENCES

1. **Acheson, D. W. K., A. Donohue-Rolfe, and G. T. Keusch** 1991. The family of Shiga and Shiga-like toxins, p. 415-433. *In* J. E. Alouf, and J. H. Freer (ed.), Sourcebook of bacterial protein toxins. Academic Press, London, UK.
2. **Acheson, D. W. K., A. V. Kane, G. T. Keusch, and A. Donohue-Rolfe** 1989. High yield purification and subunit characterization of Shiga-like toxin II, p. Abstr. #901. 29th Interscience Conference on Antimicrobial Agents and Chemotherapy.
3. **Al-Jumaili, I., D. A. Burke, S. M. Scotland, H. M. Al-Mardini, and C. O. Record** 1992. A method of enhancing verocytotoxin production by *Escherichia coli*. FEMS Microbiol. Lett. **93**:121-126.
4. **Baltch, A. L., M. C. Hammer, R. P. Smith, T. G. Obrig, J. V. Conroy, M. B. Bishop, M. A. Egy, and F. Lutz** 1985. Effects of *Pseudomonas aeruginosa* cytotoxin on human serum and granulocytes and their microbicidal, phagocytic, and chemotactic functions. Infect. Immun. **48**:498-506.
5. **Baltch, A. L., R. P. Smith, M. Franke, W. Ritz, P. Michelsen, L. Bopp, and F. Lutz** 1994. *Pseudomonas aeruginosa* cytotoxin as a pathogenicity factor in a systemic infection. of leukopenic mice Toxicon **32**:27-34.
6. **Barksdale, L., L. Garmise, and K. Horibata** 1960. Virulence, toxinogeny and lysogeny in *Corynebacterium diphtheriae*. Ann. NY Acad. Sci. **88**:1093-1098.
7. **Barksdale, W. L., and A. M. Pappenheimer** 1954. Phage-host relationships in nontoxigenic and toxigenic diphtheria bacilli. J. Bacteriol. **67**.
8. **Barondess, J. J., and J. Beckwith** 1990. A bacterial virulence determinant encoded by

- lysogenic coliphage lambda. *Nature* **346**:871-4.
9. **Barondess, J. J., and J. Beckwith** 1995. bor gene of phage lambda, involved in serum resistance, encodes a widely conserved outer membrane lipoprotein. *J. Bacteriol.* **177**:1247-53.
  10. **Benchetrit, L. C., E. D. Gray, R. D. Edstrom, and L. W. Wannamaker** 1978. Purification and characterization of a hyaluronidase associated with a temperate bacteriophage of group A, type 49 streptococci. *J. Bacteriol.* **134**:221-228.
  11. **Benchetrit, L. C., E. D. Gray, and L. W. Wannamaker** 1977. Hyaluronidase activity of bacteriophages of group A streptococci. *Infect. Immun.* **15**:527-532.
  12. **Bensing, B. A., C. E. Rubens, and P. M. Sullam** 2001. Genetic loci of *Streptococcus mitis* that mediate binding to human platelets. *Infect. Immun.* **69**:1373-1380.
  13. **Bensing, B. A., I. R. Siboo, and P. M. Sullam** 2001. Proteins PblA and PblB of *Streptococcus mitis*, which promote binding to human platelets, are encoded within a lysogenic bacteriophage. *Infect. Immun.* **69**:6186-6192.
  14. **Bergan, T., and T. Midtvedt** 1975. Epidemiological markers for *Pseudomonas aeruginosa*. *Acta Pathol. Microbiol. Scand. [B]* **83**:1-9.
  15. **Berry, A. M., R. A. Lock, D. Hansman, and J. C. Paton** 1989. Contribution of autolysin to virulence of *Streptococcus pneumoniae*. *Infect. Immun.* **57**:2324-2330.
  16. **Berry, A. M., and J. C. Paton** 2000. Additive attenuation of virulence of *Streptococcus pneumoniae* by mutation of the genes encoding pneumolysin and other putative pneumococcal virulence proteins. *Infect. Immun.* **68**:133-140.
  17. **Betley, M. J., and J. J. Mekalanos** 1985. Staphylococcal enterotoxin A is encoded by phage. *Science* **229**:185-187.

18. **Beutin, L., L. Bode, M. Ozel, and R. Stephan** 1990. Enterohemolysin production is associated with a temperate bacteriophage in *Escherichia coli* serogroup O26 strains. *J. Bacteriol.* **172**:6469-75.
19. **Beutin, L., J. Prada, S. Zimmermann, R. Stephan, I. Orskov, and F. Orskov** 1988. Enterohemolysin, a new type of hemolysin produced by some strains of enteropathogenic *E. coli* (EPEC). *Zentralbl. Bakteriologie, Mikrobiologie, Hygiene [A]* **267**:576-88.
20. **Beutin, L., U. H. Stroeder, and P. A. Manning** 1993. Isolation of enterohemolysin (Ehly2)-associated sequences encoded on temperate phages of *Escherichia coli*. *Gene* **132**:95-9.
21. **Bishop, M. B., A. L. Baltch, L. A. Hill, R. P. Smith, F. Lutz, and M. Pollack** 1987. The effect of *Pseudomonas aeruginosa* cytotoxin and toxin A on human polymorphonuclear leukocytes. *J. Med. Microbiol.* **24**:315-24.
22. **Boerlin, P., S. A. McEwen, F. Boerlin-Petzold, J. B. Wilson, R. P. Johnson, and C. L. Gyles** 1999. Associations between virulence factors of Shiga toxin-producing *Escherichia coli* and disease in humans. *J. Clin. Microbiol.* **37**:497-503.
23. **Bohach, G. A., and T. J. Foster** 2000. *Staphylococcus aureus* Exotoxins, p. 367-378. In V. A. e. a. Fischetti (ed.), *Gram-Positive Pathogens*. ASM Press, Washington, D. C.
24. **Borst, D. W., and M. J. Betley** 1994. Phage-associated differences in staphylococcal enterotoxin A gene (*sea*) expression correlate with *sea* allele class. *Infect. Immun.* **62**:113-118.
25. **Boyd, J., M. N. Oza, and J. R. Murphy** 1990. Molecular cloning and DNA sequence analysis of a diphtheria *tox* iron-dependent regulatory element (*dtxR*) from *Corynebacterium diphtheriae*. *Proc. Natl. Acad. Sci. U.S.A.* **87**:5968-5972.

26. **Broudy, T. B., V. Pancholi, and V. A. Fischetti** 2001. Induction of lysogenic bacteriophage and phage-associated toxin from group A streptococci during coculture with human pharyngeal cells. *Infect. Immun.* **69**:1440-1443.
27. **Butler, T., M. R. Islam, M. A. K. Azad, and P. K. Jones** 1987. Risk factors for development of hemolytic uremic syndrome during shigellosis. *J. Pediatrics.* **110**:894-897.
28. **Calderwood, S. B., F. Auclair, A. Donohue-Rolfe, G. T. Keusch, and J. J. Mekalanos** 1987. Nucleotide sequence of the Shiga-like toxin genes of *Escherichia coli*. *Proc. Natl. Acad. Sci. U.S.A.* **84**:4364-4368.
29. **Calderwood, S. B., and J. J. Mekalanos** 1987. Iron regulation of Shiga-like toxin expression in *Escherichia coli* is mediated by the *fur* locus. *J. Bacteriol.* **169**:4759-4764.
30. **Caparon, M.** 2000. Genetics of Group A Streptococci, p. 53-64. *In* V. A. e. a. Fischetti (ed.), *Gram-Positive Pathogens*. ASM Press, Washington, D. C.
31. **Carter, A. O., A. A. Borczyk, J. A. Carlson, B. Harvey, J. C. Hockin, M. A. Karmali, C. Krishnan, D. A. Korn, and H. Lior** 1987. A severe outbreak of *Escherichia coli* O157:H7--associated hemorrhagic colitis in a nursing home. *N. Engl. J. Med.* **317**:1496-500.
32. **Casman, E. P.** 1965. Staphylococcal enterotoxin. *Ann N Y Acad Sci.* **128**:124-131.
33. **Castillo, F. J., and P. F. Bartell** 1974. Studies on the bacteriophage 2 receptors of *Pseudomonas aeruginosa*. *J. Virol.* **14**:904-9.
34. **Chan, P. F., and S. J. Foster** 1998. The role of environmental factors in the regulation of virulence-determinant expression in *Staphylococcus aureus* 8325-4. *Microbiology.* **144**:2469-2479.

35. **Chowdhury, N. R., S. Chakraborty, T. Ramamurthy, M. Nishibuchi, S. Yamasaki, Y. Takeda, and G. B. Nair** 2000. Molecular evidence of clonal *Vibrio parahaemolyticus* pandemic strains. *Emerg. Infect. Dis.* **6**:631-6.
36. **Cleary, P. P., Z. Johnson, and L. W. Wannamaker** 1975. Genetic instability of M protein and serum opacity factor of group A streptococci: evidence suggesting extrachromosomal control. *Infect. Immun.* **12**:109-118.
37. **Coleman, D., J. Knights, R. Russell, D. Shanley, T. H. Birkbeck, G. Dougan, and I. Charles** 1991. Insertional inactivation of the *Staphylococcus aureus* beta-toxin by bacteriophage phi 13 occurs by site- and orientation-specific integration of the phi 13 genome. *Mol. Microbiol.* **5**:933-9.
38. **Coleman, D. C., J. P. Arbuthnott, H. M. Pomeroy, and T. H. Birkbeck** 1986. Cloning and expression in *Escherichia coli* and *Staphylococcus aureus*: evidence that bacteriophage conversion of beta-lysin activity is caused by insertional inactivation of the beta-lysin determinant. *Microbial. Pathog.* **1**:549-564.
39. **Coleman, D. C., D. J. Sullivan, R. J. Russell, J. P. Arbuthnott, B. F. Carey, and H. M. Pomeroy** 1989. *Staphylococcus aureus* bacteriophages mediating the simultaneous lysogenic conversion of  $\beta$ -lysin, staphylokinase and enterotoxin A: molecular mechanism of triple conversion. *J. Gen. Microbiol.* **135**:1679-1697.
40. **Collier, R. J.** 2001. Understanding the mode of action of diphtheria toxin: a perspective on progress during the 20th century. *Toxicon* **39**:1793-803.
41. **Couch, J. L., M. T. Soltis, and M. J. Betley** 1988. Cloning and nucleotide sequence of the type E staphylococcal enterotoxin Gene J. *Bacteriol.* **170**:2954-2960.
42. **Datz, M., C. Janetzki-Mittman, S. Franke, F. Gunzer, H. Schmidt, and H. Karch**

1996. Analysis of the enterohemorrhagic *Escherichia coli* O157 DNA region containing lambdoid phage gene p and Shiga-like toxin structural genes. *Appl. Environ. Microbiol.* **62**:791-797.
43. **Davis, B. M., E. H. Lawson, M. Sandkvist, A. Ali, S. Sozhamannan, and M. K. Waldor** 2000. Convergence of the secretory pathways for cholera toxin and the filamentous phage, CTXphi. *Science* **288**:333-5.
44. **De Grandis, S., J. Ginsberg, M. Toone, S. Climie, J. Friesen, and J. Brunton** 1987. Nucleotide sequence and promoter mapping of the *Escherichia coli* Shiga-like toxin operon of bacteriophage H-19B. *J. Bacteriol.* **169**:4313-4319.
45. **De Groot, M. A., U. A. Ochsner, M. U. Shiloh, C. Nathan, J. M. McCord, M. C. Dinauer, S. J. Libby, A. Vazquez-Torres, Y. Xu, and F. C. Fang** 1997. Periplasmic superoxide dismutase protects *Salmonella* from products of phagocyte NADPH-oxidase and nitric oxide synthase. *Proc. Natl. Acad. Sci. U.S.A.* **94**:13997-4001.
46. **Dimitracopoulos, G., and P. F. Bartell** 1979. Phage-related surface modifications of *Pseudomonas aeruginosa*: effects on the biological activity of viable cells. *Infect. Immun.* **23**:87-93.
47. **Dinges, M. M., P. M. Orwin, and P. M. Schlievert** 2000. Exotoxins of *Staphylococcus aureus*. *Clin. Microbiol. Rev.* **13**:16-34.
48. **Egan, J. B., and B. W. Holloway** 1961. Genetic studies on lysogeny in *Pseudomonas aeruginosa*. *Aust. J. Exp. Biol.* **39**:9-18.
49. **Eklund, M., F. Pysky, S. Reed, and C. Smith** 1971. Bacteriophage and the toxigenicity of *Clostridium botulinum* Type C. *Science* **172**:480-482.
50. **Farrant, J. L., A. Sansone, J. R. Canvin, M. J. Pallen, P. R. Langford, T. S. Wallis,**

- G. Dougan, and J. S. Kroll** 1997. Bacterial copper- and zinc-cofactored superoxide dismutase contributes to the pathogenesis of systemic salmonellosis. *Mol. Microbiol.* **25**:785-96.
51. **Fasano, A., B. Baudry, D. W. Pumphin, S. S. Wasserman, B. D. Tall, J. M. Ketley, and J. B. Kaper** 1991. *Vibrio cholerae* produces a second enterotoxin, which affects intestinal tight junctions. *Proc. Natl. Acad. Sci. U.S.A.* **88**:5242-6.
52. **Figuroa-Bossi, N., and L. Bossi** 1999. Inducible prophages contribute to *Salmonella* virulence in mice. *Mol. Microbiol.* **33**:167-176.
53. **Firth, N., and R. A. Skurray** 2000. Genetics: Accessory Elements and Genetic Exchange, p. 326-338. *In* V. A. e. a. Fischetti (ed.), *Gram-Positive Pathogens*. ASM Press, Washington, D. C.
54. **Fischetti, V. A., K. F. Jones, S. K. Hollingshead, and J. R. Scott** 1988. Structure, function, and genetics of streptococcal M protein. *Rev Infect Dis.* **10 Suppl 2**:S356-9.
55. **Freeman, V. J.** 1951. Studies on the virulence of bacteriophage-infected strains of *Corynebacterium diphtheriae*. *J. Bacteriol.* **61**:675-688.
56. **Frobisher, M., and J. Brown** 1927. Transmissible toxicogenicity of streptococci. *Bull. Johns Hopkins Hosp.* **41**:167-173.
57. **Fujii, N., K. Oguma, N. Yokosawa, K. Kimura, and K. Tsuzuki** 1988. Characterization of bacteriophage nucleic acids obtained from *Clostridium botulinum* types C and D. *Appl. Environ. Microbiol.* **54**:69-73.
58. **Garcia, P., V. Obregon, E. Gindreau, E. Garcia, R. Lopez, and J. Garcia** 2001. Complete nucleotide sequence of the genome of *Streptococcus pneumoniae* temperate bacteriophage MM1, p. 481. ASM 101st General Meeting. ASM Press, Orlando, FL.

59. **Gill, D. M., T. Uchida, and R. A. Singer** 1972. Expression of diphtheria toxin genes carried by integrated and nonintegrated phage beta. *Virology* **50**:664-668.
60. **Goshorn, S. C., and P. M. Schlievert** 1989. Bacteriophage association of streptococcal pyrogenic exotoxin type C. *J. Bacteriol.* **171**:3068-3073.
61. **Groman, N. B., and M. Eaton** 1955. Genetic factors in *Corynebacterium diphtheriae* conversion. *J. Bacteriol.* **70**:637-640.
62. **Guan, S., D. A. Bastin, and N. K. Verma** 1999. Functional analysis of the O antigen glucosylation gene cluster of *Shigella flexneri* bacteriophage SfX. *Microbiology* **145**:1263-1273.
63. **Halperin, S. A., P. Ferrieri, E. D. Gray, E. L. Kaplan, and L. W. Wannamaker** 1987. Antibody response to bacteriophage hyaluronidase in acute glomerulonephritis after group A streptococcal infection. *J. Infect. Dis.* **155**:253-261.
64. **Hardt, W. D., L. M. Chen, K. E. Schuebel, X. R. Bustelo, and J. E. Galan** 1998. *S. typhimurium* encodes an activator of Rho GTPases that induces membrane ruffling and nuclear responses in host cells. *Cell* **93**:815-826.
65. **Hardt, W. D., H. Urlaub, and J. E. Galan** 1998. A substrate of the centisome 63 type III protein secretion system of *Salmonella typhimurium* is encoded by a cryptic bacteriophage. *Proc. Natl. Acad. Sci. U.S.A.* **95**:2574-2579.
66. **Hariharan, H., and W. R. Mitchell** 1976. Observations on bacteriophages of *Clostridium botulinum* type C isolates from different sources and the role of certain phages in toxigenicity. *Appl. Environ. Microbiol.* **32**:145-58.
67. **Hayashi, T., T. Baba, H. Matsumoto, and Y. Terawaki** 1990. Phage-conversion of cytotoxin production in *Pseudomonas aeruginosa*. *Mol. Microbiol.* **4**:1703-9.



68. **Hayashi, T., H. Matsumoto, M. Ohnishi, and Y. Terawaki** 1993. Molecular analysis of a cytotoxin-converting phage, phi CTX, of *Pseudomonas aeruginosa*: structure of the attP-cos-ctx region and integration into the serine tRNA Gene Mol. Microbiol. **7**:657-67.
69. **Head, S. C., M. Petric, S. Richardson, M. Roscoe, and M. A. Karmali** 1988. Purification and characterization of verocytotoxin 2. FEMS Microbiol. Lett. **51**:211-216.
70. **Holloway, B. W., and G. N. Cooper** 1962. Lysogenic conversion in *Pseudomonas aeruginosa*. J. Bacteriol. **84**:1321-1324.
71. **Holmes, R. K., and L. Barksdale** 1969. Genetic analysis of tox+ and tox- bacteriophages of *Corynebacterium diphtheriae*. J. Virol. **3**:586-598.
72. **Huang, A., S. De Grandis, J. Friesen, M. Karmali, M. Petric, R. Congi, and J. L. Brunton** 1986. Cloning and expression of the genes specifying Shiga-like toxin production in *Escherichia coli* H19. J. Bacteriol. **166**:375-379.
73. **Hueck, C. J.** 1998. Type III protein secretion systems in bacterial pathogens of animals and plants. Microbiol. Mol. Biol. Rev. **62**:379-433.
74. **Hull, A. E., D. W. K. Acheson, A. Donohue-Rolfe, G. T. Keusch, and P. Echeverria** 1991. Comparison of DNA probe and mitomycin C-enhanced immunoblot assay for the detection of Shiga-like toxin producing *E. coli* in stool specimens, p. 390. ASM 91st General Meeting. American Society for Microbiology, Washington, DC.
75. **Hull, A. E., D. W. K. Acheson, P. Echeverria, A. Donohue-Rolfe, and G. T. Keusch** 1993. Mitomycin immunoblot colony assay for detection of Shiga like toxin-producing *Escherichia coli* in fecal samples: comparison with DNA probes. J. Clin. Microbiol. **31**:1167-1172.
76. **Hyder, S. L., and M. M. Streitfeld** 1978. Transfer of erythromycin resistance from

- clinically isolated lysogenic strains of *Streptococcus pyogenes* via their endogenous phage. *J. Infect. Dis.* **138**:281-6.
77. **Hynes, W. L., and J. J. Ferretti** 1989. Sequence analysis and expression in *Escherichia coli* of the hyaluronidase gene of *Streptococcus pyogenes* bacteriophage H4489A. *Infect. Immun.* **57**:533-539.
78. **Iida, T., A. Hattori, K. Tagomori, H. Nasu, R. Naim, and T. Honda** 2001. Filamentous phage associated with recent pandemic strains of *Vibrio parahemolyticus*. *Emerg. Infect. Dis.* **7**:477-478.
79. **Inoue, K., and H. Iida** 1970. Conversion of Toxigenicity in *Clostridium botulinum* type C. *Japan J. Microbiol.* **14**:87-89.
80. **Inoue, K., and H. Iida** 1971. Phage-conversion of toxigenicity in *Clostridium botulinum* types C and D. *Japan J. Med. Sci. Biol.* **24**:53-56.
81. **Jackson, M. P., J. W. Newland, R. K. Holmes, and A. D. O'Brien** 1987. Nucleotide sequence analysis of the structural genes for Shiga-like toxin I encoded by bacteriophage 933J from *Escherichia coli*. *Microb. Pathog.* **2**:147-153.
82. **Jimenez-Lucho, V. E., and L. Leive** 1990. Role of the O-antigen of lipopolysaccharide in *Salmonella* in protection against complement action. In B. H. Iglewski, and V. L. Clark (eds), *The Bacteria*, vol XI: Molecular Basis of Bacterial Pathogenesis. Acaemic Press, San Diego.
83. **Johns, M. B., and S. A. Khan** 1988. Staphylococcal enterotoxin B gene is associated with a discrete genetic element. *J. Bacteriol.* **170**:4033-4039.
84. **Johnson, E. A., and M. Bradshaw** 2001. *Clostridium botulinum* and its neurotoxins: a metabolic and cellular perspective. *Toxicon* **39**:1703-22.

85. **Johnson, L. P., and P. M. Schlievert** 1984. Group A streptococcal phage T12 carries the structural gene for pyrogenic exotoxin type A. *Mol. Gen. Genet.* **194**:52-56.
86. **Kaneko, J., T. Kimura, Y. Kawakami, T. Tomita, and Y. Kamio** 1997. Panton-valentine leukocidin genes in a phage-like particle isolated from mitomycin C-treated *Staphylococcus aureus* V8 (ATCC 49775). *Biosci. Biotechnol. Biochem.* **61**:1960-1962.
87. **Kaneko, J., K. Muramoto, and Y. Kamio** 1997. Gene of LukF-PV-like component of Panton-Valentine leukocidin in *Staphylococcus aureus* P83 is linked with lukM. *Biosci. Biotechnol. Biochem.* **61**:541-544.
88. **Karaolis, D. K. R., S. Somara, D. R. Maneval, J. A. Johnson, and J. B. Kaper** 1999. A bacteriophage encoding a pathogenicity island, a type-IV pilus and a phage receptor in cholera bacteria. *Nature* **399**:375-379.
89. **Karch, H., J. Heeseman, and R. Laufs** 1987. Phage-associated cytotoxin production by and enteroadhesiveness of enteropathogenic *Escherichia coli* isolated from infants with diarrhea in West Germany. *J. Infect. Dis.* **155**:707-715.
90. **Kehoe, M. A., V. Kapur, A. M. Whatmore, and J. M. Musser** 1996. Horizontal gene transfer among group A streptococci: implications for pathogenesis and epidemiology. *Trends Microbiol.* **4**:436-443.
91. **Kimmitt, P. T., C. R. Harwood, and M. R. Barer** 2000. Toxin gene expression by Shiga toxin-producing *Escherichia coli*: the role of antibiotics and the bacterial SOS response. *Emerg. Infect. Dis.* **6**:458-465.
92. **Kondo, I., and K. Fujise** 1977. Serotype B staphylococcal bacteriophage singly converting staphylokinase. *Infect. Immun.* **18**:266-272.
93. **Koonin, E. V.** 1992. The second cholera toxin, Zot, and its plasmid-encoded and phage-

- encoded homologues constitute a group of putative ATPases with an altered purine NTP-binding motif. *FEBS Lett.* **312**:3-6.
94. **Kuzio, J., and A. M. Kropinski** 1983. O-antigen conversion in *Pseudomonas aeruginosa* PAO1 by bacteriophage D3. *J. Bacteriol.* **155**:203-12.
  95. **Lacey, R. W.** 1980. Evidence for two mechanisms of plasmid transfer in mixed cultures of *Staphylococcus aureus*. *J. Gen. Microbiol.* **119**:423-435.
  96. **Laird, W., and N. B. Groman** 1976. Prophage map of converting corynebacteriophage beta. *J. Virol.* **19**:208-219.
  97. **Lanyi, B., and J. Lantos** 1976. Antigenic changes in *Pseudomonas aeruginosa* in vivo and after lysogenization in vitro. *Acta Microbiol. Acad. Sci. Hung.* **23**:337-51.
  98. **Lazar, S., and M. K. Waldor** 1998. ToxR-independent expression of cholera toxin from the replicative form of CTX $\phi$ . *Infect. Immun.* **66**:394-397.
  99. **Liang-Takasaki, C. J., P. H. Makela, and L. Leive** 1982. Phagocytosis of bacteria by macrophages: changing the carbohydrate of lipopolysaccharide alters interaction with complement and macrophages. *J. Immunol.* **128**:1229-35.
  100. **Lindsay, J. A., A. Ruzin, H. F. Ross, N. Kurepina, and R. P. Novick** 1998. The gene for toxic shock toxin is carried by a family of mobile pathogenicity islands in *Staphylococcus aureus*. *Mol. Microbiol.* **29**:527-543.
  101. **Locke, A., and E. R. Main** 1931. The relation of copper and iron to production of toxin and enzyme action. *J. Infect. Dis.* **48**:419-435.
  102. **Lui, P. V.** 1969. Changes in somatic antigens of *Pseudomonas aeruginosa* induced by bacteriophages. *J. Infect. Dis.* **119**:237-246.
  103. **Lyon, B. R., and R. Skurray** 1987. Antimicrobial resistance of *Staphylococcus aureus*:

- genetic basis. *Microbiol. Rev.* **51**:88-134.
104. **Madhubala, K. Prakash, and K. B. Sharma** 1981. Change in the "O" serotype of *Pseudomonas aeruginosa* after lysogenisation with bacteriophages. *Indian J. Med. Res.* **73**:686-91.
105. **Makino, K., K. Yokoyama, Y. Kubota, C. H. Yutsudo, S. Kimura, K. Kurokawa, K. Ishii, M. Hattori, I. Tatsuno, H. Abe, T. Iida, K. Yamamoto, M. Onishi, T. Hayashi, T. Yasunaga, T. Honda, C. Sasakawa, and H. Shinagawa** 1999. Complete nucleotide sequence of the prophage VT2-Sakai carrying the verotoxin 2 genes of the enterohemorrhagic *Escherichia coli* O157:H7 derived from the Sakai outbreak. *Genes Genet. Syst.* **74**:227-39.
106. **Marvaud, J. C., M. Gibert, K. Inoue, Y. Fujinaga, K. Oguma, and M. R. Popoff** 1998. botR/A is a positive regulator of botulinum neurotoxin and associated non-toxin protein genes in *Clostridium botulinum* A. *Mol. Microbiol.* **29**:1009-18.
107. **Matsuda, M., and L. Barksdale** 1966. Phage-directed synthesis of diphtherial toxin in non-toxinogenic *Corynebacterium diphtheriae*. *Nature* **210**:911-913.
108. **Matsuda, M., and L. Barksdale** 1967. System for the investigation of the bacteriophage-directed synthesis of diphtherial toxin. *J. Bacteriol.* **93**:722-730.
109. **Matsuda, M., C. Kanei, and M. Yoneda** 1971. Temperature sensitive mutants of non-lysogenizing corynebacteriophage  $\beta^{hv}$ : their isolation, characterization and relation to toxinogenesis. *Biken J.* **14**:119-130.
110. **Mavris, M., P. A. Manning, and R. Morona** 1997. Mechanism of bacteriophage SfIII-mediated serotype conversion in *Shigella flexneri*. *Mol. Microbiol.* **26**:939-950.
111. **McCormick, J. K., and P. M. Schlievert** 2000. Toxins and Superantigens of Group A

- Streptococci, p. 43-52. In V. A. e. a. Fischetti (ed.), Gram-Positive Pathogens. ASM Press, Washington, D. C.
112. **McDonough, M. A., and J. R. Butterton** 1999. Spontaneous tandem amplification and deletion of the Shiga toxin operon in *Shigella dysenteriae* 1. Mol. Microbiol. **34**:1058-1069.
  113. **McShan, W. M.** 2000. The Bacteriophages of Group A Streptococci, p. 105-116. In V. A. e. a. Fischetti (ed.), Gram-Positive Pathogens. ASM Press, Washington, D. C.
  114. **Miroid, S., W. Rabsch, M. Rohde, S. Stender, H. Tschape, H. Russmann, E. Igwe, and W. D. Hardt** 1999. Isolation of a temperate bacteriophage encoding the type III effector protein SopE from an epidemic *Salmonella typhimurium* strain. Proc. Natl. Acad. Sci. U.S.A. **96**:9845-50.
  115. **Miyamoto, H., W. Nakai, N. Yajima, A. Fujibayashi, T. Higuchi, K. Sato, and A. Matsushiro** 1999. Sequence analysis of Stx2-converting phage VT2-Sa shows a great divergence in early regulation and replication regions. DNA Res. **6**:235-40.
  116. **Mizutani, S., N. Nakazono, and Y. Sugino** 1999. The so-called chromosomal verotoxin genes are actually carried by defective prophages. DNA Res. **6**:141-143.
  117. **Montecucco, C., and G. Schiavo** 1995. Structure and function of tetanus and botulinum neurotoxins. Q. Rev. Biophys. **28**:423-72.
  118. **Muschel, L. H., L. A. Ahl, and L. S. Baron** 1968. Effect of lysogeny on serum sensitivity. J. Bacteriol. **96**:1912-4.
  119. **Nakayama, K., S. Kanaya, M. Ohnishi, Y. Terawaki, and T. Hayashi** 1999. The complete nucleotide sequence of phi CTX, a cytotoxin-converting phage of *Pseudomonas aeruginosa*: implications for phage evolution and horizontal gene transfer via

- bacteriophages. *Mol. Microbiol.* **31**:399-419.
120. **Narita, S., J. Kaneko, J. Chiba, Y. Piemont, S. Jarraud, J. Etienne, and Y. Kanio** 2001. Phage conversion of Panton-Valentine leukocidin in *Staphylococcus aureus*: molecular analysis of a PVL-converting phage,  $\phi$ SLT. *Gene* **268**:195-206.
121. **Neely, M. N., and D. I. Friedman** 1998. Arrangement and functional identification of genes in the regulatory region of lambdoid phage H-19B, a carrier of a Shiga-like toxin. *Gene* **223**:105-113.
122. **Newland, J. W., and R. J. Neill** 1988. DNA probes for Shiga-like toxins I and II and for toxin-converting bacteriophages. *J. Clin. Microbiol.* **26**:1292-1297.
123. **Newland, J. W., N. A. Strockbine, S. F. Miller, A. D. O'Brien, and R. K. Holmes** 1985. Cloning of Shiga-like toxin structural genes from a toxin converting phage of *Escherichia coli*. *Science* **230**:179-181.
124. **Nizet, V., B. Beall, D. J. Bast, V. Datta, L. Kilburn, D. E. Low, and J. C. S. De Azavedo** 2000. Genetic locus for Streptolysin S production by group A streptococcus. *Infect. Immun.* **68**:4245-4254.
125. **Novick, R. P.** 2000. Pathogenicity Factors and Their Regulation, p. 392-407. *In* V. A. e. a. Fischetti (ed.), *Gram-Positive Pathogens*. ASM Press, Washington, D.C.
126. **Obrig, T. G., A. L. Baltch, T. P. Moran, S. P. Mudzinski, R. P. Smith, and F. Lutz** 1984. Effect of *Pseudomonas aeruginosa* cytotoxin on thymidine incorporation by murine splenocytes. *Infect. Immun.* **45**:756-60.
127. **Ostroff, S. M., P. I. Tarr, M. A. Neill, J. H. Lewis, N. Hargrett-Bean, and J. M. Kobayashi** 1989. Toxin genotypes and plasmid profiles as determinants of systemic sequelae in *Escherichia coli* O157:H7 infections. *J. Infect. Dis.* **160**:994-8.

128. **Pacheco, S. V., O. G. Gonzalez, and G. L. P. Contreras** 1997. The *lom* gene of bacteriophage  $\lambda$  is involved in *Escherichia coli* K12 adhesion to human buccal epithelial cells. FEMS Microbiol. Lett. **156**:129-132.
129. **Pappenheimer, A. M.** 1977. Diphtheria toxin. Annu. Rev. Biochem. **46**:69-94.
130. **Pappenheimer, A. M., and S. J. Johnson** 1936. Studies in diphtheria toxin production. I: The effect of iron and copper. Br. J. Exp. Path. **17**:335-341.
131. **Pavia, A. T., C. R. Nichols, D. P. Green, R. V. Tauxe, S. Mottice, K. D. Greene, J. G. Wells, R. L. Siegler, E. D. Brewer, D. Hannon, and et al.** 1990. Hemolytic-uremic syndrome during an outbreak of *Escherichia coli* O157:H7 infections in institutions for mentally retarded persons: clinical and epidemiologic observations. J. Pediatr. **116**:544-51.
132. **Plunkett, G., 3rd, D. J. Rose, T. J. Durfee, and F. R. Blattner** 1999. Sequence of Shiga toxin 2 phage 933W from *Escherichia coli* O157:H7: Shiga toxin as a phage late-gene product. J. Bacteriol. **181**:1767-78.
133. **Projan, S. J.** 2000. Antibiotic Resistance in the Staphylococci, p. 463-470. In V. A. e. a. Fischetti (ed.), Gram-Positive Pathogens. ASM Press, Washington, D. C.
134. **Ramirez, M., E. Severina, and A. Tomasz** 1999. A high incidence of prophage carriage among natural isolates of *Streptococcus pneumoniae*. J. Bacteriol. **181**:3618-3625.
135. **Reeve, J. N., and J. E. Shaw** 1979. Lambda encodes an outer membrane protein: the *lom* gene. Mol. Gen. Genet. **172**:243-248.
136. **Reeves, P.** 1995. Role of O-antigen variation in the immune response. Trends Microbiol. **3**:381-6.
137. **Robbins, P. W., and T. Uchida** 1965. Chemical and macromolecular structure of O



- antigens from *Salmonella anatum* strains carrying mutants of bacteriophage  $\epsilon^{34}$ . J. Biol. Chem. **240**:375-383.
138. **Robbins, P. W., and T. Uchida** 1962. Studies on the chemical basis of the phage conversion of O-antigens in the E-Group *Salmonellae*. Biochemistry **1**:323-335.
139. **Sako, T., S. Sawaki, T. Sakurai, S. Ito, Y. Yoshizawa, and I. Kondo** 1983. Cloning and expression of the staphylokinase gene of *Staphylococcus aureus* in *Escherichia coli*. Mol. Gen. Genet. **190**:271-7.
140. **Schmitt, M. P., and R. K. Holmes** 1991. Iron-dependent regulation of diphtheria toxin and siderophore expression by the cloned *Corynebacterium diphtheriae* repressor gene *dtxR* in *C. diphtheriae* C7 strains. Infect. Immun. **59**:1899-1904.
141. **Schmitt, M. P., E. M. Twiddy, and R. K. Holmes** 1992. Purification and characterization of the diphtheria toxin repressor. Proc. Natl. Acad. Sci. U.S.A. **89**:7576-7580.
142. **Shelton, C. B., D. R. Crosslin, J. L. Casey, S. Ng, L. M. Temple, and P. E. Orndorff** 2000. Discovery, purification, and characterization of a temperate transducing bacteriophage for *Bordetella avium*. J. Bacteriol. **182**:6130-6.
143. **Shelton, C. B., L. M. Temple, and P. E. Orndorff** 2002. Use of bacteriophage Ba1 to identify properties associated with *Bordetella avium* virulence. Infect. Immun. **70**:1219-24.
144. **Singer, R. A.** 1973. Temperature-sensitive mutants of toxinogenic corynebacteriophage beta. I. Genetics Virology **55**:347-56.
145. **Singer, R. A.** 1973. Temperature-sensitive mutants of toxinogenic corynebacteriophage beta. II. Properties of mutant phages. Virology **55**:357-62.

146. **Skeeles, E. M., and L. H. Arp** 1997. Bordetellosis (turkey coryza). *In* B. W. e. a. Calnek (ed.), Disease of poultry. Iowa State University Press, Ames, IA.
147. **Skjold, S. A., W. R. Maxted, and L. W. Wannamaker** 1982. Transduction of the genetic determinant for streptolysin S in group A streptococci. *Infect. Immun.* **38**:183-188.
148. **Skorupski, K., and R. K. Taylor** 1997. Control of the ToxR virulence regulon in *Vibrio cholerae* by environmental stimuli. *Mol. Microbiol.* **25**:1003-9.
149. **Spanier, J. G., and P. P. Cleary** 1980. Bacteriophage control of antiphagocytic determinants in group A streptococci. *J. Exp. Med.* **152**:1393-1406.
150. **Stanley, R. L., C. D. Ellermeier, and J. M. Slauch** 2000. Tissue-specific gene expression identifies a gene in the lysogenic phage Gifsy-1 that affects *Salmonella enterica* serovar typhimurium survival in Peyer's patches. *J. Bacteriol.* **182**:4406-4413.
151. **Stroeher, U. H., L. Bode, L. Beutin, and P. A. Manning** 1993. Characterization and sequence of a 33-kDa enterohemolysin (Ehly 1)- associated protein in *Escherichia coli*. *Gene* **132**:89-94.
152. **Temple, L. M.** 2001.
153. **Trucksis, M., J. E. Galen, J. Michalski, A. Fasano, and J. B. Kaper** 1993. Accessory cholera enterotoxin (Ace), the third toxin of a *Vibrio cholerae* virulence cassette. *Proc. Natl. Acad. Sci. U.S.A.* **90**:5267-71.
154. **Ubukata, K., M. Konno, and R. Fujii** 1975. Transduction of drug resistance to tetracycline, chloramphenicol, macrolides, lincomycin and clindamycin with phages induced from *Streptococcus pyogenes*. *J. Antibiot. (Tokyo).* **28**:681-8.
155. **Uchida, T., D. M. Gill, and A. M. Pappenheimer** 1971. Mutation in the structural gene

- for diphtheria toxin carried by temperate phage  $\beta$ . *Nature New Biol.* **233**:8-11.
156. **Unkmeir, A., and H. Schmidt** 2000. Structural analysis of phage-borne stx genes and their flanking sequences in Shiga toxin-producing *Escherichia coli* and *Shigella dysenteriae* type 1 strains. *Infect. Immun.* **68**:4856-4864.
157. **Vaca, S., J. Arce, G. Oliver, D. Arenas, and F. Arguello** 1989. FIZ15 bacteriophage increases the adhesion of *Pseudomonas aeruginosa* to human buccal epithelial cells. *Rev. Lat. Amer. Microbiol.* **31**:1-5.
158. **van der Vijver, J. C., M. van Es-Boon, and M. F. Michel** 1972. Lysogenic conversion in *Staphylococcus aureus* to leucocidin production. *J. Virol.* **10**:318-9.
159. **van Horne, S. J., D. Bjornsen, P. Carpentier, and L. M. Temple** 2001. Investigation of expression of phage encoded pertussis toxin operon in *Bordetella avium* lysogens, p. Abstr. B-109, p. 64-65. 101st General Meeting of the American Society for Microbiology. American Society for Microbiology, Washington, DC, Orlando, FL, USA.
160. **Van Wamel, W., A. Peshel, K. Van Kessel, and J. Van Strijp** 2001. CHIPS a chemotaxis inhibitory protein of *Staphylococcus aureus* is encoded by a prophage located pathogenicity island, p. abstr. B-98, p. 62. American Society for Microbiology 101st General Meeting, Orlando, FL.
161. **Veldkamp, K. E., H. C. Heezius, J. Verhoef, J. A. van Strijp, and K. P. van Kessel** 2000. Modulation of neutrophil chemokine receptors by *Staphylococcus aureus* supernate. *Infect. Immun.* **68**:5908-13.
162. **Voelker, L. L., and K. Dybvig** 1999. Sequence analysis of the *Mycoplasma arthritidis* bacteriophage MAV1 genome identifies the putative virulence factor. *Gene* **233**:101-107.
163. **Voelker, L. L., K. E. Weaver, L. J. Ehle, and L. R. Washburn** 1995. Association of

- lysogenic bacteriophage MAV1 with virulence of *Mycoplasma arthritidis*. Infect. Immun. **63**:4016-4023.
164. **Wadolowski, E. A., L. M. Sung, J. A. Burris, J. E. Samuel, and A. D. O'Brien** 1990. Acute renal tubular necrosis and death of mice orally infected with *Escherichia coli* strains that produce Shiga-like toxin type II. Infect. Immun. **58**:3959-65.
165. **Wagner, P. L., D. W. K. Acheson, and M. K. Waldor** 2001. Human neutrophils and their products induce Shiga toxin production by enterohemorrhagic *Escherichia coli*. Infect. Immun. **69**:1934-1937.
166. **Wagner, P. L., D. W. K. Acheson, and M. K. Waldor** 1999. Isogenic lysogens of diverse Shiga toxin 2-encoding bacteriophages produce markedly different amounts of Shiga toxin. Infect. Immun. **67**:6710-6714.
167. **Wagner, P. L., J. Livny, M. N. Neely, D. W. K. Acheson, D. I. Friedman, and M. K. Waldor** 2002. Bacteriophage control of Shiga toxin 1 production and release by *Escherichia coli*. Mol. Microbiol. **44**:957-970.
168. **Wagner, P. L., M. N. Neely, X. Zhang, D. W. Acheson, M. K. Waldor, and D. I. Friedman** 2001. Role for a phage promoter in Shiga toxin 2 expression from a pathogenic *Escherichia coli* strain. J. Bacteriol. **183**:2081-5.
169. **Wagner, P. L., and M. K. Waldor** 2002. Bacteriophage control of bacterial virulence. Infect. Immun. **submitted**.
170. **Waldor, M. K., and J. J. Mekalanos** 1996. Lysogenic conversion by a filamentous phage encoding cholera toxin. Science **272**:1910-1914.
171. **Waldor, M. K., and J. J. Mekalanos** 1996. *Vibrio cholerae* Molecular pathogenesis, immune response, and vaccine development. In L. J. Paradise, et al. (ed.), Enteric

- Infections and Immunity. Plenum Press, New York.
172. **Weeks, C. R., and J. J. Ferretti** 1984. The gene for type A streptococcal exotoxin (erythrogenic toxin) is located in bacteriophage T12. *Infect. Immun.* **46**:531-536.
  173. **Willshaw, G. A., H. R. Smith, S. M. Scotland, and B. Rowe** 1985. Cloning of genes determining the production of vero cytotoxin by *Escherichia coli*. *J. Gen. Microbiol.* **131**:3047-3053.
  174. **Winkler, K. C., J. de Waart, and C. Grooten** 1965. Lysogenic conversion of staphylococci to loss of beta-toxin. *J. Gen. Microbiol.* **39**:321-33.
  175. **Wong, C. S., S. Jelacic, R. L. Habeeb, S. L. Watkins, and P. I. Tarr** 2000. The risk of the hemolytic-uremic syndrome after antibiotic treatment of *Escherichia coli* O157:H7 infections. *N. Engl. J. Med.* **342**:1930-6.
  176. **Wood, M. W., R. Rosqvist, P. B. Mullan, M. H. Edwards, and E. E. Galyov** 1996. SopE, a secreted protein of *Salmonella dublin*, is translocated into the target eukaryotic cell via a sip-dependent mechanism and promotes bacterial entry. *Mol. Microbiol.* **22**:327-38.
  177. **Wright, A.** 1971. Mechanism of conversion of the salmonella O antigen by bacteriophage  $\epsilon^{34}$ . *J. Bacteriol.* **105**:927-936.
  178. **Xiong, G., J. Lin, P. Oepen, D. Senerwa, and F. Lutz** 1998. Control of effective expression of the phage phiCTX-encoded ctx gene in *Pseudomonas aeruginosa* by a promoter upstream of the cos site. *Mol. Gen. Genet.* **257**:249-54.
  179. **Yamaguchi, T., T. Hayashi, H. Takami, K. Nakasone, M. Ohnishi, K. Nakayama, S. Yamada, H. Komatsuzawa, and M. Sugai** 2000. Phage conversion of exfoliative toxin A production in *Staphylococcus aureus*. *Mol. Microbiol.* **38**:694-705.

180. **Yokoyama, K., K. Makino, Y. Kubota, M. Watanabe, S. Kimura, C. H. Yutsudo, K. Kurokawa, K. Ishii, M. Hattori, I. Tatsuno, H. Abe, M. Yoh, T. Iida, M. Ohnishi, T. Hayashi, T. Yasunaga, T. Honda, C. Sasakawa, and H. Shinagawa** 2000. Complete nucleotide sequence of the prophage VT1-Sakai carrying the Shiga toxin 1 genes of the enterohemorrhagic *Escherichia coli* O157:H7 strain derived from the Sakai outbreak. *Gene* **258**:127-39.
181. **Zabriskie, J. B.** 1964. The role of temperate bacteriophage in the production of erythrogenic toxin by group A streptococci. *J. Exp. Med.* **119**:761-779.